

US EPA RECORDS CENTER REGION 5

# PHASE II RCRA FACILITY INVESTIGATION REPORT

# Prepared for:

# REFINED METALS CORPORATION Beech Grove, Indiana

Prepared by:

ADVANCED GEOSERVICES CORP. Chadds Ford, Pennsylvania

Project No. 98-478-03
May 3, 2002
Revision 1.0 (November 18, 2002)



# ADVANCED GEOSERVICES CORP.

"Engineering for the Environment"

Toll-Free: (888) 824-3992 Email: agc@agcinfo.com

Web Site: http://www.agcinfo.com

Chadds Ford Business Campus Rts. 202 & 1, Brandywine One - Suite 202 Chadds Ford, PA 19317-9676

Voice: (610) 558-3300 Fax: (610) 558-2620

May 3, 2002

98-478-05

Mr. Jonathan Adenuga United States Environmental Protection Agency - Region V RCRA Enforcement Branch 77 W. Jackson Street, Hre-8J Chicago, IL 60604-3590

RE: Phase II RFI

Beech Grove, Indiana

Dear Mr. Adenuga:

On behalf of Exide Technologies, Advanced GeoServices Corp. is submitting three copies of the Phase II RFI Report for the Refined Metals Corporation facility located at 3700 South Arlington Avenue, Beech Grove, Indiana.

Sincerely,

ADVANCED GEOSERVICES CORP.

Paul G. Stratman, P.E.

Project Manager

PGS:np

acu

**Enclosures** 

cc: Rebecca Joniskan, IDEM

Matt Love, Exide Technologies

US Department of Justice



**Exide Technologies** 3000 Montrose Avenue Reading, PA 19605

www.exideworld.com

#### May 3, 2002

United States Environmental Protection Agency – Region V RCRA Enforcement Branch 77 W. Jackson Street, Hre-8J Chicago, IL 60604-3590 Attn: Mr. Jonathan Adenuga

Phase II RCRA Facility Investigation Report

Refined Metals Corporation Beech Grove, Indiana

Dear Mr. Adenuga:

Re:

Pursuant to your request, enclosed is the Phase II RCRA Facility Investigation Report for the subject facility. I certify under penalty of perjury that the information contained in or accompanying this Phase II RCRA Facility Investigation Report is, to the best of my knowledge after thorough investigation, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Sincerely,

**EXIDE TECHNOLOGIES** 

Matthew A. Love

Director, Environmental Affairs

Enclosure

cc: Rebecca Joniskan – IDEM (w. encl.)



# **TABLE OF CONTENTS**

		PAGE NO.
1.0	Introducti	on
	1.1	General
	1.2	Purpose
	1.3	Organization
	1.5	Olganization
2.0	Facility B	ackground4
	2.1	Facility Location4
	2.2	Ownership History
	2.3	Operational History
		2.3.1 Smelting 5
		2.3.2 Refining
		2.3.3 Wastewater Treatment
		2.3.4 Storage Tanks
	2.4	Regulatory History
		2.4.1 RCRA
		2.4.2 CERCLA
	2.5	Nature and Extent of Contamination
		2.5.1 Behavior Of Lead
		2.5.2 Discussion Of Source Areas
3.0	Site Settin	ng11
	3.1	Physical Setting
	3.2	Regional Geology
	3.3	Regional Hydrogeology
	3.4	Site Specific Geology
	3.5	Site Specific Hydrogeology
4.0	Methods	and Procedures
	<i>/</i> 1 1	Introduction
	4.1 4.2	Introduction
	4.2	Well Installation Activities



# TABLE OF CONTENTS (Continued)

		(Continued)	PAGE N	<u>O.</u>
	4.2.1 4.2.2 4.2.3 4.2.4	Introduction		17 18
4.3	Groun	dwater Sampling		19
	4.3.1 4.3.2	Well Evacuation		
4.4	Soil Sa	ampling	•••••	20
	4.4.1	Phase I RFI and Closure Investigation Soil Sampling	• • • • • • •	21
		4.4.1.1 On-Site Soil Sampling		
	4.4.2	Phase II RFI Soil and Sediment Sampling	• • • • • •	22
		4.4.2.1 On-Site Soil Sampling 4.4.2.2 On-Site Sediment Sampling 4.4.2.3 Off-Site Soil Sampling 4.4.2.4 Off-Site Sediment Sampling		22 23
4.5	Supple	emental Survey	• • • • • •	24
Results				25
5.1 5.2		geologic Investigation		
	5.2.1 5.2.2	Phase II RFI Well Installation		
		5.2.2.1 September 2001 Sampling Event		
	5.2.3	Permeability Analysis		27

5.0



# TABLE OF CONTENTS (Continued)

						<u>PAGE N</u>	<u> </u>
	5.3	Soil In	vestigation			 	. 28
		5.3.1 5.3.2 5.3.3	On-Site Soil Resu On-Site Sediment Off-Site Soil Resu	t Results		 	. 28
6.0	Site Chara	acteriza	tion Summary			 	. 32
	6.1 6.2		dwater				
		6.2.1 6.2.2 6.2.3	On-Site Soil Off-Site Soil On-Site Sedimen			 	. 34
7.0	Conclusio	ons	• • • • • • • • • • • • • • • • • • • •			 •	. 36
8.0	Recomme	endation	ıs			 	. 38
9.0	Interim M	<b>l</b> easures				 	. 40
			Ţ	LIST OF TAB	<u>LES</u>		
<u>TA</u>	<u>BLE</u>						
2-1 4-1 5-1 5-2 5-3	Monito Ground Soil A	oring W dwater <i>I</i> nalytica	erials Used On-Site ell Construction D Analytical Results I Results lytical Results	Details			
			<u>I</u>	<u>IST OF FIGU</u>	<u>RES</u>		
<u>FIG</u>	<u>URE</u>						
2-1 2-2 4-1 4-2	Site Pla Site M	onitorin	Map  Ig Well Locations  ple Locations				



# LIST OF FIGURES (Continued)

# **FIGURE**

4-3	Soil Sample Location
5-1	Potentiometric Surface Map for Shallow Groundwater September 2001
5-2	Potentiometric Surface Map for Shallow Groundwater December 2001
6-1	Shallow Soil Lead Concentrations Isopleth

# **LIST OF APPENDICES**

# **APPENDIX**

Α	Boring Logs
В	Data Validation Report of Soil Samples Collected August 21-27, 2001
C	Data Validation Report of Groundwater and Soil Samples Collected on September 22 and 24, 2001
D	Data Validation Report of Groundwater and Soil Samples Collected on December 10-14, 2001
E	Background Calculations and Soil Summary Analysis
F	Permeability and Grain Size Analysis Report



# 1.0 INTRODUCTION

#### 1.1 GENERAL

The Refined Metals Corporation (RMC) facility was the location of secondary lead smelting operations from 1968 through 1995. RMC was involved in the reclamation of lead from used automotive and industrial batteries and other lead bearing materials. The Site ceased smelting operations on December 31, 1995.

During its operational life, the facility handled materials that were classified as hazardous materials or hazardous wastes under the Resource Conservation and Recovery Act (RCRA). At this time, the Site is idle except for the wastewater treatment system which remains in operation. The wastewater treatment system remains in place to collect and treat stormwater runoff from the lined lagoon and other site areas.

# 1.2 <u>PURPOSE</u>

On July 14, 1998, RMC entered into a Consent Decree with the United States Environmental Protection Agency (USEPA) and the Indiana Department of Environmental Management (IDEM). Under this Consent Decree, a RCRA Facility Investigation (RFI) is to be performed to evaluate and determine the full nature and extent of releases and to collect information necessary to support human health and ecological risk assessments so that a Corrective Measures Study may be implemented. Pursuant to Section VI, Paragraph 42 of the Consent Decree (Compliance Requirements for Corrective Action), Advanced GeoServices Corp. (AGC) has performed the RFI in accordance with the approved RFI work plans on behalf of RMC. The preparation and implementation of the RFI work plans were enacted in accordance with Exhibit B of the Consent Decree and the EPA's RCRA Facility Investigation Guidance Document (EPA 530/SW-89-031). The RFI was conducted in multiple phases. The results from the initial phase of sampling were presented in the Phase I RFI Report dated August 31, 2000. Based on the results of the Phase I RFI



and as required by the EPA after the Phase I RFI Report was submitted, a Phase II RFI Work Plan was submitted to the EPA on December 20, 2000. In response to comments on the Phase II RFI Work Plan issued by the EPA on April 3, 2001, revisions to the Phase II RFI Work Plan were submitted to the EPA on June 27, 2001. The EPA approved the Phase II RFI Work Plan on July 13, 2001. Additional site sampling was conducted during a closure investigation to address three former RCRA-regulated solid waste managements units (SWMUs). The results of the SWMU closure investigation were presented by AGC in the Closure Investigation Report dated June 1, 2001.

This Phase II RFI Report presents a summary of pertinent Phase I RFI activities and details the results of the Phase II investigation conducted from July 2001 through April 2002. The information contained in this report cites the findings of the RFI regarding the presence, magnitude, extent and mobility of hazardous waste and hazardous constituents on and beneath the former site area and adjacent off-site areas that may have originated from the RCRA permitted hazardous waste or solid waste management units at the Site.

In conjunction with the Phase II RFI, additional sampling was conducted as a part of the SWMU Closure Investigation. The results of this sampling are presented under separate cover.

# 1.3 ORGANIZATION

This document contains a description of the field activities associated with the implementation of the Phase II RFI work plan and the results of the laboratory analysis of the samples collected during the Phase II RFI. This document is organized as follows:

- Section 1.0 General introduction provided above;
- Section 2.0 Facility Background, including ownership and operational history as well as a discussion of the nature of contamination;



- Section 3.0 Site Setting, provides a physical description of the Site including geologic and hydrogeologic characteristics;
- Section 4.0 Methods and Procedures, details the scope of work conducted as part of the Phase II RFI;
- Section 5.0 Results, presents the analytical results of the samples collected during the Phase II RFI field activities;
- Section 6.0 Site Characterization Summary, summarizes the characteristics of site groundwater, soil and sediment with respect to the constituents addressed by the RFI;
- Section 7.0 Presents the Conclusions that may be drawn from the findings of the RFI; and
- Section 8.0 Recommendations.
- Section 9.0 Interim Measures.



#### 2.0 FACILITY BACKGROUND

A detailed description of facility background was provided in the Phase I RFI Report. A brief summary is provided herein for those readers not familiar with that report.

#### 2.1 FACILITY LOCATION

The RMC facility is located at 3700 South Arlington Avenue in Marion County, Beech Grove, Indiana, approximately four miles south-southeast of downtown Indianapolis (Figure 2-1). The Site occupies approximately 24 acres, of which approximately 10 acres represented the active manufacturing area (including paved areas and buildings). The remaining 14 acres includes grassed and wooded site areas. The configuration of the Site is triangular, bounded by Arlington Avenue (oriented in a north to south direction representing the hypotenuse), Big Four Road (along the base), and the common property line with a natural gas company forming the third side. The northwest end of the triangle is truncated by a railroad right-of-way (Figure 2-2).

The Site is relatively flat with less than 10 feet of total relief. Natural site drainage is toward the north and east. The former manufacturing area is characterized by nearly 80,000 square feet (sf) of structures. The site plan is illustrated in Figure 2-2.

The ground surface surrounding the buildings is currently paved (primarily with concrete). Older facility photographs indicate that areas northwest and northeast of the main facility structure were unpaved except for a concrete driveway, which encircled the facility. Stormwater runoff is conveyed to the wastewater treatment plant for processing.

#### 2.2 OWNERSHIP HISTORY

The Site was reportedly undeveloped woodlands until 1968. In 1968, the property was developed as a secondary lead smelter by National Lead. National Lead operated the facility from 1968 through



1980, when it was sold to Exide Corporation. In 1985, the Site was purchased from Exide Corporation by RMC. RMC continued to operate the facility until the cessation of operations on December 31, 1995. From April 14, 1995 through December 31, 1995, operations were reduced to enriching and casting lead ingots from off-specification lead products. Since 1996, no production has taken place at the facility except for operation of the wastewater treatment facility, which is still used to treat stormwater runoff from the former manufacturing areas.

# 2.3 OPERATIONAL HISTORY

## 2.3.1 Smelting

The facility was constructed as a secondary lead smelter to recycle lead-acid batteries and other lead-bearing wastes. Prior to 1984, battery crushing was performed off-site at other commercial facilities. In 1984, the battery breaker was constructed on-site. One blast furnace and one dust furnace were used at the facility. During operation, the blast furnace used coke and oxygen-enriched air for heating.

Prior to 1984, storage piles were located outdoors with minimal spill and runoff control. The majority of stormwater runoff from the piles and other work areas flowed and/or was pumped to the stormwater lagoon where it was allowed to evaporate. However, when the lagoon was full, it overflowed to a drainage ditch that flowed off-site toward the east. A small portion of the drainage from the active manufacturing area flowed uncontrolled toward the wooded area to the north, and then along an intermittent stream to the north. During 1984, the material storage building was constructed and the waste piles were moved inside. Reportedly, material was occasionally stored outside after 1984 when the material storage building was full.



## 2.3.2 Refining

Molten lead from the blast furnace was tapped from the bottom of the furnace to kettles in the adjacent refining and casting area. In the kettles, the molten lead was tested to determine its quality. Antimony and tin were either added or removed to create the required lead type and quality. A list of principle materials used on-site is provided on Table 2-1.

#### 2.3.3 <u>Wastewater Treatment</u>

With the installation of the battery crusher in 1984, waste sulfuric acid, and acidic and lead-bearing wastewater was actively collected for treatment through a batch neutralization process. During 1988, the Site was also re-graded and stormwater drainage modified to allow the collection and treatment of all stormwater runoff from the active manufacturing areas. Wastewater effluent is discharged to the Municipal Sanitary Sewer system which conveys the wastewater for treatment at the City of Indianapolis POTW.

#### 2.3.4 Storage Tanks

Reportedly, underground storage tanks (USTs) were never used at the Site. Three above ground storage tanks (ASTs) - two 10,000-gallon ASTs and one 20,000-gallon AST - were used to store diesel fuel for company trucks. The tanks were reportedly cleaned out in 1985 and have since been out of service. The three ASTs are located at the northeast end of the former manufacturing area as shown on Figure 2-2.

A leak in a valve of one of the now out-of-service diesel tanks occurred around 1983, resulting in a spill of unknown volume outside of the containment wall. A portion of the spill flowed along the drainage ditch located north of the refining area. The contaminated soil was excavated and the tanks were emptied. Although documentation of the spill and subsequent response action is not available, the soil clean-up was reportedly conducted under state supervision.



# 2.4 <u>REGULATORY HISTORY</u>

#### 2.4.1 RCRA

As stated above, following the promulgation of RCRA, the facility submitted a Part A RCRA permit application. On November 19, 1980 the facility was granted Interim Status as a hazardous waste treatment, storage and disposal facility. The RCRA Subtitle C units included indoor and outdoor waste piles (used to store batteries and lead-bearing wastes), and the 750,000-gallon concrete lined lagoon. A Part B application was submitted during the mid-1980s, although full RCRA permitted status was never granted. The EPA maintains that interim status was lost on November 8, 1985 as a result of RMC's alleged failure to comply with Section 3005(e)(2) of RCRA, 42 U.S.C. 6925(e)(2); RMC did not agree with this allegation.

RMC submitted a revised Part A application on October 26, 1988 requesting an increase in the storage volume for spent batteries from 200 cubic yards (cy) to 400 cy. The request was granted on September 20, 1989. A subsequent revised Part A application was submitted to IDEM on December 7, 1990 for increasing the storage volume of spent batteries from 400 cy to 500 cy. IDEM denied the increase. RMC filed for a stay and was granted interim status to store 400 cy, however, IDEM approved the revised Part A application on June 3, 1991 with the provision that it did not grant interim status under RCRA. The Part B application was not resubmitted. In 1994, the facility withdrew its Part A and Part B permit applications.

The following enforcement actions were identified for the facility:

- Notice of Violation April 13, 1982;
- Notice of Violation July 30, 1982;
- Complaint Order (N-283) December 13, 1985;
- Notice of Violation (V-442) February 16, 1987; and
- Letter of Warning March 26, 1987.



EPA filed a complaint in Federal Court against the RMC facility on November 21, 1990. The complaint requested the court to order RMC to cease its operations as a hazardous waste treatment, storage, and disposal facility, to submit a closure plan, prepare and implement a plan to investigate the nature and extent of hazardous waste constituents released from the facility and the effects on groundwater, to prepare a plan for remediation of contamination in and around the facility, and to pay a fine for each violation. The complaint indicates that the EPA had issued a "Determination of Release of Hazardous Waste into the Environment from a RCRA Interim Status Facility" on or about May 5, 1989. Negotiations ensued between RMC and the EPA concerning the deficiencies. A draft Consent Decree was also being negotiated between RMC and the USEPA which was ultimately lodged on July 14, 1998 (Civil Action #IP902077C). This Phase II RFI Report is being submitted under the requirements of that Consent Decree.

#### 2.4.2 CERCLA

A site inspection was performed under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) in 1980. In 1985, a preliminary assessment was performed under CERCLA. No further action was planned under CERCLA at that time.

#### 2.5 NATURE AND EXTENT OF CONTAMINATION

#### 2.5.1 Behavior Of Lead

A number of the materials formerly used at the facility have toxic characteristics; however; the principal material of concern is lead. Lead is a common metal and can be found at an average concentration in excess of 30 ppm in natural soils and 1-10 µg/l in surface water. Most lead salts are fairly insoluble in water; however, the solubility depends on the pH, with solubility increasing in more acidic conditions. Movement of lead in soils depends on its adsorption, chelation with organic matter, and the precipitation of the less soluble salts. In general, lead reacts with soil anions or clays to form insoluble complexes, inhibiting its mobility. Lead can be ingested or absorbed by



inhalation. Poisoning from acute exposure to lead is uncommon. The primary toxic effects from chronic exposure are on the blood and the nervous system.

#### 2.5.2 Discussion Of Source Areas

Facility inspection reports identified poor housekeeping, storage of materials on unpaved surfaces, spillage in a baghouse, and runoff/runon control for the outdoor waste piles as situations which could aid migration from the paved site area.

Based on the documented operating history and an understanding of the character of lead mobility and transport, the most significant potential sources of contamination at the facility during its operating history were erosion and transport of lead-bearing solids from outdoor waste piles and other areas by stormwater runoff (prior to re-engineering of site drainage to contain all runoff from the manufacturing area), fugitive dust emissions from traffic and production areas, unpaved outdoor waste pile areas (north and west of the material storage building), and stack emissions. Based on original facility grading, transport and deposition of lead-bearing sediment from the facility could have occurred in areas northeast and east of the Battery Breaker building prior to containment of site stormwater runoff. The lined stormwater lagoon and the channels that received lagoon overflow represent potential source areas. In addition, those areas that were either unpaved or not covered by a building within the active manufacturing areas could represent an area where lead contaminated sediment or materials could have accumulated and were subsequently covered with pavement or a structure. The fugitive dust and stack emissions could have resulted in the deposition of lead on the ground surface within and beyond the manufacturing area.

During the preparation of the Phase I RFI Work Plan, AGC performed a review of RMC files to identify previous sampling activities. The file review indicated that previous sampling of environmental media at the facility was limited to an investigation of soils and building interiors performed by Entact, Inc. during April 1996 and quarterly groundwater sampling performed by RMC since June 1991. The groundwater samples were not collected using the low flow sampling



techniques, and potential discrepancies exist between the total and dissolved analytical results (some dissolved concentrations are higher than the total concentrations). Therefore, the data provided by these samples proved to be insufficient in performing an evaluation of the RMC facility. Information and results for the soil samples collected by USEPA, as referenced in the Consent Decree, could not be located.

Floor dust sample results for the warehouse and refining building, collected by Entact, indicated the highest concentration of lead was 129,707 parts per million (ppm). Lead in floor dust samples ranged from 51,702 to 129,707 ppm. Soil samples collected at varying depths beneath the floor slab in the warehouse, refining, and furnace room building had results ranging from non-detect to 2,950 ppm. Floor dust sample results collected from the furnace room, the battery breaker building, and the material storage building indicated lead concentrations ranging from 10,073 to 115,736 ppm. Soil samples collected from varying depths beneath the slab in the material storage building and battery breaker building had lead concentrations ranging from non-detect to 75,373 mg/kg. Surface soil samples collected from outside of the buildings indicated lead concentrations from 43 mg/kg to 70,406 mg/kg. Subsurface samples of varying depths ranged from non-detect to 22,793 mg/kg. The highest lead concentrations were located within the former active manufacturing areas of the Site.

In addition to the Entact samples, soil samples were reportedly collected and analyzed by the EPA. The samples reportedly failed EP Toxicity tests for lead and cadmium. The date of the sampling and the locations where the soil samples were collected from could not be determined.



#### 3.0 SITE SETTING

## 3.1 PHYSICAL SETTING

The Site is located in the White River Drainage Basin. The Site is situated on a minor local topographic high with a surface elevation of approximately 845 feet above mean sea level (msl). The surface elevation slopes gently to the southeast toward Sloan Ditch, and the northwestern perimeter of the Site slopes to the northwest toward the intermittent headwaters of Beech Creek. Surface water at the Site is collected in the stormwater management basin and is treated and discharged to the municipal sewer system.

Prior to construction of the present-day stormwater collection and control system, surface water from the northern portion of the facility flowed to the intermittent stream that flows northwest to the headwaters of Beech Creek. Surface water from other areas on the Site historically flowed to the same location as the present-day (geomembrane lined) stormwater basin, which was reportedly concrete lined. Water collected in this impoundment either evaporated, or when full, overflowed the banks to a drainage ditch that flowed off-site to the east (Figure 2-2) and then to the south, eventually discharging to Sloan Ditch. Sloan Ditch flows 0.6 mile west-southwest to Churchman Creek, which flows to the west 0.9 mile and discharges to Beech Creek. Beech Creek flows 1.2 miles to the southwest to Lick Creek, which then flows 7 miles to the White River.

# 3.2 REGIONAL GEOLOGY

The surficial geology of Marion County is glacial till (Tipton Till Plain) consisting of yellowish-gray, bluish-gray, or gray sand or silt with some clay and pebbles and scattered cobbles and boulders. The drift cover in Marion County is believed to be composed of three drift sheets resulting from the Kansan, Illinoian, and Wisconsin glaciations. Till thicknesses range from less than 15 feet to greater than 400 feet. The Site is underlain by approximately 200 feet of unconsolidated material.



Bedrock is encountered at an elevation of approximately 640 feet mean sea level (on the order of 200 feet bgs), and consists of middle Devonian-aged dolomitic limestones. The limestones consist primarily of the Geneva Dolomite and the Jefferson Limestone. The Geneva Dolomite is a light gray to tan and buff to chocolate brown dolomite that contains white crystalline calcite masses. The Jeffersonville Limestone is a pure limestone in the upper portion of the formation, and is laminated with organic material in the lower portion. The organic laminae are more argillaceous than the coralline zone (Harrison, 1963). Meyer, 1975 indicates that shale is present beneath the glacial till and overlying the limestones. Additional detail on the shale unit is not provided by Meyer. The regional dip is to the southwest so that progressively younger formations are encountered below the till plain to the southwest.

## 3.3 <u>REGIONAL HYDROGEOLOGY</u>

In Marion County, groundwater is encountered in un-named sand and gravel beds overlying the bedrock, the Jefferson Limestone and Geneva Dolomite, and the Niagaran Limestones (Harrison, 1963). The sand and gravel glacial outwash that coincides with the courses of the White River and Fall Creek is the aquifer of greatest economic importance in Marion County. The location of this aquifer generally coincides with the glacial melt water and outwash deposits along the major streams. Fall Creek enters White River upstream of the Site. The White River sand and gravel aquifer is located approximately 5.3 miles west of the Site. The sand and gravel aquifer is unconfined and flows toward and discharges to the surface water bodies. The hydraulic conductivity was determined for sand, sand and gravel, and gravel by Meyer, 1975 and are as follows:



Sand 40 ft/day

Sand and Gravel 240 ft/day

Gravel 415 ft/day

The hydraulic conductivity of the silt and clay was determined to be too low for reporting purposes by Meyer. Specific capacity and lithologic information used in Meyer's hydraulic conductivity calculations of the sand and gravel glacial outwash deposits were obtained from drillers' records.

It is noted by Meyer that three thin, areally discontinuous, sheet-like deposits of sand and gravel in the till-plain area are separated by beds of silt and clay that cause the groundwater in these deposits to be semi-confined. Meyer also notes that large areas of silt and clay often separate one area of an aquifer from another. The elevation of the uppermost semi-confined aquifer beneath the Site was estimated to be approximately 720 ft msl (approximately 120 feet bgs) and is overlain by deposits of varying thickness of silt and clay. Groundwater flow in the uppermost regional semi-confined aquifer is to the northwest. The middle regional semi-confined aquifer is not mapped beneath the Site because an aquitard (clay unit) is mapped in the area. The elevation of the lower regional semi-confined aquifer beneath the Site is approximately 660 ft msl (180 ft bgs) and flow is to the southeast.

The average daily industrial and municipal groundwater pumpage for Marion County is 28.95 million gallons per day (mgpd). Less than 20 percent of the industrial/municipal pumpage is from the bedrock. Also, less than 20 percent of the total pumpage is obtained outside the unconfined glacial-outwash aquifer which occurs only along the White River and Fall Creek and is located at least 5.3 miles west of the Site. The major centers of groundwater pumpage occurred within approximately one mile of a major stream. The estimated total domestic groundwater pumpage is 9.0 to 11.0 mgpd (Meyer 1975).



# 3.4 SITE SPECIFIC GEOLOGY

Based on results of the RFI activities, the surficial geology at the Site is consistent with the regional geology described in Section 3.2. Four deep borings identified as MW-1D, MW-2D, MW-3D and MW-6D were advanced on-site to depths ranging from 110 feet to 130 feet bgs during the Phase I RFI to characterize subsurface conditions. Borings MW-2D and MW-6D were subsequently converted into monitoring wells as discussed in Section 3.5. From these four borings it was determined that a substantial thickness of unconsolidated silt, clay and fine sands exist beneath the Site. The logs for these four deep borings were included in Appendix A of the Phase I RFI Report. The thickness of the till plain beneath the Site is at least 130 feet as bedrock was not encountered in any of the deep borings.

Various portions of the Site have been altered due to plant operation activities. Several topographic high mounds in the wooded area northeast of the manufacturing area and adjacent to the intermittent stream are believed to be fill material from on-site construction activities. Similarly, paved areas and areas below the structures on-site have been filled with gravel of thicknesses ranging from 6 to 12 inches.

# 3.5 <u>SITE SPECIFIC HYDROGEOLOGY</u>

Shallow groundwater encountered at the Site is believed to represent a local perched zone of saturation in sand layers within the glacial till. AGC reviewed the logs of the four deep borings advanced during the RFI and the five shallow boring logs advanced prior to installation of site monitoring wells MW-1 through MW-5 in 1991 (see Appendix A). The boring logs indicate that this sand layer varies in thickness and elevation throughout the Site. The potentiometric surface for the groundwater on-site is approximately 10 feet bgs, and flow in the shallow on-site wells appears to be to the southeast. Boring logs for the deep borings on-site indicate that a substantial thickness of silt and clay is deposited below the shallow zone of saturation and overlies the regional uppermost semi-confined water bearing zone. The regional uppermost semi-confined aquifer was not



encountered in any of the deep borings. Two of the deep borings were terminated at a depth of 130 feet bgs, as specified in the Phase I RFI Work Plan.

The deep wells completed on-site for the Phase I RFI (MW-2D and MW-6D) were set in a middle perched zone located 75 to 85 feet below grade. It should be noted that these borings were advanced to 110 and 123 feet below grade, respectively, and did not encounter the regional upper-most semi-confined aquifer. Groundwater sampling results for the middle aquifer indicated a total lead concentration below the EPA Action Level of 15  $\mu$ g/l in the samples collected during the Phase I RFI. Arsenic was encountered in both wells during both rounds of sampling. Similar to the elevated levels of arsenic in soil in the region, it is believed that the concentrations encountered are representative of regional background levels and not impacts from former facility operations. This middle perched zone was not encountered throughout the entire site and is laterally discontinuous.

Due to the substantial layers of silt and clay combined with the areal discontinuity of the regional uppermost semi-confined aquifer it is believed that there is no direct hydraulic connection between the shallow and middle aquifers and the regional uppermost semi-confined aquifer. Sampling results from the two deep wells completed on-site for the Phase I RFI further support this.



# 4.0 METHODS AND PROCEDURES

# 4.1 <u>INTRODUCTION</u>

The Phase II RFI field investigation was developed to address specific recommendations of the Phase I RFI and USEPA comments. Field activities were completed in an effort to achieve the following:

- Further evaluate ground water flow and quality;
- Characterize the soil metal concentrations to the north, east and west of the Site; and,
- Characterize the sediment metal concentrations of the on-site drainage ditch.

Following EPA approval of the Phase II RFI Work Plan, the field activities were completed during two mobilizations. In August 2001, four (4) additional on-site ground water monitoring wells were installed, 20 sediment samples were collected from the on-site drainage ditch and 83 off-site soil samples were collected from the adjacent properties to the north and west. In December 2001, additional sediment samples were collected from five locations in the on-site drainage ditch and eight off-site soil samples were collected on adjacent properties to the east and west. Sampling activities and drilling supervision were conducted by AGC and laboratory analysis was performed by TriMatrix Laboratories Inc. (TriMatrix) of Grand Rapids, Michigan. In addition to the Phase II RFI activities, soil samples were collected from nine on-site geoprobe borings to supplement previous closure investigation activities. Results of the supplemental closure investigation activities are being provided under separate cover to IDEM.

#### 4.2 WELL INSTALLATION ACTIVITIES

#### 4.2.1 <u>Introduction</u>

The four monitoring wells installed during the Phase II RFI were completed in the unconfined aquifer, bringing the total number of monitoring wells completed in this unit to nine. One of these



wells, MW-6SR, was installed to replace MW-6S, which was installed in conjunction with the RCRA Closure Investigation but did not yield a sufficient volume of water to produce a representative groundwater sample. Monitoring wells MW-7 and MW-8 were installed along the northern site boundary, downgradient of the Battery Breaker and Material Storage Building, respectively. The fourth well, MW-9, was installed near the southwest corner of the Site as a background well. Monitoring wells locations are illustrated in Figure 4-1. The depth and final disposition of borings completed on-site is presented in Table 4-1.

Monitoring well MW-6 was abandoned on August 21, 2001. Well abandonment was completed by Boart Longyear Environmental Division of Greensberg, Indiana and consisted of tremie-grouting the well casing from the total depth to the surface using a 95% Portland cement/5% Bentonite grout.

# 4.2.2 <u>Drilling Methods</u>

The boring were advanced and the wells were installed by Boart Longyear. Borings were advanced using hollow stem auger (HSA) techniques and continuous split spoon samples were collected in accordance with ASTM D 1586.

Continuous sampling for lithology was performed along the entire depth of the borehole. The samples recovered from the advancement of the borings were logged by an AGC geologist. Copies of the logs are provided in Appendix A.

Soil samples were collected during well installation to determine vertical permeability of the aquifer. As described in the Work Plan, the analysis was to have been performed on undisturbed samples collected in Shelby tubes. Two Shelby tube samples were collected from MW-6SR at 10-12 feet bgs and 16-18 feet bgs. No Shelby tube samples were collected from the other three wells because of the formation density. Instead, soil samples were collected from MW-7 (at 26-28 feet) and MW-9 (at 22-24 feet and 24-26 feet). The Shelby tubes and soil samples were submitted to GeoSystems



Consultants Inc. for sieve analysis with hydrometers (all samples), and Atterberg limits and permeability analysis (Shelby tubes only).

#### 4.2.3 Well Construction

The monitoring wells were constructed using 4-inch ID, flush-threaded, Schedule 40 PVC riser with a 10-foot length of factory-slotted 0.010-inch PVC well screen. A sand pack was placed to 2 feet above the top of the monitoring well screen with No. 1 sand. A minimum 2-foot thick bentonite seal was placed on top of the sand pack. The remaining annulus of each borehole was tremie-grouted to the surface using a 95% Portland cement/5% Bentonite grout.

All monitoring wells were completed with a 6-inch square steel protective casing with a locking cap. The protective casing extends from an approximate depth of 3 feet bgs to approximately 2 feet above ground. A neat cement seal was placed around the protective casing to a depth of 3 feet bgs. A 2 foot square well pad was installed so that the surface slopes away from the well.

#### 4.2.4 Well Development

The monitoring wells were developed using the surge-block and pump method. Monitoring wells were first surged using a plunger-type surge block assembly. This provides the necessary turbulence in and near the well screen to remove fine-grained material and to properly develop the well. The wells were then purged and developed using a submersible pump. When the development water in each well was relatively sediment free, exhibited a satisfactory clarity and yield, and pH and specific conductance readings had stabilized as measured in the field, development ceased.



#### 4.3 GROUNDWATER SAMPLING

### 4.3.1 Well Evacuation

Groundwater samples were collected from site monitoring wells MW-1, MW-2S, MW-3, MW-4, MW-5, MW-6SR, MW-7, MW-8 and MW-9 during two discrete sampling events conducted in September and December 2001. Samples were collected using the low-flow sampling technique to more accurately determine the potential for site-related constituents to have entered groundwater. The depth to water in each monitoring well was measured and the purge volume calculated from these measurements and well specifications from construction logs. This provided the sampling team with an estimate of when stabilization of purging parameters would occur. Monitoring wells were purged and sampled from the suspected least contaminated well to the most contaminated well to minimize the potential for cross-contamination.

The wells were purged using a stainless steel low-flow bladder pump placed at the midpoint of the screen in each well. The wells were purged at a flow rate ranging from 100 to 300 milliliters per minute mls/min, depending on the yield of the well. A flow-through cell was used to measure pH, temperature, conductivity, redox potential, and dissolved oxygen prior to contact with ambient air at 3 to 5 minute intervals during purging. Turbidity was also measured at the same time interval. The wells were purged until the field parameters stabilized to within 10% over three readings and pH readings varied by less than 0.1 unit.

Purge water was contained in 55-gallon drums until analytical results of groundwater samples were evaluated. Drums were labeled with the location and date of generation (i.e., purge water, MW-1, 5/25/96) and remained on-site until disposal. Based on results of the RFI monitoring well sampling, the collected purge water was processed by the site stormwater runoff system.



# 4.3.2 Sample Collection

Once the field parameters had stabilized, samples were collected directly from the pump discharge line into laboratory-supplied bottles containing the necessary preservatives at a sampling flow rate of 100 to 300 mls/min.

Sample containers were labeled with a unique identifying number, time and date of sample collection, requested analysis, preservative, and the initials of the sample collector. Samples were packed on ice and shipped to TriMatrix Laboratories Inc. for analysis of eight RCRA metals and antimony (SW-846 6010). Samples collected during the September 2001 event were analyzed for total metals content. Samples collected during the December 2001 event, were analyzed for both total and dissolved metals content. Samples for dissolved metals analyses were field filtered through a dedicated disposable Nalgene 0.45 µm membrane filter immediately after collection and prior to preservation. The sample was decanted into the dedicated, Nalgene disposable filtration unit and filtered under vacuum pressure created by a hand-held pump. The sample was then immediately transferred to a laboratory supplied bottleware.

#### 4.4 **SOIL SAMPLING**

The following decontamination procedures were followed prior to the collection of each soil sample:

- Wash equipment thoroughly with a non-phosphate detergent (Alconox) and water using a brush to remove any particulate matter or surface film;
- Rinse equipment with distilled water;
- Rinse with diluted 10 % nitric acid;
- Triple rinse with distilled water;
- Air dry equipment; and
- Wrap equipment in a clean plastic sleeve or in aluminum foil if not used immediately.



Soil samples were collected using decontaminated hand augers where asphalt or concrete was not present. For sample locations where either concrete or asphalt existed, a Geoprobe was used to penetrate the pavement and collect the samples. Soil was removed from the auger bucket, or the Geoprobe disposable acetate sleeve, using a disposable scoop. The sample was then homogenized in a stainless steel bowl and placed into a laboratory-supplied jar. The samples were labeled, placed on ice and submitted to TriMatrix for analysis.

# 4.4.1 Phase I RFI and Closure Investigation Soil Sampling

#### 4.4.1.1 On-Site Soil Sampling

During the Phase I RFI, soil samples were collected at a total of 58 on-site locations designated as RSB-1 through RSB-58. Samples were also collected from below the floor slab at a total of 14 locations in the interior of the battery breaker, material storage building, the furnace room and warehouse using a Geoprobe drill rig (RSB-71 through RSB-85). The Phase I RFI soil samples were submitted for analysis of eight RCRA metals (SW-846 6010).

Soil sampling associated with the Closure Investigation included 50 on-site locations that were identified with a "CSB" prefix. Four on-site sampling locations were selected to provide background metal concentration data and were identified with a "BSB" prefix. Samples were obtained using a hand auger or Geoprobe. The soil from the first two feet was analyzed for eight RCRA metals, pH, and antimony (SW-846 6010 and 7470). Samples from below 2 feet were archived. Samples of floor dust and lagoon sediments were also collected.

#### 4.4.1.2 Off-Site Soil Sampling

During the Phase I RFI, eight off-site sampling locations were selected on the adjacent properties to the south (the Wavetech property) and northwest (the Citizens Gas Company property). Samples from the Wavetrech property were designated as RSB-65 through RSB-68 and samples from the



Citizens Gas property were designated as RSB-63, RSB-64, RSB-69 and RSB-70. These samples were collected using a decontaminated hand auger. Additionally, two locations on the Citizen's Gas Company property were sampled at the 24-30 inch interval. Each of the off-site samples was analyzed for eight RCRA metals (SW-846 6010).

# 4.4.2 Phase II RFI Soil and Sediment Sampling

## 4.4.2.1 On-Site Soil Sampling

No on-site soil samples were collected a part of the Phase II RFI activities. However, on-site soil samples were collected to supplement previously completed closure investigation activities pursuant to IDEM comments. These results are provided under separate cover to IDEM.

## 4.4.2.2 On-Site Sediment Sampling

In August 2001, sediment samples were collected from 10 locations (R2SED-1 through R2SED-10) along the center line of the drainage ditch adjacent to Arlington Avenue using a decontaminated hand auger. Although the Phase II RFI Work Plan specified collection of 16 samples from the drainage ditch, when sample locations were laid out as specified in the Work Plan (i.e., every 75 feet), only 12 locations were required to cover the specified sampling area. Of these, two locations were not accessible due to construction activities of local Department of Public Works. For reporting purposes samples from the ditch have been designated "sediment." However, physical character of the samples is similar to on-site soils except that they were collected from within a defined drainage ditch. The drainage ditch actually consists of a gently sloping area vegetated with grass that is routinely mowed as a part of the yard area of the facility. Sampling locations are shown on Figure 4-2. Two samples per location were retained for analysis of lead and arsenic content at depths of 0-6 inches and 6-12 inches. The samples were created by mixing the material recovered in these intervals in a stainless steel bowl with a disposable scoop and placing a representative portion into



a laboratory-provided jar. Each jar was labeled and placed on ice in a cooler until delivered for analysis.

Because the analytical results indicated impact by metals in the deeper interval, additional samples were collected from every other boring (five borings) advanced in the drainage ditch during December 2001. These locations were placed immediately adjacent to R2SED-1, R2SED-3, R2SED-5, R2SED-7 and R2SED-9. Samples were collected as previously described from depths 12-18 inches and 18-24 inches bgs intervals at each location for analysis of lead and arsenic.

# 4.4.2.3 Off-Site Soil Sampling

During August, soil samples were collected from 45 sampling locations on the Citizens Gas, Americold, Howard and Lyon properties located west and north of the Site. Samples were collected based on a grid pattern with a 200 foot node spacing. The location were identified as R2SB-1 through R2SB-50 with samples collected at depths of 0-3 inches and 3-10 inches for analysis of arsenic and lead. Sample location are shown on Figure 4-3. The samples were created by homogenizing the material recovered from each interval in a stainless steel bowl with a disposable scoop and placing a representative portion into a laboratory-provided jar. Each jar was labeled and place on ice in a cooler until delivered for analysis. No sample was collected from location R2SB-31, which was on a Global Properties parcel where access was denied.

Four additional sampling locations were selected along the western boundary of the Citizens Gas property to establish naturally occurring background concentrations of arsenic. These locations were identified as R2BG-1 through R2BG-4 and are considered to be outside the area affected by the Refined Metals operation. Samples were collected from depths of 0-3 inches (the uppermost soil horizon) and 3-10 inches (the next soil horizon) for analysis as previously described.

Based on analytical results of samples collected in August and background concentrations calculated from those results, five former and two new locations were sampled on the Citizens Gas property,



and one location was sample on the Schumanger Machinery property (adjacent to east of the Site across Arlington Avenue) in December. These samples were intended to further delineate arsenic and lead impacts. Samples were collected and handled as previously described. Sampling locations are shown on Figure 4-3. The locations resampled on the Citizens Gas property included R2SB-1, R2SB-2, R2SB-3, R2SB-4 and R2SB-13. Samples were collected at depths of 0-3 inches, 6-9 inches, 12-15 inches and 24-27 inches from boring advanced immediately adjacent to the prior locations and identified as R2SB-1A-A, R2SB-1A-B, R2SB-1A-C, etc. The new locations on the Citizens Gas property were located approximately 200 feet west of R2SB-20 and R2SB-4 and were identified as R2SB-52 and R2SB-53, respectively. The boring on the Schumanger property was designated as R2SB-51.

# 4.4.2.4 Off-Site Sediment Sampling

The Phase II RFI Work Plan proposed the collection of sediment samples from six locations within a drainage near the northern property line. The drainage ditch is situated within a right-of-way that formerly belonged to Conrail, which has since been sold to CSX Transportation. AGC attempted to gain access to the right-of-way on multiple occasions, without success. As a result, no sediment samples were collected from these off-site locations.

# 4.5 <u>SUPPLEMENTAL SURVEY</u>

The Schneider Corporation, an Indiana licensed surveyor, located all soil and sediment sampling locations for the purpose of accurately representing the horizontal datum of the sampling locations in the state-plane coordinate system. In addition, both the existing and the newly installed monitoring wells were surveyed for vertical and horizontal datum in the state-plane coordinate system.



#### 5.0 RESULTS

#### 5.1 INTRODUCTION

Soil lead concentrations are being delineated to the EPA Region IX preliminary remediation goals (PRGs). As specified in the Phase II RFI Work Plan, arsenic in soil concentrations are being delineated to background concentrations. The calculated background arsenic in soil concentrations are 10.53 mg/kg for surface soil (0-3 inch) and 7.91 mg/kg (>3 inches) for subsurface soils. As stated earlier, samples collected from the drainage ditches have been referred to as "sediment" in this report; however, because of the physical character of the material sampled and geomorphic setting, they are compared to the soil standards discussed above.

As specified in the Phase II RFI Work Plan, groundwater is also being evaluated against a calculated background arsenic level determined using samples collected from MW-9. For arsenic that value is  $8.5 \,\mu\text{g/l}$ . Background is calculated by the mean arsenic concentration in MW-9 plus one standard of deviation. The current EPA Region IX PRG table does not provide a standard for lead in groundwater; therefore, we are utilizing the EPA Action Level of  $15 \,\mu\text{g/l}$ . In addition to lead and arsenic Phase II RFI groundwater samples were analyzed for antimony, barium, cadmium, chromium, mercury, selenium and silver, the results of which were compared to the respective EPA Region IX PRGs.

# 5.2 <u>HYDROGEOLOGIC INVESTIGATION</u>

#### 5.2.1 Phase II RFI Well Installation

During the Phase II RFI, four additional shallow groundwater monitoring wells were installed at the Site, bringing the total number of wells screened across the unconfined aquifer to nine. One of these wells, MW-6SR, replaced MW-6S, which was installed during the Phase I RFI but was unable to yield a sufficient volume of water to produce a representative ground water sample. The locations



of the other three wells, MW-7, MW-8, and MW-9, are shown on Figure 4-1. MW-9 is intended to represent background.

#### 5.2.2 Phase II RFI Groundwater Quality

Two rounds of ground water samples were collected from the nine shallow monitoring wells during the Phase II RFI for analysis of eight RCRA metals and antimony. Each sampling event was preceded by the collection of static water level measurements from each well. These measurements recorded the depth to water below a surveyed point on the top of each well casing. The wells were purged and sampled using the low-flow sampling technique during September and December, 2001. Samples from the September sampling event were analyzed for total metals concentrations. The samples from the December sampling event were analyzed for both total and dissolved (filtered) concentrations. Analytical results from the sampling events are summarized on Table 5-1.

# 5.2.2.1 September 2001 Sampling Event

The analytical results and Validation Report for samples collected during the September 2001 groundwater sampling event are included in Appendix B. A potentiometric surface map prepared from the September static water level data is presented as Figure 5-1. The water table elevation for MW-6SR appears to be anomalous. This data point was excluded in the preparation of the map.

Total arsenic was found in concentrations ranging from BDL (1.0)  $\mu$ g/l in MW-4 to 33  $\mu$ g/l in MW-1. Arsenic concentrations were detected above the background concentration in MW-1, MW-2, and MW-3 and MW-7 at 33  $\mu$ g/l, 12  $\mu$ g/l, 9.7  $\mu$ g/l, and 25  $\mu$ g/l, respectively. Total lead was detected above the USEPA Action Level value of 15  $\mu$ g/l in MW-2, MW-7 and MW-8 at 49  $\mu$ g/l, 19  $\mu$ g/l, and 21  $\mu$ g/l, respectively. The samples from the other wells were reported to contain lead at concentrations ranging from BDL (<1  $\mu$ g/l) in MW-4 and MW-6 to 5.9  $\mu$ g/l in MW-1. No other targeted analyte was reported above the EPA Region IX PRG value.



# 5.2.2.2 December 2001 Sampling Event

The analytical results and Validation Report for samples collected during the December 2001 groundwater sampling event are included in Appendix C. A potentiometric surface map prepared from the December 2001 static water level data is presented as Figure 5-2. The water table elevation measurement for MW-6SR appears to be anomalous. This data point was excluded in the preparation of the map.

During the December event, two separate sets of samples were collected. One set of samples was field-filtered with a 45 micron filter for analysis of dissolved metals. This was done to determine if total metal concentrations detected during the September 2001 sampling event and those to be detected during the December 2001 sampling event were representative of actual groundwater conditions. Field filtering reduces the possibility of artificially high metals concentrations.

Total arsenic was found at concentrations ranging from BDL ( $1.0 \,\mu g/l$ ) in MW-4 to  $27 \,\mu g/l$  in MW-1. Total arsenic concentrations were detected above the background concentration in MW-1, MW-2, MW-3, MW-7, and MW-8 at  $27 \,\mu g/l$ ,  $12 \,\mu g/l$ ,  $11 \,\mu g/l$ ,  $26 \,\mu g/l$ , and  $13 \,\mu g/l$ , respectively. Dissolved arsenic was found at concentrations from BDL in MW-4 to  $30 \,\mu g/l$  in MW-7. Dissolved arsenic concentrations were detected above the background concentration in MW-1, MW-2, MW-7, and MW-8 at  $22 \,\mu g/l$ ,  $9.8 \,\mu g/l$ ,  $30 \,\mu g/l$ , and  $14 \,\mu g/l$ , respectively. Total lead was reported at concentrations ranging from BDL (MW-3 and MW-9) to  $84 \,\mu g/l$  in MW-2. Total lead was detected above the Action Level at concentrations of  $84 \,\mu g/l$ ,  $47 \,\mu g/l$  and  $23 \,\mu g/l$  in the samples from MW-2, MW-7, and MW-8, respectively. Dissolved lead was not found above the USEPA Action Level. No other targeted analyte was reported above the EPA Region IX PRG of the collected samples.

# 5.2.3 <u>Permeability Analysis</u>

The laboratory report from GeoSystems is included in Appendix G. The sieve analysis identified all samples as sandy silt or silt with sand (USCS Class ML). The vertical coefficient of permeability



calculated from Triaxial Variable Head Permeability Test was 4.90 x 10<sup>-9</sup> cm/sec from MW-6SR 10-12 feet and 4.03 x 10<sup>-8</sup> cm/sec for MW-6SR 16-18 feet. Undisturbed samples could not be collected from MW-7 and MW-9 because of material characteristics therefore samples were collected for grain size analysis. The grain distribution curves for the samples from MW-7 and MW-9 were very similar to the MW-6SR 16-18 sample and would be expected to have similar permeabilities.

#### 5.3 SOIL INVESTIGATION

# 5.3.1 On-Site Soil Results

The analytical results and Validation Report for the on-site soil samples collected and analyzed to supplement previously completed Closure Investigation activities will be provided under separate cover to IDEM. Results of on-site soil sampling performed as part of the Phase I RFI are provided on Figure 4-3.

# 5.3.2 On-Site Sediment Results

The analytical results and Validation Report for the sediment samples collected from the ditch along East Arlington Avenue are included in Appendix E. The data are summarized on Table 5-3 and included on Figure 4-2. All samples with an "A" suffix indicate they were collected in the 0-6 inch interval. Concentrations of lead in the 0 to 6 inch horizon ranged from 84 mg/kg at R2SED-10 to 8,430 mg/kg in R2SED-6. Lead exceeded the EPA Region IX PRG for non-residential soils at 9 out of 10 sample locations at this depth. Concentrations of arsenic ranged from 9.4 mg/kg in R2SED-10 to 46 mg/kg in R2SED-5 at this depth. Arsenic exceed background soil concentrations at 7 out of 10 locations.

All samples with an "B" suffix indicate they were collected in the 6-12 inch interval. Concentrations of lead ranged from 25 mg/kg at R2SED-10 to 6,020 mg/kg in R2SED-3 with 7 out of 10 samples from this depth exceeding the EPA Region IX PRG for non-residential soil. Concentrations of



arsenic ranged from 7.2 mg/kg in R2SED-10 to 35 mg/kg in R2SED-6 with 9 out of 10 exceeding the background soil concentration.

All samples with an "C" suffix indicate they were collected in the 12-18 inch interval. Concentrations of lead ranged from 19 mg/kg at R2SED-1 to 622 mg/kg in R2SED-3 and none of the samples from this depth exceeded the EPA Region IX PRG for soil. Concentrations of arsenic ranged from 5.7 mg/kg in R2SED-5 to 13 mg/kg in R2SED-3 and R2SED-7 at this depth and 4 out of 5 samples exceeded the background concentration for arsenic.

All samples with an "D" suffix indicate they were collected in the 18-24 inch interval. Concentrations of lead ranged from 20 mg/kg at R2SED-5 to 691 mg/kg in R2SED-3 and none of the samples from this depth exceeded the EPA Region IX PRG for soil. Concentrations of arsenic ranged from 5.5 mg/kg in R2SED-1 to 12 mg/kg in R2SED-3 at this depth and 3 out of 5 samples exceeded the background concentration for arsenic.

#### 5.3.3 Off-Site Soil Results

The analytical results and Validation Report for the off-site soil samples collected and analyzed for lead and arsenic are included in Appendix D. The data are summarized on Table 5-2 and presented on Figure 4-3. Samples with an "A" suffix were collected in the 0-3 inch interval. Samples with an "B" suffix were collected in either the 3-10 inch or 6-9 inch interval as indicated on Table 5-3. Samples with an "C" suffix were collected in the 12-15 inch interval. Samples with an "D" suffix were collected in the 24-27 inch interval and held as archive samples. Based on the results of the "C" interval samples, none of the "D" interval samples were analyzed.

Samples from locations R2BG-1 through R2BG-4 were collected on the Citizens Gas property from the 0-3 inch (surface) and 3-10 inch (subsurface) intervals to determine background arsenic concentrations. Based on the results of these samples, arsenic background concentrations of 10.53



mg/kg for surface soil (0-3 inch) and 7.91 mg/kg for subsurface (>3 inch) soil were calculated. The calculations for these values is included in Appendix F.

Samples collected on the Citizens Gas property included 26 locations for lead and arsenic characterization (R2SB-1 through R2SB-24, R2SB-52 and R2SB-53). Lead concentrations in the 0-3 inch interval ranged from 25 mg/kg in R2SB-10 to 7,390 mg/kg in R2SB-13. Twenty of 26 samples (77%) had lead concentrations below the 1,000 mg/kg USEPA non-residential PRG. The average concentration of these 20 samples was 393 mg/kg. Arsenic concentrations in the 0-3 inch interval ranged from 4.6 mg/kg in R2SB-52 to 141 mg/kg in R2SB-1. Twelve of 26 samples (46%) of the samples from this interval had arsenic concentrations below the calculated background surface concentration of 10.53 mg/kg. The average concentration of these 12 samples was 8.52 mg/kg.

Lead concentrations in the 3-10 inch interval ranged from 5.7 mg/kg in R2SB-52 to 4,120 mg/kg in R2SB-2. Twenty-three of the 26 samples (88%) from this interval had lead concentrations below 1,000 mg/kg. These 23 samples has an average concentration of 150.2 mg/kg. Arsenic concentrations in the 3-10 inch interval ranged from 3.3 mg/kg in R2SB-52 and R2SB-53 to 50 mg/kg in R2SB-1. Eight of the 26 samples (31%) of the samples from this interval had arsenic concentrations below the calculated background subsurface concentration of 7.91 mg/kg. These samples have an average concentration of 5.11 mg/kg. A data summary and calculations are provided in Appendix F.

Samples from the 12-15 inch interval were submitted for analysis from locations R2SB-1 through R2SB-4 and R2SB-13. Lead concentrations in this interval exceeded 1,000 mg/kg in R2SB-1, R2SB-3 and R2SB-4. Arsenic concentrations in the samples from this interval exceeded the subsurface background concentration of 7.91 mg/kg in R2SB-1 ( 8.3 mg/kg) and R2SB-4 (18 mg/kg).



Nineteen locations were sampled on the adjacent properties to the north of the Site for lead and arsenic characterization. Lead concentrations in the 0-3 inch interval ranged from 34 mg/kg in R2SB-46 and R2SB-50 to 422 mg/kg in R2SB-40, with an average concentration of 199.6 mg/kg. None of these samples exceeded 1,000 ppm lead. Arsenic concentrations in this interval ranged from 3.7 mg/kg in R2SB-35 to 9.2 mg/kg in R2SB-37, with an average concentration of 6.8 mg/kg. None of these samples exceeded the background concentration. Lead concentrations in the 3-10 inch interval ranged from 24 mg/kg in R2SB-47 to 509 mg/kg in R2SB-37, with an average concentration of 111.3 mg/kg. None of these samples exceeded 1,000 ppm lead. Arsenic concentrations in this interval ranged from 3.9 mg/kg in R2SB-42 to 9.7 mg/kg, in R2SB-49, with an average concentration of 6.3 mg/kg. Four of these samples slightly exceeded the background concentration.

One location, R2SB-51, was sampled east of the Site, across Arlington Avenue. Samples were analyzed for lead and arsenic from the 0-3 inch and 6-9 inch intervals. Lead concentrations of 285 mg/kg and 199 mg/kg and arsenic concentrations of 6.6 mg/kg and 7 mg/kg, respectively, were detected in these intervals.



#### 6.0 SITE CHARACTERIZATION SUMMARY

#### 6.1 **GROUNDWATER**

Groundwater is encountered on-site at approximately 10 feet (shallow groundwater) and 75 feet bgs (middle perched zone). Figures 5-1 and 5-2 display the potentiometric surface for shallow groundwater based upon data collected during the September and December 2001 groundwater sampling events. Groundwater flow in shallow groundwater appears to be to the southeast. Boring logs for the deep borings on-site indicate that a substantial thickness of silt and clay is deposited below the shallow and middle perched zones of saturation and overlies the regional uppermost semi-confined water bearing zone. The regional uppermost semi-confined aquifer was not encountered in any of the deep borings, which were terminated at a depth of 130 feet bgs, as specified in the Phase I RFI Work Plan. As noted by Meyer (1975), the three semi-confined aquifers are not aerially continuous throughout the county and sections of them are often divided by large areas of silt and clay. Consequently, it is noted that in some portions of the County, all of the aquifers may not be encountered.

The hydraulic conductivity in these regional silt and clay deposits is low (less than 1x10-7 centimeters per second makes these deposits semi-pervious. Consequently, the shallow groundwater on the Site is a perched zone that extends aerially across the Site, and the underlying thick layers of clays and silts serve to restrict infiltration to the regional semi-confined water bearing zone, where it is present. The middle perched zone appears to be less continuous across the Site.

During the Phase I RFI, groundwater was collected from both the shallow and deep wells during two separate sampling events. A low yield from MW-6S prevented the collection of a representative sample and the well was replaced by MW-6SR during the Phase II RFI. The analytical results from the Phase I RFI sampling events did not indicate groundwater impact to the deep wells at concentrations above the USEPA Action Level for lead. Arsenic was detected above the background concentration (for the shallow aquifer) in both deep wells. Total lead was detected above the Action



Level of 15  $\mu$ g/l in one of the shallow wells (MW-2). Arsenic was detected above the background concentration in four shallow wells during the Phase I RFI.

During the Phase II RFI, groundwater was collected from the shallow wells on-site during two sampling events in September and December 2001. The current EPA Region IX PRG table does not include a value for lead in groundwater. Therefore the USEPA Action Level of 15  $\mu$ g/l was used as the comparison criteria for groundwater results in the Phase II RFI. Total lead was detected at concentrations above the Action Level in MW-2, MW-7 and MW-8 during both events. During the December event, a second set of samples was collected and field-filtered to evaluate if entrained soil in the unfiltered samples was affecting the analytical results. The results of the field-filtered samples were below the Action Level indicating increasing turbidity measurements recorded during purging is likely causing elevated lead results in the samples collected from these wells. Lead was not detected in the other shallow or deep on-site wells at levels above the Action Level.

Arsenic was detected above the background concentration in MW-1, MW-2, MW-3, and MW-7 during both sampling events, and in MW-8 during the December event. Field filtering during the December event generally lowered the reported concentrations but not below the background concentration, except in MW-3.

#### 6.2 <u>SOIL</u>

#### 6.2.1 On-Site Soil

Samples were collected from 58 locations during the Phase I RFI at depths varying from 0 to 30 inches. Elevated concentrations of lead and arsenic were reported in areas in and around the former manufacturing areas above the applicable PRG and background criteria. Additional on-site sampling was not deemed necessary during the Phase II RFI because sampling to date has adequately defined on-site soil addressed as part of the RFI.



#### 6.2.2 Off-Site Soil

During the Phase I RFI, soil samples were collected from four locations on the Wavetech property located to the south of the Site at 0-3 inch and 3-10 inch intervals. Concentrations of lead above the EPA Region IX PRG were not detected in any of these samples. Arsenic was not reported above the calculated background concentration except in the 3-10 inch sample from RSB-66. The arsenic concentration in this sample was 8.1 mg/kg versus the background value of 7.91.

Soil samples were collected from 19 locations on the properties to the north and east of the Site during the Phase II RFI. Concentrations of lead did not exceed the EPA Region IX PRG in these samples. Arsenic slightly exceeded background concentrations in four of these samples.

Soil samples were collected from 26 locations on the Citizen's Gas property located to the west of the Site at 0-3 inch and 3-10 inch intervals, with five of the locations also sampled at a depth of 12-15 inches. During the Phase II RFI, lead was detected above the EPA Region IX PRG at locations along the western site boundary and adjacent to the drainage swale along the southern boundary of the Citizens Gas property that abuts Big Four Road.

Drawing 6-1 presents an isopleth of soil lead concentrations showing the extent of lead-affected soil that exceeds the action limit of 1,000 mg/kg. This drawing indicates that the lead-affected soil above the Action Level is restricted to the site boundaries, the eastern edge of the Citizens Gas property, and in the drainage ditches along the west side of Arlington Avenue (on-site) and north side of Big Four Road (bordering Citizens Gas).

#### 6.2.3 On-Site Sediment

Sediment samples collected from the drainage ditch along Arlington Avenue indicate concentrations of lead above the PRG for lead in soil to a depth of 12 inches. Concentrations of arsenic above the



calculated subsurface background concentrations were detected in the deepest sample at seven of the ten sediment sampling locations.



#### 7.0 CONCLUSIONS

The following conclusions can be drawn from the findings of the RFI.

#### Groundwater

- Groundwater in the shallow zone of saturation near the former manufacturing area flows radially toward the northeast through the southeast.
- The detection of lead at concentrations above the Action Level by the total metals analysis appears to be the result of entrained soil in the sample. Field-filtering prior to sample preservation and analysis of dissolved concentrations yields lead values below the Action Level.
- Except in MW-3, where arsenic exceeded the calculated background concentration, field-filtering did not reduce arsenic concentrations below the calculated background concentration. This indicates that the arsenic detected in the samples is occurring in a dissolved or <45 micron state.
- Arsenic values detected in the groundwater were above the background values calculated from MW-9, although the direct impact of historic site operations relative to regional background is unclear. Additional sampling of the monitoring wells as described in Section 8.0 will help further develop this relationship.

#### Soil

• Areas of metals-affected soil have been identified and delineated on the Site. Lead appears to be the primary COC.



Arsenic and lead affected soil has also been identified and largely delineated to be within the site boundaries to below both applicable PRGs and/or background concentrations. Some affected soil along the common boundary with Citizens Gas and along Arlington Avenue corresponds to drainage features that may have been caused by overland flow during storm events.



#### 8.0 RECOMMENDATIONS

Based on the results of the Phase I and Phase II RCRA Facility Investigation and sampling performed as part of the Indiana Department of Environmental Management (IDEM) Closure Investigation, Exide Technologies believes that the vertical and horizontal extent of impact to soils from historic plant operations is adequately defined to allow progression into the Corrective Measures Study. Relative to groundwater, it is recommended that additional investigation activities be performed for the purpose of more accurately defining groundwater flow patterns in the northern portions of the property and to allow accumulation of additional groundwater data. Recommendations are as follows:

Soils (On-Site and Off-Site) - No additional investigation deemed necessary.

Groundwater - Groundwater flow patterns towards the northeast remain partially defined. To provide additional information, AGC and Exide propose the installation of two more monitoring wells in this area. To optimize the location of the wells, AGC recommends installation of two to three temporary piezometers in the northern portions of the Site. Groundwater levels will be taken within 24 hours of installation and based on those results, the locations for two new monitoring wells will be chosen. The wells will be installed, developed, and documented using the same techniques followed during the Phase II RFI. The temporary piezometers will be abandoned immediately after well installation. No samples will be collected from the piezometers because of the poor data quality commonly associated with piezometers. One round of sampling will be performed for all the shallow monitoring wells on-site following installation, development, and a minimum two week wait period utilizing the sampling protocol employed during previous sampling events. The analytical data will be used to further evaluate arsenic levels in shallow groundwater.

**Sediment** - Sediment samples were not acquired from the edge of the railroad right-of-way north of the Site. Exide has resumed pursuit of an access agreement with the Rail Road so



that the samples proposed in the Phase II RFI Work Plan can be collected during the piezometer and monitoring well installation. In addition, four additional locations in the drainage ditch along Arlington Avenue have been selected for sediment sampling. These locations are north of location R2SED as shown on Drawing 6-1. These samples will be collected at a spacing of 75 feet and include a 0 to 6 and 6 to 12 inch deep sample.

Following collection, the new data will be added to the existing database and utilized for the purpose of conducting a Risk Assessment to develop a site specific lead remediation value.



### 9.0 <u>INTERIM MEASURES</u>

The interim measures discussed in the Work Plan submittal with the Phase II RFI Work Plan were implemented during the September 2001 sampling events and remain in place.



### **TABLES**



#### **TABLE 2-1**

#### Principle Materials Used On-Site Refined Metals Facility Beech Grove, Indiana

<u>Material</u> <u>Use</u>

Lead batteries and scrap metal Raw material for refining

Coke Furnace fuel

Oxygen Furnace oxidant

Natural gas Furnace fuel

Antimony and tin Alloys added to lead

Sodium hydroxide Removal of antimony and tin in refining kettles

Red phosphorus Removal of copper from refining kettles

Scrap iron Furnace additive to remove sulfur

Magnesium hydroxide Wastewater neutralization and flocculent

Polymers and chelating agents Wastewater treatment

Muriatic (hydrochloric) acid Cleaning wastewater filter press

Lime and sodium bicarbonate Neutralizing spills

## TABLE 4-1 RMC - BEECH GROVE PHASE II RFI Monitoring Well Construction Details

Well ID	Installation Date	Installation Method	Inner Casing Diameter (in.)	Outer Casing Diameter (in.)/Depth (ft.bgs)	Total Depth (ft. bgs)	Ground Surface Elevation (ft.) <sup>2,3,4</sup>	TOIC Elevation (ft.)	Depth To Water (TOIC) <sup>1</sup>	GroundwaterT able Elevation (ft.)		Comments
1	10/11/1990	Auger	2	10/30	30.5	845.62	846.99	9.46	837.53	20-30	
2	10/11/1990	Auger	2	10/30	30.5	845.73	846.9	8.61	838.29	20-30	
2D	8/12/1999	HSA, Roto-Sonic	4	6/80.0	110	845.91	N/A	21.04	-	70-80	_
3	10/17/1990	Auger	2	10/21	21.5	846.44	848.06	11.42	836.64	11-21	_
_4	10/15/1990	Auger	2	10/22	26	837.57	839.02	5.61	833.41	12/22	
_5	10/12/1990	Auger	2	10/25	25.5	839.65	840.84	3.46	837.38	15-25	
6S	8/12/1999	HAS	2	6/17.0	31	843.73	N/A	10.98	-	7-17	Abandoned
6D	8/12/1999	HSA, Roto-Sonic	4	6/96.0	123	843.82	N/A	11.03	-	87-97	
6SR	8/21/2001	HSA	4	6/20	30	842.833	845.25	19.19	826.06	20-30	
7	8/22/2001	HSA	4	6/15	28	845.087	844.61	6.35	838.26	25-15	
8	8/21/2001	HSA	4	6/20	30.5	843.805	843.55	8.37	835.18	20-30	
9	8/22/2001	HSA	4	6/15	26	844.471	846.87	9.37	837.5	25-15	

#### Notes:

- 1. Depth to Water taken during September 21 2001, except 6S (Sept 1999).
- 2. MW-1 through 5 Ground Surface Elevations taken from 8/6/99 Schneider survey.
- 3. MW-2D, 4, 6S, 6D GSE taken from 10/7/99 Schneider survey.
- 4. MW-7S, 8S, and 9 GSE taken from 9/18/01 Schneider survey.

ft. bgs - feet below ground surface

HSA - hollow stem auger

in - inches

N/A - not available



TABLE 5-1 RMC BEECH GROVE PHASE II RFI Groundwater Analytical Results

Sample L	ocation			MW	V-1					ΜW	<b>7-</b> 2					ΜW	V <b>-</b> 3					MW	V-4					ΜW			
Samp	le Date	9/22	2/200	i	12/10	0/20	01	9/22	2/200	1	12/10	/20	01	9/22	2/200	l	12/1	1/200	)1	9/24	/2001		12/11	/200	)1	9/24	/2001		12/1	1/200	1
Parameter	Units	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL
Total Metals 📡 🕏	0.00		\$ 15 A		100.6		atore;			<b>487</b> 5				44,000		Ya.			4			16.1						146			
Antimony	ug/L		U	10		U	10		U	10		U	10		U	10		U	10		Ü	10		U	10		Ū	10		U	10
Arsenic	ug/L	33		1	27		1	12		1	12		1	9.7		1	11		1		Ü	1		U	1	7.6		1	5.4		1
Barium	ug/L	101		10	93		10	31		10	48		10	102		10	98		10	197		10	187		10	170		10	150		10
Cadmium	ug/L	0.2		0.2		U	0.2	0.3		0.2	0.4		0.2		U	0.2		U	0.2		U	0.2		U	0.2		Ū	0.2	·	U	0.2
Chromium	ug/L	3.1		1	4		1		U	ı	4.8		1		U	1		U	1		U	1		U	1		Ū	1		U	1
Lead	ug/L	5.9		1	3.4		1	49		1	84		1	1.3		1		U	1		U	1	1.5		1	2		1	2.1		
Mercury	ug/L		U	0.2		U	0.2		U	0.2		U	0.2		U	0.2		U	0.2		U	0.2		U	0.2		Ū	0.2		U	0.2
Selenium	ug/L	6.1	J	2	4		2		U	2	3.1		2		U	2	3.7		2		U	2		U	2		U	2		U	2
Silver	ug/L		UJ	0.2		U	0.2		UJ	0.2		U	0.2		UJ	0.2		U	0.2		UJ	0.2		U	0.2		UJ	0.2			0.2
Dissolved Metals	物学者			外报	*F.7					M.			. (* ±			2									te Na				******* <b>*</b>	k, k	
Antimony	ug/L		NA			U	10		NA			U	10		NA			U	10		NA			U	10		NA			U	10
Arsenic	ug/L		NA		22	J	1		NA		9.8	J	1		NA		8.4	J	1		NA			UJ	1		NA		3.7	J	1
Barium	ug/L		NA		85		10		NA		25		10		NA		113		10		NA		203		10		NA	<u> </u>	170		10
Cadmium	ug/L		NA			Ū	0.2		NA			U	0.2		NA			U	0.2		NA			U	0.2		NA			U	0.2
Chromium	ug/L		NA		8.9	J	1		NA		6.8	J	1		NA		6.6	J	1		NA		3.4	J	1		NA		4	J	1
Lead	ug/L		NA			U	1		NA		6.2		1		NA			U	1		NA			U	l		NA			U	1
	ug/L		NA		4.9	J	2		NA		3.7	J	2		NA		3.7	J	2		NA			UJ	2		NA	<u> </u>		UJ	2

Sample L	ocation			MW	<i>I</i> -6					MW	7-7					ΜV	V-8					MV	/-9		
Samp	le Date	9/24	/200	l	12/11	/200	)1	9/22	2/200	I	12/11	/20	01	9/22	2/200	1	12/11	/200	)1_	9/22	/2001		12/10	/200	
Parameter	Units	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL
Total Metals 👙 🐇	282			77.0	14-25		Ada ye		146			53.4	3475		72,37	W. T	No. 4		?£ <sup>*</sup> <b>%</b> *	7,74,72			72.	April	<b>.</b>
Antimony	ug/L		U	10		U	10		U	10		U	10	14		10		U	10		U	10		U	10
Arsenic	ug/L	1.9		1	2.2		1	25		1	26		1	5.1		1	13		1	7.7		1	4		1
Barium	ug/L	92		10	79		10	21		10	25		10	133		10	123		10	137		10	68		10
Cadmium	ug/L		U	0.2		U	0.2		U	0.2	1	IJ	0.2	0.8		0.2	0.4		0.2		U	0.2		U	0.2
Chromium	ug/L		U	1		ט	1		U	1	2.8		1		U	1		U	1		U	1	2.2		1
Lead	ug/L		U	1	1.3		1	19		1	47		l	21		1	23		1	1.6		1		U	1
Mercury	ug/L		U	0.2		U	0.2		U	0.2		U	0.2		U	0.2		U	0.2		U	0.2		U	0.2
Selenium	ug/L		U	2		U	2	3.7	J	2	5.7		2		U	2		U	2		U	2		U	2
Silver	ug/L		UJ	0.2		U	0.2		UJ	0.2		U	0.2		UJ	0.2		บ	0.2		UJ	0.2		U	0.2
Dissolved Metals	+ 6. p.	\$ 14 PE	art ar				42.1			.430.		2.0	* 主		1			200	. 2			2		41).	
Antimony	ug/L		ΝĀ			U	10		NA			U	10		NA			U	10		NA			U	10
Arsenic	ug/L		NA		1.4	J	1		NA		30	J	1		NA		14	J	1		NA		3.7	J	1
Barium	ug/L		NA	}	89		10		NA		23		10		NA		135		10		NA		68		10
Cadmium	ug/L		NA			U	0.2		NA			U	0.2		NA		0.3		0.2		NA			U	0.2
Chromium	ug/L		NA		3.8	J	1		NA		13	J	I		NA		3.8	J	1		NA		3.8	J	1
	ug/L		NA			Ū	ı		NA		2.5		I		NA		11		1		NA			U	1
Selenium	ug/L		NA			UJ	2		NA		6.5	J	2		NA			UJ	2		NA			Πĵ	2

#### Notes:

Q - Qualifier

RL - Reporting Limit

U - Undetected

J - Estimated

FD - Field Duplicate

NA - Not Analyzed

,

#### TABLE 5-2 RMC - BEECH GROVE SUPPLEMENTAL CLOSURE INVESTIGATION Soil Analytical Results



Cample I					mon	v	l Ar	rsenic	•	Ca	dmiı	ım l		Lead	
Sample Location L	ab ID	Depth	Sample Date	Result	Q	RL	Result	Q	RL		Q	RL	Result	Q	RL
CSB-1A-A	295496	0-3"	12/14/2001	3.4		1	3.2	180	1		U	0.5	903	22	32
CSB-1A-B	295497	6-9"	12/14/2001		,U	1	1.5	-	1		U	0.5	18	<b>38</b>	0.6
CSB-1A-C	295498	12-15"	12/14/2001		PP[F]	1	1.5	0.0	1		'U'	0.5	44		0.6
CSB-1A-D	295499	24-27"	12/14/2001	2660	1.	100	989		13	1000	j	13	249000		6250
CSB-1A-E	295500	36-39"	12/14/2001	16	J	1	6.8		1	1.7	10 mm	0.5	847		13
CSB-1A-F	297370	48-51"	12/14/2001	1.7		1	8.5	10	1	2	n 70 Head	0.5	170	u ye ye s	2.5
CSB-1A-G	297371	60-63"	12/14/2001	1.6		1	5.6	**	1		U	0.5	65	15.72	1
CSB-1A-H	297372	72-75"	12/14/2001	2		1	6		1		Ū,	0.5	82		1
CSB-1A-I	297373	84-87"	12/14/2001	1.4		I	5.7		1		Ū	0.5	47		0.6
CSB-1A-J	297374	96-99"	12/14/2001	3.6		1	5.7	<b>*</b>	1		·Ù	0.5	144	11/19-5	2.5
CSB-10A-A	295526	0-3"	12/14/2001	5.7	紅博	1	4,5	747	1	0.59	in Angles	0.5	1780	2370	63
CSB-10A-B	295527	6-9"	12/14/2001	31	T.	1	6.1		1	1.3		0.5	1210	100	32
CSB-10A-C	295528	12-15"	12/14/2001	1720		50	433		6.25	132		0.625	256000	1	6250
CSB-10A-D	295531	24-27"	12/14/2001	4260	j.	100	2730		63	527		6.3	475000		12500
CSB-10A-E	295532	36-39"	12/14/2001	6.7		1	7.1	j	1	0.61	30 GA	0.5	253		6.3
CSB-10A-F	297375	48-51"	12/14/2001	2960		50	1700	35,46	50	363	77 T Su	5	288000		5000
CSB-10A-G	297376	60-63"	12/14/2001	12		1	28	7.0	1	7.2		0.5	1090		25
CSB-10A-H	297377	72-75"	12/14/2001	1.8		1	11		1	5.1		0.5	101		2.5
CSB-10A-I	297379	84-87"	12/14/2001	6.1		1	44		1	20		0.5	365	J ,(s)	5
CSB-13A-A	295508	0-3"	12/14/2001	80		5	11		1	64		1.3	2300		63
CSB-13A-B	295509	6-9"	12/14/2001	197		5	22		1	29		0.5	1070	44.	13
CSB-13A-C	295510	12-15"	12/14/2001	5		1	6.6		1	36	9	0.5	75		1.3
CSB-13A-D	295511	24-27"	12/14/2001	1.9			5.9		1	1.7		0.5	39		0.6
CSB-13A-E	295512	36-39"	12/14/2001	2.9	J,	1	6	2.7	1	0.99		0.5	27		0.6
CSB-26A-A	295489	0-3"	12/14/2001	6.4	建构的	1	12	神经	1	46		0.5	174		3.2
CSB-26A-B	295490	6-9"	12/14/2001	1.7		1	11		1	40		0.5	88	12	1.3
CSB-26A-C	295491	12-15"	12/14/2001	1	19-25	i	6.4		1		5.00	0.5	40		0.6
CSB-26A-D	295492	24-27"	12/14/2001		Ü	1	6.2		1	0.54	O.	0.5	25	524	0.6
CSB-26A-E	295493	36-39"	12/14/2001		Ū.	1	5.8		<u>:</u>		U	0.5	23		0.6
CSB-28A-A	295514	0-3"	12/14/2001	5		1	53		1	17		0.5	30		0.6
CSB-28A-B	295515	6-9"	12/14/2001		Ü	1	5.1		1		10	0.5	13		0.6
CSB-28A-C	295516	12-15"	12/14/2001		U	1	7.9	1,00	1		U	$-\frac{0.5}{0.5}$	27		0.6
CSB-28A-D	295517	24-27"	12/14/2001		J.	1	6.5		1		Ū	0.5	14		0.6
CSB-28A-E	295518	36-39"	12/14/2001		w	1	9.4		1		Ŭ.	0.5	16		0.6
CSB-30A-A	295520	0-3"	12/14/2001	63	Marin's	2.5	30	3)**	1	4.2		0.5	2360	3460	63
CSB-30A-B	295521	6-9"	12/14/2001	14		1	13		1	1.3		0.5	366		6.3
CSB-30A-C	295523	12-15"	12/14/2001	7	ï	1	9.1	L	1	0.83		0.5	243		6.3
CSB-30A-D	295524	24-27"	12/14/2001	1.2		1	6.6		1		U	0.5	32		0.6
CSB-30A-E	295525	36-39"	12/14/2001		U.	1	6.6	j.	1		ΰ	0.5	13	3	0.6
CSB-32A-A	295533	0-3"	12/14/2001	2190	×J#	100	394	***	6.3	158	78	6.3	164000		6250
CSB-32A-B	295534	6-9"	12/14/2001	1060	J	50	199	鏖	3.2	47		3.2	90100		3130
CSB-32A-C	295535	12-15"	12/14/2001	1010	j,	25	230		3.2	38		3.2	64000		6250
CSB-32A-D	295536	24-27"	12/14/2001	2.7		1	8	ij	1		U	0.5	40		0.6
CSB-32A-E	295537	36-39"	12/14/2001	1.5		1	6.5	ij	1		ű	0.5	20	Ū.	0.6
CSB-35A-A	295478	0-3"	12/14/2001	1280	With the	25	154	1	6.3	83	技術	3.2	70400		1250
CSB-35A-B	295479	6-9"	12/14/2001	5.3		1	6.1		1	0.66	() (III	0.5	279	44	6.3
CSB-35A-C	295480	12-15"	12/14/2001	3150		100	408	5	13	144		13	350000	40	6250
CSB-35A-D	295481	24-27"	12/14/2001	4.9	4	1	6	(C.,	1	0.62		0.5	285	<b>在</b>	6.3
CSB-35A-E	295482	36-39"	12/14/2001	3.9		1	6.3		1	0.99		0.5	499		13
CSB-35A-F	295483	48-51"	12/14/2001	1.7		1	6.3		1		W	0.5	69		1.3
CSB-35A-G	295484	60-63"	12/14/2001	6.3	<b>BUILDING</b>	1	6.6	727	1	0.89	T,	0.5	156		3.2
CSB-35A-H	295485	72-75"	12/14/2001	27	ij	1	8.1		1	1.5	j.	0.5	1520	1	32
CSB-35A-I	295486	84-87"	12/14/2001		·U	1	5.9		1		БЪ	0.5	11		0.6
CSB-35A-J	295487	96-99"	12/14/2001		U.	1	4.1	- 100 100 100 100 100 100 100 100 100 100	1		Ц	0.5	11		0.6
CSB-38A-A	295503	0-3"	12/14/2001	156	<b>"</b> J"	2.5	67		6.3	110		6.3	6200		125
CSB-38A-B	295504	6-9"	12/14/2001		IJ	1	7.9	400	1		Ü	0.5	14		0.6

#### **TABLE 5-2** RMC - BEECH GROVE SUPPLEMENTAL CLOSURE INVESTIGATION Soil Analytical Results



					mon		Ar	senic	:		dmiu	m		Lead	
Sample Location	Lab ID	Depth	Sample Date	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL
CSB-38A-C	295505	12-15"	12/14/2001		UJ;	1	9.3		1		U	0.5	22		0.6
CSB-38A-D	295506	24-27"	12/14/2001		Üŀ	1	2.5		1		Ų	0.5	12		0.6
CSB-38A-E	295507	36-39"	12/14/2001	6.2		1	8.6		1	6.8	200	0.5	319	1	6.3

Notes:

Q - Qualifier
RL - Reporting Limit
J - Estimated

FD - Field Duplicate Results reported in mg/kg

#### **TABLE 5-2** RMC - BEECHGROVE PHASE II CLOSURE INVESTIGATION Soil Analytical Results



				Ars	enic		I	ead	
Sample Location	Lab ID	Depth	Sample Date	Result			Result		RL
R2BG-1A	286626	0-3"	8/24/2001	9.8		1		NA	
R2BG-1B	286627	3-10"	8/24/2001	8		1		NA	
R2BG-2A	286628	0-3"	8/24/2001	10	1	1		NA	
R2BG-2B	286629	3-10"	8/24/2001	7.2		1		NA	
R2BG-3A	286630	0-3"	8/24/2001	6	F#F	1		NA.	
R2BG-3B	286631	3-10"	8/24/2001	7.5		1		NA	
R2BG-4A	286632	0-3"	8/24/2001	3.1		1		NA	
R2BG-4B	286633	3-10"	8/24/2001	6.6		1		ÑĀ	
R2SB-1A	286575	0-3"	8/23/2001	141		3.2	1750		25
R2SB-1A-A	295461	0-3"	12/13/2001	58	ij	1	2250		32
R2SB-1A-B	295462	6-9"	12/13/2001	7.6	J	1	609		6.3
R2SB-1A-C	295463	12-15"	12/13/2001	7.8	J	1	4230		32
R2SB-1B	286576	3-10"	8/23/2001	50		1	1080		25
R2SB-2A	286624	0-3"	8/23/2001	19	17/8	1	1290	J.	25
R2SB-2A-A	295456	0-3"	12/13/2001	16	J.	1	918	7.00	13
R2SB-2A-B	295457	6-9"	12/13/2001	15	j	1	4120		63
R2SB-2A-C	295458	12-15"	12/13/2001	4.6	ij.	1	816		6.3
R2SB-2B	286625	3-10"	8/23/2001	10		1	2760	l fr	63
R2SB-3A	286620	0-3"	8/23/2001	38		1	991	對了陰	13
R2SB-3A-A	295452	0-3"	12/13/2001	36	J	1	1620		32
R2SB-3A-B	295453	6-9"	12/13/2001	19		3.1	1410		32
R2SB-3A-C	295454	12-15"	12/13/2001	6.3	J	1	1330		32
R2SB-3B	286621	3-10"	8/23/2001	10		1	1760	10	25
R2SB-4A	286622	0-3"	8/23/2001	26	· Park	1	1980	NJ Z	25
R2SB-4A-A	295447	0-3"	12/13/2001	28	J	1	2490		63
R2SB-4A-B	295449	6-9"	12/13/2001	13		1	874		13
R2SB-4A-C	295451	12-15"	12/13/2001	18	i)	1	1420		32
R2SB-4B	286623	3-10"	8/23/2001	12		1	1380		25
R2SB-53-A	295472	0-3"	12/13/2001	8.4	J.	1	499		6.3
R2SB-53-B	295473	6-9"	12/13/2001	3.3	j	1	58		0.6
R2SB-5A	286609	0-3"	8/23/2001	10	ij	1	121	課丁**	3.2
R2SB-5B	286610	3-10"	8/23/2001		J	1	68	ij.	1.3
R2SB-6A	286618	0-3"	8/23/2001		<b>***</b>	1	587	授其	6.3
R2SB-6B	286619		8/23/2001		200		286	j.	
R2SB-7A	286615	0-3"	8/23/2001			1	78		1.3
R2SB-7B	286616	3-10"	8/23/2001			1	35		0.6
R2SB-8A	286577	0-3"	8/23/2001			1	197		3.2
R2SB-8B	286578	3-10"	8/23/2001			1	51		0.6
R2SB-9A	286579		8/23/2001			1	3330		63
R2SB-9B	286580	3-10"	8/23/2001			1	287		6.3
R2SB-10A	286613	0-3"	8/23/2001			1	25	#J	0.6
R2SB-10B	286614		8/23/2001		J	1	10		0.6
R2SB-11A	286604		8/23/2001			1	360	\$ Ja	6.3
R2SB-11B	286605	3-10"	8/23/2001		D.	1	83		1.3
R2SB-12A	286607		8/23/2001			1	222		3.2
R2SB-12B	286608	3-10"	8/23/2001	8.6	T.	1	71	扩	1.3

Notes:

FD - Field Duplicate Results reported in mg/kg

Q - Qualifier
RL - Reporting Limit
J - Estimated, NA - Not Analyzed

#### **TABLE 5-2** RMC - BEECHGROVE PHASE II CLOSURE INVESTIGATION Soil Analytical Results



				Ars	enic		I	_ead	
Sample Location	Lab ID	Depth	Sample Date	Result			Result		RL
R2SB-13A	286581	0-3"	8/23/2001	53		1	7390		125
R2SB-13A-A	295465	0-3"	12/13/2001	14	J.	1	2910		32
R2SB-13A-B	295466	6-9"	12/13/2001	2.1	J,	1	24		0.6
R2SB-13A-C	295467	12-15"	12/13/2001	4.5	J.	1	11		0.6
R2SB-13B	286582	3-10"	8/23/2001	27		1	875		13
R2SB-14A	286611	0-3"	8/23/2001	8.6	N.	1	89	W)	1.3
R2SB-14B	286612	3-10"	8/23/2001	3.6		1	7.3		0.6
R2SB-15A	286602	0-3"	8/23/2001	4.8	IJť	1	265	常顶	3.2
R2SB-15B	286603	3-10"	8/23/2001	14	ij	1	184	J.	3.2
R2SB-16A	286600	0-3"	8/23/2001	7.7	IJ	1	179		3.2
R2SB-16B	286601	3-10"	8/23/2001	9	ij	1	125	J.	3.2
R2SB-17A	286583	0-3"	8/23/2001	25	201	1	4160		63
R2SB-17B	286584	3-10"	8/23/2001	11	訝	1	267		3.2
R2SB-18A	286598	0-3"	8/23/2001	10	IJ,	1	669	NO.	13
R2SB-18B	286599	3-10"	8/23/2001	6.3	ij.	1	122		3.2
R2SB-19A	286596	0-3"	8/23/2001	16	ij	1	796	TO THE	13
R2SB-19B	286597	3-10"	8/23/2001	14	ij	1	250	Ŋ,	3.2
R2SB-20A	286593	0-3"	8/23/2001	9.6	11	1	486	17.12	6.3
R2SB-20B	286594	3-10"	8/23/2001	4.4	ij	1	129	方	3.2
R2SB-52-A	295468	0-3"	12/13/2001	4.6	J	1	300		3.2
R2SB-52-B	295469	6-9"	12/13/2001	3.3	J.	1	5.7		0.6
R2SB-21A	286591	0-3"	8/23/2001	10		1	296		3.2
R2SB-21B	286592	3-10"	8/23/2001	$-\frac{10}{7}$		1	84		1.3
R2SB-22A	286589	0-3"	8/23/2001	13		1	734	A HARD	13
R2SB-22B	286590	3-10"	8/23/2001	12		1	188		3.2
R2SB-23A	286588	0-3"	8/23/2001	10		1	463		6.3
R2SB-23B	286688	3-10"	8/23/2001	13		1	105	j.	1.3
R2SB-24A	286586	0-3"	8/23/2001	13	<b>海</b> 鄉	1	779		13
R2SB-24B	286587	3-10"	8/23/2001	9.1		1	$-\frac{779}{117}$		3.2
R2SB-32A	286659	0-3"	8/27/2001	4.9	_	1	286	J	6.3
R2SB-32B	286660	3-10"	8/27/2001	4.2		$\frac{1}{1}$	91	ij	1.3
R2SB-33A	286661	0-3"	8/27/2001	6.3	18 M		202	初源	3.2
R2SB-33B	286662		8/27/2001			$\frac{1}{1}$	$-\frac{202}{67}$	7,1,7	
R2SB-34A	286664		8/27/2001	7.1	1888 1888 1888		170		
R2SB-34B	286665		8/27/2001	4.1	SHAR	$\frac{1}{1}$	28	初	3.2 0.6
R2SB-35A	286655		8/27/2001	3.7		_		製業	_
R2SB-35B	286656	3-10"	8/27/2001	4.7		$-\frac{1}{1}$	191 79		3.2
	d		·						
R2SB-36A R2SB-36B	286650 286651	3-10"	8/27/2001 8/27/2001	$\frac{7.8}{6.1}$		$\frac{1}{1}$	310		6.3
	<del></del>					-	109	AJS:	3.2
R2SB-37A	286638 286639	0-3" 3-10"	8/27/2001	9.2		<u>l</u>	$-\frac{366}{500}$	MJ.	6.3
R2SB-37B			8/27/2001	8		1	509	T)	6.3
R2SB-38A	286635		8/27/2001	$\frac{6.5}{5.2}$		1	282	J.	6.3
R2SB-38B	286636	3-10"	8/27/2001	5.2		1	175		3.2
R2SB-39A	286640		8/27/2001	8.7	解題	1	383		6.3
R2SB-39B	286641	3-10"	8/27/2001	7.9		1	144	¥J.	3.2
R2SB-40A	286657	0-3"	8/27/2001	6.9	<b>新</b>	1	422		6.3
R2SB-40B	286658	3-10"	8/27/2001	4	機構	1	50	糊了那	0.6

Notes: Q - Qualifier

FD - Field Duplicate Results reported in mg/kg

RL - Reporting Limit
J - Estimated, NA - Not Analyzed

#### TABLE 5-2 RMC - BEECHGROVE PHASE II CLOSURE INVESTIGATION Soil Analytical Results



				Ars			I	ead	
Sample Location	Lab ID	Depth	Sample Date	Result	Q	RL	Result	• Q	RL
R2SB-41A	286648	0-3"	8/27/2001	5.9		1	172	-`J'	3.2
R2SB-41B	286649	3-10"	8/27/2001	5.9	, , , , , , , , , , , , , , , , , , ,	1	128	J.	3.2
R2SB-42A	286653	0-3"	8/27/2001	4.2	erenda.	1	165		3.2
R2SB-42B	286654	3-10"	8/27/2001	3.9	es de	1	77	打翻	1.3
R2SB-43A	286644	0-3"	8/27/2001	7.4	ACART.	1	250	33.7	3.2
R2SB-43B	286645	3-10"	8/27/2001	7.4		1	201	<b>WIN</b>	3.2
R2SB-44A	286642	0-3"	8/27/2001	7.8		1	252		3.2
R2SB-44B	286643	3-10"	8/27/2001	8.5		1	108	i. J.	3.2
R2SB-45A	286646	0-3"	8/27/2001	7.3	100	1	140	*(J.)	3.2
R2SB-45B	286647	3-10"	8/27/2001	6.2	* 12	1	85	到高	1.3
R2SB-46-A	288689	0-3"	9/24/2001	6.9	$\mathbf{J}_{i}$	1	34		0.6
R2SB-46-B	288690	3-10"	9/24/2001	6.5	*J	1	41		0.6
R2SB-47-A	288692	0-3"	9/24/2001	6.7	Ţ	1	45	pietonia Soletonia	0.6
R2SB-47-B	288693	3-10"	9/24/2001	9	J	1	24	a deport	0.6
R2SB-48-A	288694	0-3"	9/24/2001	6.5	en i n	1	41	1000	0.6
R2SB-48-B	288695	3-10"	9/24/2001	6.7	J.	1	45		0.6
R2SB-49-A	288696	0-3"	9/24/2001	8	*J*	- 1	47	egyptigent Little Hills	0.6
R2SB-49-B	288697	3-10"	9/24/2001	9.7	J,	1	117		3.2
R2SB-50-A	288698	0-3"	9/24/2001	6.9		1	34	10 P	0.6
R2SB-50-B	288699	3-10"	9/24/2001	7	j.	1	36		0.6
R2SB-51-A_	295111	0-3"	12/12/2001	6.6	** ***********************************	1	285	<b>1</b>	6.3
R2SB-51-B	295112	6-9"	12/12/2001	7	*	1	199	* J	6.3

Notes:


Q - Qualifier

FD - Field Duplicate

RL - Reporting Limit

Results reported in mg/kg

J - Estimated, NA - Not Analyzed





				Lea	ad		Arse	nic	
Sample Location	Lab ID	Depth	Sample Date	Results	Q	RL	Results	Q	$\mathbf{RL}$
R2SED-1A	286553	0-6"	8/21/2001	1210	U	25	10	1	1
R2SED-1B	286554	6-12"	8/21/2001	1550		25	14		1
R2SED-1C	295099	12-18"	12/12/2001	19	J	0.6	10		1
R2SED-1D	295100	18-24"	12/12/2001	62	J.	0.6	5.5	*	1
R2SED-2A	286555	0-6"	8/21/2001	1230	U:	25	10	1	1
R2SED-2B	286556	6-12"	8/21/2001	955	U.	25	11		1
R2SED-3A	286557	0-6"	8/21/2001	1570		25	12		1
R2SED-3B	286558	6-12"	8/21/2001	6020	U	125	9.3		1
R2SED-3C	295101	12-18"	12/12/2001	622	J	13	13		1
R2SED-3D	295102	18-24"	12/12/2001	691	J	13	12		1
R2SED-4A	286559	0-6"	8/21/2001	2480	U	63	20		1
R2SED-4B	286560	6-12"	8/21/2001	1570	Light	25	17		1
R2SED-5A	286561	0-6"	8/21/2001	5410		125	46		1
R2SED-5B	286562	6-12"	8/21/2001	1240		25	20		1
R2SED-5C	295103	12-18"	12/12/2001	73	J	1.3	5.7		1_
R2SED-5D	295104	18-24"	12/12/2001	20	J.	0.6	7.3		1
R2SED-6A	286564	0-6"	8/21/2001	8430	解	125	44		1
R2SED-6B	286565	6-12"	8/21/2001	3840		63	35		1
R2SED-7A	286566	0-6"	8/21/2001	5480	驓	125	39		1
R2SED-7B	286567	6-12"	8/21/2001	2340	100	63	26		1
R2SED-7C	295106	12-18"	12/12/2001	61	J.	0.6	13		1
R2SED-7D	295107	18-24"	12/12/2001	27	<b>J</b>	0.6	9.2		1
R2SED-8A	286568	0-6"	8/21/2001	8190		125	36		1
R2SED-8B	286569	6-12"	8/21/2001	2610		63	23	3	1
R2SED-9A	286570	0-6"	8/21/2001	3630		63	29		1
R2SED-9B	286571	6-12"	8/21/2001	471		6.3	11		1
R2SED-9C	295109	12-18"	12/12/2001	25	IJ	0.6	8.9		1
R2SED-9D	295110	18-24"	12/12/2001	39	J	0.6	8.2		1
R2SED-10A	286572	0-6"	8/21/2001	84	1	1.3	9.4		1
R2SED-10B	286573	6-12"	8/21/2001	25	1	0.6	7.2		1

#### Notes:

Q - Qualifier

RL - Reporting Limit


J - Estimated

FD - Field Duplicate

Results reported in mg/kg



### **FIGURES**




REF. U.S.G.S. 7 1/2 MINUTE BEECH GROVE, IND QUADRANGLE MAP


## REFINED METALS CORPORATION PHASE II RCRA FACILITY INVESTIGATION


BEECH GROVE, INDIANA


Date: 10/12/98	
Scale: N.T.S.	SITE LOCATION MAP
Drawn By: P.S.G.	
Checked By: J.S.W.	Advanced GeoServices Corp.
Project Mgr: P.G.S.	Chadds Ford Business Carnpus, Rts. 202 & 1 Brandywine One, Suite 202
Dwg No. 98478–01	Chadds Ford, Pennsylvania 19317
Issued 1 8 2002	98–478–05 FIGURE: 2—1


J: \REFINED METALS\DRAWNGS\9847803\98478-01




















## LEGEND

APPROXIMATE SOIL SAMPLE LOCATION

SOIL SAMPLE LOCATION/DESIGNATION SURVEYED BY THE SCHNIEDER CORP., INDIANAPOLIS, INDIANA

RSB77 SOIL SAMPLE LOCATION/DESIGNATION SURVEYED BY THE SCHNEIDER CORP., INDIANAPOLIS, INDIANA

R2SED1R SEDIMENT SAMPLE LOCATION ARLINGTON AVE. DRAINAGE DITCH

RSB8 SEDIMENT SAMPLE LOCATION ARLINGTON AVE. DRAINAGE DITCH

RSED3 SEDIMENT SAMPLE LOCATION IN GRASSY AREA SWALES

DEPTH OF EXCAVATION REQUIRED TO REMOVE SOIL OR SEDIMENT WITH TOTAL LEAD CONCENTRATION ABOVE RAL ESTABLISHED IN BHHRA

--- APPROXIMATE PROPERTY BOUNDARY

/(#)/// NON-SWMU EXCAVATION AREA WITH EXCAVATION DEPTH IN INCHES

SOLID WASTE MANAGEMENT UNIT AS DELINEATED ON EXHIBIT B OF CONSENT DECREE

SOIL WASTE MANAGEMENT UNIT EXCAVATION AREA. PROJECTED REMOVAL DEPTH AS SHOWN.

1. This drawing is based on the proposed remedy as evaluated under Corrective Measure Study — Phase II

2. Excavation area depths were selected using cleanup standards of 8,470 ppm for lead in "On—Site Site" soils (within the interior fence) and 4,954 ppm of lead in "Grassy Area" soils. These cleanup standards were based on risk assessment results from Corrective Measure Study — Phase I.

	ON-SITE (	NON-SWMU) I	EXCAVATION TABLE	
SAMPLE(S)	SURFACE AREA (sf)	REMOVAL DEPTH (in)	SOIL REMOVAL VOLUME (cf)	COVER TYPE
RSB-58	5,684	30	14,210	Bare/Weeds
RSB-31	6,076	10	5,063	Bare/Weeds
RSB-57	11,155	10	9,296	Bare/Weeds
RSB-55	10,810	30	27,025	Bare/Weeds
RSB-54 and 12	23,135	10	19,279	Bare/Weeds
RSED-6	2,205	12	2,025	Grass
RSB-25	4,750	3	1,188	Bituminous Pavement
Battery Breaker		15	8,970	Concrete
Dattery Dieaker	55,065 sf Bare/Gras		76,898 cf Bare	Concrete
	11,926 sf Building/F		10,1585 cf Pvmt	
	11,926 SI Building/I	avement	10,1365 CI FVIII	
	SW	MU EXCAVA	TION TABLE	
SAMPLE(S)	SURFACE	REMOVAL	SOIL REMOVAL	<b>COVER TYPE</b>
	AREA (sf)	DEPTH (in)	VOLUME (cf)	
CSB-1, 2 and 3	8,525	28	19,892	Concrete 6"
CSB-4 and 8	3,000	9	2,250	Concrete 6"
CSB-7	940	15	1,175	Concrete 6"
CSB-10	2,790	51	11,858	Concrete 8"
CSB-11	5,805	9	4,354	Concrete 8"
CSB-32	2,150	3	531	Grass
CSB-34	688	3	172	Concrete 12"
CSB-35	600	15	750	Building 12"
CSB-39, RSB-77	5,075	3	1,269	Building 12"
CSB-51	1,200	39	3,900	Building 12"
RSB-26	1,672	12	1,672	Bituminous Pavemen
			47,823	
Total SWM	IUs = 1,771  cy  (Doc	es not include se	ediment from inside Surface	Impoundment)
	CDASS	V ADEA EVC	AVATION TABLE	
SAMPLE(S)	SURFACE AREA			L COVER TYPE
DAMII LL(B)	(sf)	(in)	VOLUME (cf)	
RSB-9, 50, 51	20,790	3	5,198	Brush
RSED 1, 2, 3, 4, 5	11,750	12	11,750	Brush
RSED 7, 8, 9, 10	11,600	12	11,600	Grass
K5ED 7, 6, 5, 10	11,000	12	29.549.ef	Glass

# NOT FOR CONSTRUCTION

REFINED METALS CORPORATION CORRECTIVE MEASURES STUDY PHASE 2 REPORT

BEECH GROVE, IN

PROPOSED EXCAVATION AREAS

P.S.G.

P.G.S.

Advanced GeoServices Corp.

Chadds Ford Business Campus, Rts. 202 & 1

Brandywine One, Suite 202

1

DRAWING:



APPENDIX A
Boring Logs

## BORING LOG

PAGE 1 OF/

DESCRIPTION  REMARKS  WELL CONTRACTION  REMARKS  WATHER  REMARKS  WELL CONTRACTION  REMARKS  WATHER  REMARKS  WATHER  REMARKS  WATHER  REMARKS  WATHER  REMARKS  WATHER  REMARKS  WELL CONTRACTION  REMARKS  WATHER  REMARKS  WATHER  REMARKS  WELL CONTRACTION  REMARKS  WATHER  REM		<u> </u>	<del></del>					FAGE 1 OF/
BORNETER: 4"  DIAMETER: 4"  WATER DEPTH: 12.5 DATE STATED: OFFICE SCOLOGIST: Brendan of Donnell  COMPLETION DEPTH: 12.5 DATE STATED: OFFICE SCOLOGIST: Brendan of Donnell  DRILLING METHOD: HSA SAMPLING METHOD: HSA/SS DATE COMPLETED: OFFICE STATED:	PROJECT NUMBER: 98-478-05	PROJECT	NAME:	RM	<u>c -</u>	Bec	eck	Grove
DATE TIME 6/21/1  GEOLOGIST: Breada of Donnell COMPLETION DEPTH: 30.0 - DATE STATES: 9/1/1  DRILLING METHOD: H S.A  DRILLING SUBCONTRACTOR: Broat Longues DEVELOPMENT METHOD: SUMPLISORY WIED:  DESCRIPTION  REMARKS  WELL CONSTRUCTION  RISEL : SCh. 40 PVL  17,10  11,10	BORING / WELL NUMBER: MW-65R	1	_ `					
DRILLING METHOD: #54  DRILLING SUBCONTRACTOR: BOACH Longree DEVELOPMENT METHOD: Surget Block  DESCRIPTION  REMARKS  Well Construction  RISET: SCA. 440 FOR  DESCRIPTION  REMARKS  Well Construction  RISET: SCA. 440 FOR  DESCRIPTION  RISET: SCA. 440 FOR  DESCRIPTION  RISET: SCA. 440 FOR  RISET: SCA. 440 FOR  DESCRIPTION  RISET: SCA. 440 FOR  RISE	DIAMETER: 4"	WATER C						DATE/TIME: 8/21/11
DESCRIPTION  REMARKS  Well Construction  RISEN: SCI, 440 PUL  O'-20  DESCRIPTION  REMARKS  Well Construction  RISEN: SCI, 440 PUL  O'-20  DESCRIPTION  REMARKS  Well Construction  RISEN: SCI, 440 PUL  O'-20  DESCRIPTION  REMARKS  Well Construction  RISEN: SCI, 440 PUL  O'-20  DESCRIPTION  REMARKS  Well Construction  RISEN: SCI, 440 PUL  O'-20  DESCRIPTION  RISEN: SCI, 440 PUL  O'-20  DESCRIPTION  RISEN: SCI, 440 PUL  O'-20  DESCRIPTION  REMARKS  Well Construction  RISEN: SCI, 440 PUL  O'-20  DESCRIPTION  RISEN: SCI, 440 PUL  O'-20  DESCRIPTION  REMARKS  Well Construction  RISEN: SCI, 440 PUL  O'-20  DESCRIPTION  REMARKS  Well Construction  RISEN: SCI, 440 PUL  O'-20  DESCRIPTION  REMARKS  Well Construction  RISEN: SCI, 440 PUL  O'-20  DESCRIPTION  REMARKS  Well Construction  RISEN: SCI, 440 PUL  O'-20  DESCRIPTION  REMARKS  Well Construction  RISEN: SCI, 440 PUL  O'-20  DESCRIPTION  REMARKS  REM	GEOLOGIST: Brendan O Donnell							DATE STARTED: 5/2//3/
DESCRIPTION  REMARKS  Well Construction  RISEN: SCI, 440 PUL  O'-20  DESCRIPTION  REMARKS  Well Construction  RISEN: SCI, 440 PUL  O'-20  DESCRIPTION  REMARKS  Well Construction  RISEN: SCI, 440 PUL  O'-20  DESCRIPTION  REMARKS  Well Construction  RISEN: SCI, 440 PUL  O'-20  DESCRIPTION  REMARKS  Well Construction  RISEN: SCI, 440 PUL  O'-20  DESCRIPTION  RISEN: SCI, 440 PUL  O'-20  DESCRIPTION  RISEN: SCI, 440 PUL  O'-20  DESCRIPTION  REMARKS  Well Construction  RISEN: SCI, 440 PUL  O'-20  DESCRIPTION  RISEN: SCI, 440 PUL  O'-20  DESCRIPTION  REMARKS  Well Construction  RISEN: SCI, 440 PUL  O'-20  DESCRIPTION  REMARKS  Well Construction  RISEN: SCI, 440 PUL  O'-20  DESCRIPTION  REMARKS  Well Construction  RISEN: SCI, 440 PUL  O'-20  DESCRIPTION  REMARKS  Well Construction  RISEN: SCI, 440 PUL  O'-20  DESCRIPTION  REMARKS  Well Construction  RISEN: SCI, 440 PUL  O'-20  DESCRIPTION  REMARKS  REM	DRILLING METHOD: HSA	SAMPLIN	G METHOD	: H5	1/5			DATE COMPLETED: 8/13/0
DESCRIPTION  REMARKS  Well Construction  DESCRIPTION  REMARKS  Well Construction  DESCRIPTION  DESCRIPTION  REMARKS  Well Construction  DESCRIPTION  DESCRIPTION  REMARKS  Well Construction  DESCRIPTION  DESCRIPTION  DESCRIPTION  REMARKS  Well Construction  DESCRIPTION  DESCRIPTION  REMARKS  Well Construction  DESCRIPTION  DESCRIPTION  REMARKS  Well Construction  DESCRIPTION  REMARKS  Well Construction  DESCRIPTION  DESCRIPTION  REMARKS  Well Construction  DESCRIPTION  REMARKS  Well Construction  DESCRIPTION  REMARKS  REMARKS  Well Construction  DESCRIPTION  REMARKS  REMARKS  DESCRIPTION  REMARKS  REMARKS  DESCRIPTION  REMARKS  REMARKS	DRILLING SUBCONTRACTOR: Brack Longres	DEVELOP	MENT MET	HOD:	1 10/90	ed B/0	CK_	YIELD: -
S.o-10.0 Clay, brown-gray, moist  Stiff  Sti	DESCRIPTION			ż	(FT.)		NUMBER	REMARKS
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5.0-10.0 Clay, brown-gray, moist  Stiff  10.0-15.0 Sandy Silt, brown-gray, Stiff  moist to saturated, (ML)  15.0-20.0 Sandy Silt, gray, Stiff  Saturated, (ML)  20.0-25.0 Sandy Silt, gray med. Stiff  Saturatel, ML  25.0-30.5 Sandy Silt, gray, Versese			17,10 11,16 5,75 11,10 14 - 9,11 12,15 - 13,15,18 8,8 1, 10,10 10,1	400 4			RISET: SCh. 40 PVL 0'-20'  Screen: 0.010 5 lot 504. 40 PVL 20'-30'  SANDPACK: #1 SAND 18'32'  Bentonic: 16-18'  Bentonic: 16-18'  Bentonic: 16-18'  STOUT: 9590 HAPPETE 1041UND 570 Restorm 0'-16'  SHelby Tube Collected at: 10'-12' 16'-18'  For Sieup & Hydro

#### BORING LOG

PAGE 1 OF/ PROJECT NAME: RMC-Beech Grove PROJECT NUMBER: 98-478-0 BORING / WELL NUMBER: MW-7 LOCATION: BEECH Grove, Indiana DATE/TIME: 8/22/01 DIAMETER: 4= WATER DEPTH: DATE STARTED: \$2401 GEOLOGIST: Brendan O-Donnel COMPLETION DEPTH: SAMPLING METHOD: HSA/SS DATE COMPLETED: 8/23/ DRILLING METHOD: #5 A DEVELOPMENT METHOD: SUCGED Block DRILLING SUBCONTRACTOR: Boart Longy Cur YIELD: INSTRUMENT READING RECOVERY REMARKS DESCRIPTION 0.0 - 5.0 Clay, gray to greenish gray Well Construction NA moist to dry RISER; SCH. 40 PUL 9,9 0 -- 15-10,12 5.0-10.0 Clay, brown, dry to moist 1410 screen: o.dostat 1911 SLY 40 PIK 7,11 1213 Sandrack: #1 Sand 8111 15-25-12,11 10.0-15.0 5474 Silt, trace gravel 5,6 Bentarite: 11-15 brown to darix brown, StiFF 61/2 SegL moist to saturated, ML 7,14 22,49 grant : 07-11 14/4 75.0 25.0 sandy Silt, 4124+ 5 own and 78,34 gay, saturated, very Stiff, ML SHelby tube 5113 ⊒ಒ%37 Collected at 14,15 26-28 FOI 20.5-25.5 SAIDY SILT, LIBHT STAY 18,32 -15,10 Sieue + Hydro **⊒μ,**ၽ Saturated, Nery Stiff testing 184 21,44 25.5-28.0 Sandy Silt, Light 8-my 15/16 19,25 4,14 Saturated, very stiff-38,68 Hard (mL) Boring terminated at 28

#### BORING LOG

PAGE 1 OF/ PROJECT NUMBER: 98-478-05 PROJECT NAME: RAC-Beech Grove BORING / WELL NUMBER: MW-S LOCATION: BRECK Grove Indiana DATE/TIME: 8/23/01 DIAMETER: WATER DEPTH: DATE STARTED 8/21/0/ COMPLETION DEPTH: 30.0 GEOLOGIST: Brendar O'Donnell SAMPLING METHOD: HSA/SS DATE COMPLETED:8/21/ DRILLING METHOD: HSA DRILLING SUBCONTRACTOR: Boart Longyeur DEVELOPMENT METHOD: Surged Black YIELD: WELL CONSTRUCTION NUMBER INSTRUMENT READING RECOVERY DEPTH SAMPLE DESCRIPTION REMARKS QUES. of Clay with construction Well Construction debris (Fill) brown to Riser: Sch. 40 Puc NA dark brown, noist, FL 14,6 0-20 11,71 screen: 0.0105/ot 5.0-10.0° Sume as above, FL 5,6 36940PK 176 Sund . #1 Sand 3,3 Par 3,4 0-18-3,4 10.0 -15.0 sandy Silt, gruy, Dentaile: 16-18 5,4 Medium Stiff I moist, ML 5,7 Seal 7/11 12,13 15.0'-20.0 Sandy Silt, gray, M.StiFE growt: 0-16 516 8,4 9590/590 Saturated , ML 618 9,18 6,7 20.0 -25.0 sandy Silt, gray, m Stiff 1/13 6,7 Saturated, ML 7/8 7/11 10,15 25.0"-30.0" SANDY SIH, Gray, SHIFE 13/13 16,14 Saturated, M2 13,23 9,24 3*0-*]3),18 Bucing terminated at 30"

BORING LOG PAGE 1 OF / PROJECT NAME: RMC BRECK Grove PROJECT NUMBER: 98-478-05 LOCATION: Beech Grove, Indiana BORING / WELL NUMBER: DATE/TIME: 8/23/01 DIAMETER: 45 WATER DEPTH: DATE STARTED: 8/12/0 COMPLETION DEPTH: 25 GEOLOGIST: Brendan or Domell DATE COMPLETED: 8/22/5 SAMPLING METHOD: HSA/SS DRILLING METHOD: DRILLING SUBCONTRACTOR: Boart Longyear DEVELOPMENT METHOD: SUCREDE BY OX. YIELD: DEPTH DESCRIPTION REMARKS 0.5-5.0 Sand with Construction Well Construction 15,12 desris, dry, FL 10,10 NA Riser: 564. 43 Puc 7 7 0-15-7,7 8,8 5.0-10.0' same as above, FL screen: 0.0105/6+ 10,10 4,5 Sill 54nd: #154nd 5,7 Pack 13-15-618 10.5-15.0 sandy Silt, Light Stay, 5,5 Bentonite: 11-15 518 mediunstiff, ML 7,80 9,11 Fort: 0-11 15.0-20.0 SANDSIL+ , LOHT STAY 66 プフ StiFF, ML 314 9,11 11,13 13/27 SHELDY TUDE 20.0-260 sandy Silt, Land gray Hard, Suturated 4,47 Collected at 5463 22-24-901 2429 (ML) 24-26" FOR STEVE and 14,16 Hydro testing buring terminated at 26



# APPENDIX B Data Validation Report of Soil Samples Collected on August 21-27, 2001

#### DATA VALIDATION REPORT

OF

SOIL SAMPLES

COLLECTED AUGUST 21-27, 2001

**FOR** 

**INORGANIC ANALYSES** 

Sample Delivery Group No. 35132-30

#### PREPARED FOR:

Refined Metals Corporation Beech Grove, Indiana

PREPARED BY:

ADVANCED GEOSERVICES CORP. CHADDS FORD, PENNSYLVANIA

November 7, 2001 UPDATED November 11, 2002 Project Number 98-478-04

Blank ID	Parameter	Concentration (µg/L)	Associated Samples		
EB-1-JLV	Lead	11	R2SED-1-A/B, R2SED-2-A/B, R2SED-3-A/B, R2SED-4 A/B		
EB-2-JLV	Lead	5.8	R2SED-5-A/B/C, R2SED-6-A/B, R2SED-7-A/B, R2SED-8-A/B, R2SED-9-A/B, R2SED-10-A/B/C		
EB-3-ЛLV	Lead	2.8	R2SB-1-A, R2SB-8-A/B, R2SB-9-A/B, R2SB-13-A/B, R2SB-17-A/B/C		
EB-4-JLV	Lead	2.3	R2SB-24-A/B, R2SB-23-A/B, R2SB-22-A/B, R2SB-21-A/B, R2SB-20-A/B/C		
EB-5-JLV	Lead	1.7	R2SB-19-A/B, R2SB-18-A/B, R2SB-16-A/B, R2SB-15- A/B, R2SB-11-A/B/C		
EB-6-JLV	Lead	1.6	R2SB-12-A/B, R2SB-5-A/B, R2SB-14-A/B, R2SB-10-A/B, R2SB-7-A/B/C, R2SB-6-A/B, R2SB-3-A/B, R2SB-4-A/B, R2SB-2-A/B		
EB-7-JLV	Lead	8.6	Samples associated were only analyzed for arsenic		
EB-10-JLV	Lead	2.9	R2SB-42-A/B, R2SB-35-A/B, R2SB-40-A/B, R2SB-32-A/B, R2SB-33-A/B/C, R2SB-34-A/B		

Samples with concentrations less than five times the blank concentration were qualified as non-detected (U) due to blank contamination.

#### 6. ICP Interference Check Sample

The interference check sample (LCS) is analyzed by ICP-MS to verify interelement and background correction factors. Analysis was performed as required at the beginning and end of each sample analysis run and recoveries were within the specified criteria of 80-120 percent.

#### 7. Duplicate Analysis

The relative percent differences (RPDs) were within the control limit of 35 percent for solid samples.

#### 8. Field Duplicates

Samples R2BG-4-B/C, R2SB-11-A/C, R2SB-17-A/C, R2SB-20-A/C, R2SB-33-A/C, R2SB-36-A/C, R2SB-38-A/C, and R2SB-7-A/C were field duplicates. Results exhibited reasonable agreement, with the exception of the following:

Parameter	Sample ID	Sample Conc	Field Duplicate ID	Field Duplicate Conc	Difference/RPD	Criteria
Arsenic	R2SB-11-A	14	R2SB-11-C	7.5	60.47%	40%
Lead	R2SB-7-A	78	R2SB-7-C	49	45.67%	40%

Sample and field duplicate results or reporting limits were qualified as estimated (J) for the parameter exceeding the criteria.

#### 9. Matrix Spike Analysis

The matrix spike (MS) percent recoveries were within the QC limits of 75-125 percent (soil matrices).

#### 10. Laboratory Control Sample (LCS)

The laboratory control sample (LCS) percent recoveries were within the QC limits of 80-120 percent.

#### 11. ICP Serial Dilution

All concentrations were either less than 50 times the instrument detection limit (IDL) or greater than 50 times the IDL with the percent differences that were  $\pm 10$  percent of the serial dilution result, with the exception of the following:

Sample ID	Parameter	Original Conc	Diluted Conc	%D	IDL	IDL * 50
R2SB-34-A	Lead	196.07	170.04	13.27	0.029	1.45
R2SB-43-A	Lead	299.38	250.24	16.41	0.029	1.45
R2SB-2-B	Lead	2413.23	2821.16	16.90	0.029	1.45
R2SB-10-A	Arsenic	8.9	7.97	10.62	0.097	4.85
R2SB-10-A	Lead	25.49	22.84	10.41	0.029	1.45

Sample results and reporting limits for samples in the same Quality Control (QC) batch as those exceeding criteria were qualified as estimated (J/UJ).

# DATA VALIDATION REPORT VALIDATION SUMMARY

#### SUMMARY

All the data is useable as qualified.

#### **DATA QUALIFIERS**

The following qualifiers were used to modify the data quality and usefulness of individual analytical results.

U	_	The analyte was not detected at the given quantitation limit.
·		The analyte was not detected at the given quantitation innit.

J	-	The analyte was positively identified and detected; however, the			
		concentration is an estimated value because the result is less than the			
		quantitation limit or quality control criteria were not met.			

- UJ The analyte was not detected; the associated quantitation limit is an estimated value.
- **D** The value was obtained from a reanalysis of a diluted sample.
- E Concentration reported is estimated, the concentration exceeded the instrument's calibration range. The sample should be diluted.
- R The value reported has been rejected.

#### **DATA ASSESSMENT**

Data review was performed by an experienced quality assurance scientist independent of the analytical laboratory and not directly involved in the project.

This is to certify that I have examined the analytical data and based on the information provided to me by the laboratory, in my professional judgement the data are acceptable for use except where qualified with qualifiers which modify the usefulness of those individual values.

Quality Assurance Scientist

Quality Assurance Manager

Date

#### INORGANIC DATA VALIDATION SUMMARY

Site Name:  Project Number:  Sampling Date(s):  Ruc Beechar  95 - 478 - 04  8/21-27/2-00			are t		tory: Order No.:	Trimatrix 35132-30	
Compound List:	pound List:		Priority Pollutant		Appendix IX	Other As, Pb	
Method:	od: CLP SOW ILMO4.		40 CFR 136		SW-846 Method	Other	
The following table in	dicates the data validation cri	teria examin	ed, any	problems i	ن ا ت ا identified, and the	QA action applied.	
Data Validation Criteri	ia:	accept	FYI	qualify	Comments		
Holding Times							
Initial Calibrations							
Continuing Calibration	lS					····	
CRDL Standards							
Blank Analysis Results	3				Sample conc	< 5 x Blank conc	
ICP Interference Check	c Sample Recoveries						
Duplicate Results					,		
Field Duplicate Results	see behing for Field Dypkicolys			$\checkmark$	RPD > 4	o%	
Spike Analysis Recove	ries	1			w		
Serial Dilution Results		W		V	Sample conc	> Sox IDL and oD > 10%	
Laboratory Control Sar	nple Results						
Furnace AA QC Analy	sis				NA		
Quantitation/Detection	Limits						
Overall Assessment of	Data						
Other:	21/3						
Field General Comments:	R2B6-4-B	/R2B6-4	1-C	· RZSB	-11-A/R2SB	-11-C, R25B-17-A/R25B-17-C	
R258-20-A/R25	B-20-C; R2SR-3	3-A/R251	r- 33-	-c; 1	(25B-36-A)	/R25B-36-C	
R25B-38-A/	R25B-38-A/R25B-38-C; R25B-7-A/R25B-7-C.						
<del></del>				<del></del>			

Accept - No qualification required.

FYI - For your information only, no qualification necessary.

Qualify - Qualify as rejected, estimated or biased

NA - Not applicable.

NR - Not reviewed.

QA Scientist Date 11/5/2003



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-20A

Data Qualifiers

Units

Lab Sample No:

286593

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

9.6 486 12

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush 08/23/01

12:15

08/29/01

08:20

1/1/5/02



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-20B

Data Qualifiers

Units

c | Q | 1

Lab Sample No:

286594

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

4.4

1

MS mg/kg dry
MS mg/kg dry

129

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

12:20

08/29/01

08:20

AWP



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-20C

Data Qualifiers

Units

C | Q | 1

Lab Sample No:

286595

7440-38-2

Arsenic, Total

7439-92-1 Lead, Total

6.4 447 7

MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

12:25

08/29/01

08:20

AND



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-19A

Data Qualifiers Q

Units

Lab Sample No:

286596

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

16 796

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

12:42

08/29/01

08:20



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-19B

Data Qualifiers

Units

Q

Lab Sample No:

286597

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

250

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

12:45

08/29/01

08:20



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-18A

Data Qualifiers

Units

c | Q |

Lab Sample No:

286598

7440-38-2

Arsenic, Total

7439-92-1 Lead, Total

10 669 17

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

12:52

08/29/01

08:20

Auglo



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-18B

Data Qualifiers

Units

Q

Lab Sample No:

286599

7440-38-2

Arsenic, Total

6.3

MS mg/kg dry

7439-92-1

Lead, Total

122

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled;

Date Received:

Time Received:

Vennebush 08/23/01

12:55

08/29/01

08:20



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-16A

Data Qualifiers

Units

C | Q | 1

Lab Sample No:

286600

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

7.7 179 7

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

14:45

08/29/01

08:20

Aw1)



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-16B

Data Qualifiers

C | Q

Lab Sample No:

286601

7440-38-2

Arsenic, Total

9.0

MS mg/kg dry

7439-92-1

Lead, Total

125

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: 08/23/01 14:50 08/29/01

Vennebush

08:20



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-15A

Data Qualifiers

Units

C | Q |

Lab Sample No:

286602

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

4.8 265 Ž

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

15:05

08/29/01

08:20

AWD 11/0/02



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-15B

Data Qualifiers

Units

Q

Lab Sample No:

286603

7440-38-2

Arsenic, Total

14

mg/kg dry

7439-92-1

Lead, Total

184

mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01 15:10

08/29/01

08:20

000087



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

M

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-11A

Data Qualifiers

Units

c | Q

Lab Sample No:

286604

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

14 360 1

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

15:30

08/29/01

08:20

Author



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

Q M

CAS No.

R2SB-11B

Data Qualifiers

Units

Lab Sample No:

286605

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

6.2 83

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush 08/23/01

15:35

08/29/01

08:20

000039



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone: (616

(616) 975-4500

Q M

CAS No.

R2SB-11C

Data Qualifiers

Units

Lab Sample No:

286606

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

7.5 323 17

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

15:40

08/29/01

08:20

AND



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 351

35132- 30

M

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-12A

Data Qualifiers

Units

2 | Q

Lab Sample No:

286607

7440-38-2 7439-92-1 Arsenic, Total Lead, Total 11 222 12

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

15:50

08/29/01

08:20

Auropor

000091



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-12B

Data Qualifiers

Units

c | Q

Lab Sample No:

286608

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

8.6 71 15

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

15:55

08/29/01

08:20

ANDINO



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Location:

Submittal Number:

35132-

Contact:

Jennifer L. Rice

Subm: August 2001 Samples Phone: (616) 975-4500

CAS No.

R2SB-5A

Data Qualifiers

Units

С Q

Lab Sample No:

286609

7440-38-2 7439-92-1 Arsenic, Total Lead, Total

10 121

mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

16:10

08/29/01

08:20

000093



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-5B

Data Qualifiers

Units

Q

Lab Sample No:

286610

7440-38-2 7439-92-1

Arsenic, Total

Lead, Total

5.5 68

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush 08/23/01 16:15

08/29/01

08:20



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-14A

Data Qualifiers

Units

c |

Q M

Lab Sample No:

286611

7440-38-2 7439-92-1 Arsenic, Total Lead, Total 8.6 89 1 2

| MS mg/kg dry | MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

16:30

08/29/01

08:20

AWDION



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 35132- 30

Location:

Contact:

Jennifer L. Rice

(616) 975-4500 Phone:

CAS No.

R2SB-10A

Data Qualifiers

MS/MSD

CQ

Lab Sample No:

286613

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

16:45

08/29/01

08:20



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-6A

Data Qualifiers

Units

Lab Sample No:

286618

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

12 587 124n)

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush 08/23/01

17 7

17:35

08/29/01

08:20

Auripa



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-6B

Data Qualifiers

Units

C | Q | 1

Lab Sample No:

286619

7440-38-2

Arsenic, Total

7439-92-1 Lead, Total

11 286 8 Amil

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

17:40

08/29/01

08:20

AW7, 1/8/02



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Location:

Contact:

Submittal Number:

Jennifer L. Rice

35132-

Phone:

(616) 975-4500

CAS No.

R2SB-3A

Data Qualifiers

Q

M

Lab Sample No:

286620

7440-38-2 7439-92-1 Arsenic, Total Lead, Total 38 991 JAND

MS mg/kg dry
MS mg/kg dry

Units

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

17:43

08/29/01

08:20

AND POD



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-3B

Data Qualifiers

Units

Q M

Lab Sample No:

286621

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

10 1760

MS mg/kg dry

MS mg/kg dry

Sampled by: Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush 08/23/01 17:55 08/29/01 08:20



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 35132- 30

Location:

Contact: Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-4A

Data Qualifiers

: | Q | M

Lab Sample No:

286622

7440-38-2 7439-92-1 Arsenic, Total Lead, Total 26 1980 12 AV

MS mg/kg dry
MS mg/kg dry

Units

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

17:50

08/29/01

08:20

Awi



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-4B

Data Qualifiers Q

Units

Lab Sample No:

286623

7440-38-2

Arsenic, Total

12

MS mg/kg dry

7439-92-1

Lead, Total

1380

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received:

17:55 08/29/01

Vennebush

08/23/01

08:20

000107



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-2A

Data Qualifiers

Units

Q

Lab Sample No:

286624

7440-38-2

Arsenic, Total

19

MS mg/kg dry

7439-92-1

Lead, Total

1290

mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

18:05

08/29/01

08:20



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-2B

Data Qualifiers

Units

c | Q |

Lab Sample No:

286625

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

10 2760

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush 08/23/01

18:10

08/29/01

08:20

AWD, 11/8/pd



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-38A

Data Qualifiers

Units

C | Q |

Lab Sample No:

286635

7440-38-2 7439-92-1 Arsenic, Total Lead, Total

--<del>-</del>

6.5 282

-

MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

08:15

08/29/01

08:20

M(8/200)



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-38B

Data Qualifiers

Units

CIQI

Lab Sample No:

286636

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

5.2 175

\_\_\_

MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush 08/27/01

08:20

08/29/01

08:20

Autopa



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-38C

Data Qualifiers

Units

c | Q | |

Lab Sample No:

286637

7440-38-2 7439-92-1 Arsenic, Total Lead, Total 6.6 271

-

MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush 08/27/01

08:25

08/29/01

08:20

11/1/par



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-37A

Data Qualifiers

Units

c | Q |

Lab Sample No:

286638

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

9.2 366

\_

MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

08:40

08/29/01

08:20

Author



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Location:

Submittal Number:

35132-

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-37B

Data Qualifiers Q

Units

Lab Sample No:

286639

7440-38-2 7439-92-1 Arsenic, Total

8.0

mg/kg dry

Lead, Total

509

mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

08:45

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-39A

Data Qualifiers

Units

c | Q

Lab Sample No:

286640

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

8.7 383

mg/kg dry MS mg/kg dry

Vennebush 08/27/01

Sampled by: Date Sampled:

Time Sampled:

Date Received: Time Received: 08/29/01

08:55



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-39B

Data Qualifiers

Units

C | Q | M

Lab Sample No:

286641

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

7.9 144

---

MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

09:00

08/29/01

08:20

Aug pot



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132-

Location:

Jennifer L. Rice Contact:

Phone:

(616) 975-4500

CAS No.

R2SB-44A

Data Qualifiers

Units

30

С

Lab Sample No:

286642

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

7.8 252

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

09:15

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 35132-

Location:

Jennifer L. Rice Contact:

Phone:

(616) 975-4500

CAS No.

R2SB-44B

Data Qualifiers

Units

Lab Sample No:

286643

7440-38-2

Arsenic, Total

Lead, Total 7439-92-1

8.5 108

mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

09:20

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 35132- 30

Location:

Contact: Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-43A

Data Qualifiers

MS/MSD

C Q

Lab Sample No:

286644

7440-38-2 7439-92-1

Arsenic, Total Lead, Total

7.4 \* 250

MS mg/kg dry mg/kg dry

Units

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: Vennebush

08/27/01

09:35 08/29/01

<sup>\*</sup> See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

. . .

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-43B

Data Qualifiers

Units

C | Q | N

Lab Sample No:

286645

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

7.4 201

MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

09:45

08/29/01

08:20

AWI)



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-45A

Data Qualifiers

Units

C | Q | 1

Lab Sample No:

286646

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

7.3 140

| ~

| MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

10:25

08/29/01

08:20

Aut Jos



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-45B

Data Qualifiers

Units

C | Q |

Lab Sample No:

286647

7440-38-2

Arsenic, Total

6.2

\_

MS mg/kg dry

mg/kg dry

7439-92-1

Lead, Total

85

MS

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

10:30

08/29/01

08:20

AWD



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-41A

Data Qualifiers

Units

C | Q | M

Lab Sample No:

286648

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

5.9 172

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

11:05

08/29/01

08:20

Aug of



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-41B

Data Qualifiers

Units

C | Q |

Lab Sample No:

286649

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

5.9 128

\_

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

11:10

08/29/01

08:20

Aun 107



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-36A

Data Qualifiers

Units

C Q M

Lab Sample No:

286650

7440-38-2 7439-92-1 Arsenic, Total Lead, Total 7.8 310 | ~

| MS mg/kg dry | MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:
Date Received:

Time Received:

Vennebush

08/27/01

11:20

08/29/01

08:20

Anglin-



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-36B

Data Qualifiers

Units

C Q M

Lab Sample No:

286651

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

6.1 109

\_

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

11:25

08/29/01

08:20

Autopa



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-36C

Data Qualifiers

Units

C Q 1

Lab Sample No:

286652

7440-38-2 7439-92-1 Arsenic, Total Lead, Total 9.0

\_

MS mg/kg dry
MS mg/kg dry

328

Sampled by: Date Sampled:

Time Sampled:

Date Received: Time Received: Vennebush

08/27/01 11:30

08/29/01

08:20

Aw7 8/02



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-42A

Data Qualifiers

Units

C | Q | N

Lab Sample No:

286653

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

4.2 165

7

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

11:40

08/29/01

08:20

Aur) 18/02



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-42B

Data Qualifiers

Units

C | Q | M

Lab Sample No:

286654

3.9

77

7440-38-2 7439-92-1 Arsenic, Total Lead, Total

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

11:45

08/29/01

08:20

Auspo



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-35A

Data Qualifiers

Inits

C

l M

Lab Sample No:

286655

7440-38-2 7439-92-1 Arsenic, Total Lead, Total 3.7 191

1-

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

11:52

08/29/01

08:20

AUD 11/102



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-35B

Data Qualifiers

Units

C | Q | M

Lab Sample No:

286656

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

4.7 79

....

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

11:55

08/29/01

08:20

Aughod



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 35

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-40A

Data Qualifiers

Units

C | Q |

Lab Sample No:

286657

7440-38-2

Arsenic, Total

6.9

\_

MS mg/kg dry

7439-92-1

Lead, Total

422

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

12:50

08/29/01

08:20

AWT/02



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 35132-

Location:

Contact: Jennifer L. Rice

Phone: (616) 975-4500

CAS No.

R2SB-40B

Data Qualifiers

Units

C Q M

Lab Sample No:

286658

7440-38-2 7439-92-1 Arsenic, Total Lead, Total 4.0 50 | ~

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

12:55

08/29/01

08:20

AW7/02



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-32A

Data Qualifiers

Units

C | Q |

Lab Sample No:

286659

7440-38-2

Arsenic, Total

4.9

| سبر ا MS mg/kg dry

7439-92-1

Lead, Total

286

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

13:05

08/29/01

08:20

AWD /02

5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-32B

Data Qualifiers

Units

c | Q | 1

Lab Sample No:

286660

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

4.2 91

\_\_

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

13:10

08/29/01

08:20

Awilflod



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-33A

Data Qualifiers

Units

C | Q | M

Lab Sample No:

286661

7440-38-2 7439-92-1 Arsenic, Total Lead, Total 6.3 202 ~

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

13:20

08/29/01

08:20

11/8/02



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 35

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-33B

Data Qualifiers

Units

C | Q | N

Lab Sample No:

286662

7440-38-2 7439-92-1 Arsenic, Total Lead, Total 5.7 67

-

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

13:22

08/29/01

08:20

AWY 11/8/07



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

DOCACION

35132- 30

Location:

Submittal Number:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-33C

Data Qualifiers

Units

C | Q | M

Lab Sample No:

286663

7440-38-2 7439-92-1 Arsenic, Total Lead, Total 4.5 250

\_\_

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

13:25

08/29/01

08:20

Aur 1/8/02



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 35132- 30

Location:

Jennifer L. Rice Contact:

(616) 975-4500 Phone:

Data Qualifiers Units R2SB-34A CAS No.

Q M

Lab Sample No: 286664

7.1 7440-38-2 Arsenic, Total

mg/kg dry mg/kg dry Lead, Total \* 170 7439-92-1

Vennebush Sampled by: 08/27/01 Date Sampled: 13:55 Time Sampled: 08/29/01 Date Received: 08:20 Time Received:

\* See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

С

35132-

M

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-34B

Data Qualifiers Q

Units

Lab Sample No:

286665

7440-38-2 7439-92-1 Arsenic, Total Lead, Total

4.1 28

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

14:05

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-23B

Data Qualifiers

Units

C | Q | M

Lab Sample No:

286688

7440-38-2

Arsenic, Total

7439-92-1 Lead, Total

13 105

-

MS mg/kg dry
MS mg/kg dry

105

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

11:15

08/30/01

07:50

Austor

### SERIAL DILÙTIONS

								•
Analyte	Lab ID Sample ID	Initial Conc	Serial Dilution Conc	% D	IDL	IDL*50		
As	286568 R2SED-8-A	36.1	37.95	5.22	0.097	4.85	Acceptable	
Pb	286568 R2SED-8-A	8797.24	9510.73	8.11	0.029	1.45	Acceptable	
As	286664 R2SB-34-A	7.1	6.77	4.35	0.097	4.85	Acceptable	5
→ Pb	286664 R2SB-34-A	196.07	170.04	13.27	0.029	1.45	Qualify —	
As	286644 R2SB-43-A	7.4	7.47	1.11	0.097	4.85	Acceptable	
∼ Pb As	286644 R2SB-43-A 286632 R2BG-4-A	299.38 3.1	250.24 2.79	16.41 10.11	0.029	1.45 4.85	Qualify Acceptable	
As Pb	286632 R2BG-4-A	63.80	65.19	2.17	0.029	1.45	Acceptable	_
As	286625 R2SB-2-B	10.4	10.38	0.39	0.097	4.85	Acceptable	
Pb	286625 R2SB-2-B	2413.23	2821.16	16.90	0.029	1.45	Qualify \	\
As	286613 R2SB-10-A	8.9	7.97	10.62	0.097	4.85	Qualify \	\ _
Pb	286613 R2SB-10-A	25.49	22.84	10.41	0.029	1.45	Qualify \	
As	286591 R2SB-21-A	10.3	10.42	1.11	0.097	4.85	Acceptable	-
Pb	286591 R2SB-21-A	325.41	295.61	9.16	0.029	1.45	Acceptable	_
							J 11	/
/							///	/ <b>-</b>
								/ -
V								/
socialal San	plai. (Pb +As)							_
R25B-10A	C	110	ł.,					
R25B-20A	A5.	sociated Samp	les.					· /
R25B -20B	$\ell_{\omega}$	SB-7A	•	$\checkmark$			Associated	Sarples
K528 - 40C		25B - GA	Associ	hale!	Suny	es	R25B-40B	
ROSB - 19A	`	25B - 6B	R25B-4	_	7	•	R25B-34A	•
R258- 1915	3	25B - 3A	Rasb-				R25B-34B	
R23B-1871		25B-3B	R258-				P25B-421	_
1(42D 101)	<i>Κ</i> ,						R258-42B	
R25B - 18B	) 4	25B-4A	Rass-				R23B-35A	•
R25B-16/	T K	15B - 4B	R236-	2111 -2 B			R23B-35B	1
R258 - 161	B R	25B-d1	R238-	3712			_	•
V52B - 12.	4	25B-2B	125B				R258-40A	•
1228- 15	B		RISB -	- 34B			R25B-32A	
RSSB - 11/	7		RasB-	- 444			RUSB-32B	
R25B- 111	<b>/</b> 3		RNB				R23B - 33A	
RasB-11	Ċ		KT28	- 43 C	<b>\</b>		R2SB- 33B	
R258-12	lA		K72B -	45A	+		RLSB - 33C	•
			477B -	- 45B			R25B - 23B	
R23B-12			KZ1B	- 414			1(02-1-)	·
RasB-T	4		6978- 1647D	- 41B				•
RZSB-5	73		RICE	- 36A				_
R23B-1	44		RasB	- 3 lat	>			1.7
185			N43 U	- 36(	, 		į.	fw7
•			Ktoo	, , ,			/	11/11/200

### RMC - BEECHGROVE

### Soil and Sediment Sampling, 8/21 - 8/28/2001 Trimatrix# 35132-30 Project# 98-478-04

Sample Location	Lab ID	Sample Date	Matrix	Remarks	Parameter	Units	Result	Q	DL
R2SED-1A	286553		Sediment		Arsenic	mg/kg	10	Ì	1
R2SED-1B	286554		Sediment		Arsenic	mg/kg	14		1
R2SED-2A	286555		Sediment		Arsenic	mg/kg	10		1
R2SED-2B	286556		Sediment	· · · · · · · · · · · · · · · · · · ·	Arsenic	mg/kg	11		1
R2SED-2B	286557	l	Sediment		Arsenic	mg/kg	12	-	1
R2SED-3A R2SED-3B	286558		Sediment		Arsenic	mg/kg	9.3		1
R2SED-3B	286559		Sediment				20		1
L			Sediment		Arsenic	mg/kg	17		1
R2SED-4B	286560	l	Sediment		Arsenic	mg/kg			
R2SED-5A	286561				Arsenic	mg/kg	46		1
R2SED-5B	286562		Sediment	- ADAGED 54	Arsenic	mg/kg	20		1
R2SED-5C	286563			FD of R2SED-5A	Arsenic	mg/kg	39		1
R2SED-6A	286564		Sediment		Arsenic	mg/kg	44		1
R2SED-6B	286565		Sediment		Arsenic	mg/kg	35		1
R2SED-7A	286566		Sediment		Arsenic	mg/kg	39		1
R2SED-7B	286567		Sediment		Arsenic	mg/kg	26		1
R2SED-8A	286568		Sediment		Arsenic	mg/kg	36		1
R2SED-8B	286569		Sediment		Arsenic	mg/kg	23		1
R2SED-9A	286570		Sediment		Arsenic	mg/kg	29		1
R2SED-9B	286571		Sediment		Arsenic	mg/kg	11		1
R2SED-10A	286572		Sediment		Arsenic	mg/kg	9.4		1
R2SED-10B	286573		Sediment		Arsenic	mg/kg	7.2		1
R2SED-10C	286574	8/21/01	Sediment	FD of R2SED-10A	Arsenic	mg/kg	10		1
R2SB-1A	286575	8/23/01	Soil		Arsenic	mg/kg	141		3.2
R2SB-1B	286576	8/23/01	Soil		Arsenic	mg/kg	50		1
R2SB-8A	286577	8/23/01	Soil		Arsenic	mg/kg	13		1
R2SB-8B	286578	8/23/01	Soil		Arsenic	mg/kg	8.4		1
R2SB-9A	286579	8/23/01	Soil		Arsenic	mg/kg	47		1
R2SB-9B	286580	8/23/01	Soil	V-1. , 1.	Arsenic	mg/kg	12		1
R2SB-13A	286581	8/23/01	Soil		Arsenic	mg/kg	53		1
R2SB-13B	286582	8/23/01	Soil	<del></del>	Arsenic	mg/kg	27	$\neg$	1
R2SB-17A	286583	8/23/01	Soil		Arsenic	mg/kg	25		1
R2SB-17B	286584	8/23/01	Soil		Arsenic	mg/kg	11		1
R2SB-17C	286585	8/23/01		FD of R2SB-17A	Arsenic	mg/kg	31		1
R2SB-24A	286586				Arsenic	mg/kg	13		1
R2SB-24B	286587	8/23/01			Arsenic	mg/kg	9.1	$\neg$	1
R2SB-23A	286588	8/23/01		<del></del>	Arsenic	mg/kg	10	7	1
R2SB-22A	286589	8/23/01		<del></del>	Arsenic	mg/kg	13	一	1
R2SB-22B	286590	8/23/01			Arsenic	mg/kg	12		1
R2SB-21A	286591	8/23/01			Arsenic	mg/kg	10	$\neg$	1
R2SB-21B	286592	8/23/01			Arsenic	mg/kg	7	$\neg$	1
R2SB-20A	286593	8/23/01			Arsenic	mg/kg	9.6	J	1
R2SB-20B	286594	8/23/01			Arsenic	mg/kg	4.4	J	1
R2SB-20C	286595	8/23/01		FD of R2SB-20A	Arsenic	mg/kg	6.4	J	1
R2SB-19A	286596	8/23/01		LD OF REDD-ZOA	Arsenic	mg/kg	16	J	1
R2SB-19B	286597	8/23/01			Arsenic	mg/kg	14	1	1
R2SB-18A	286598	8/23/01			Arsenic		$\frac{14}{10}$	1	1
R2SB-18B	286599	8/23/01				mg/kg	6.3		
R2SB-16A	286600	8/23/01		<del></del>	Arsenic	mg/kg		J	1
R2SB-16B	286601				Arsenic	mg/kg	7.7	J	1
		8/23/01			Arsenic	mg/kg	9	J	1
R2SB-15A	286602	8/23/01	2011		Arsenic	mg/kg	4.8	J	1

QA Scientist

Date 11/1/202

### RMC - BEECHGROVE Soil and Sediment Sampling, 8/21 - 8/28/2001 Trimatrix# 35132-30 Project# 98-478-04

Sample Location	Lab ID	Sample Date	Matrix	Remarks	Parameter	Units	Result	Q	DL
R2SB-15B	286603	8/23/01	Soil		Arsenic	mg/kg	14	J	1
R2SB-11A	286604	8/23/01	Soil		Arsenic	mg/kg	14	J	1
R2SB-11B	286605	8/23/01	Soil		Arsenic	mg/kg	6.2	J	1
R2SB-11C	286606	8/23/01	Soil	FD of R2SB-11A	Arsenic	mg/kg	7.5	J	1
R2SB-12A	286607	8/23/01	Soil		Arsenic	mg/kg	11	J	1
R2SB-12B	286608	8/23/01	1		Arsenic	mg/kg	8.6	J	1
R2SB-5A	286609	8/23/01	Soil		Arsenic	mg/kg	10	J	ī
R2SB-5B	286610	8/23/01			Arsenic	mg/kg	5.5	J	1
R2SB-14A	286611	8/23/01			Arsenic	mg/kg	8.6	J	1
R2SB-14B	286612	8/23/01	Soil		Arsenic	mg/kg	3.6		1
R2SB-10A	286613	8/23/01	Soil		Arsenic	mg/kg	8.9	J	1
R2SB-10B	286614	8/23/01			Arsenic	mg/kg	12		1
R2SB-7A	286615	8/23/01			Arsenic	mg/kg	9.6		1
R2SB-7B	286616	8/23/01	Soil		Arsenic	mg/kg	13		1
R2SB-7C	286617	8/23/01	Soil	FD of R2SB-7A	Arsenic	mg/kg	8.4		1
R2SB-6A	286618	8/23/01			Arsenic	mg/kg	12		1
R2SB-6B	286619	8/23/01			Arsenic	mg/kg	11		1
R2SB-3A	286620	8/23/01	Soil		Arsenic	mg/kg	38		1
R2SB-3B	286621	8/23/01	Soil		Arsenic	mg/kg	10		1
R2SB-4A	286622	8/23/01		<del> </del>	Arsenic	mg/kg	26		1
R2SB-4B	286623	8/23/01			Arsenic	mg/kg	12		1
R2SB-2A	286624	8/23/01	Soil		Arsenic	mg/kg	19		1
R2SB-2B	286625	8/23/01			Arsenic	mg/kg	10		1
R2BG-1A	286626	8/24/01		<u> </u>	Arsenic	mg/kg	9.8		1
R2BG-1B	286627	8/24/01			Arsenic	mg/kg	8		1
R2BG-2A	286628	8/24/01			Arsenic	mg/kg	10		1
R2BG-2B	286629				Arsenic	mg/kg	7.2		1
R2BG-3A	286630	8/24/01	<del></del>		Arsenic	mg/kg	6		1
R2BG-3B	286631	8/24/01			Arsenic	mg/kg	7.5		1
R2BG-4A	286632	8/24/01	Soil		Arsenic	mg/kg	3.1		1
R2BG-4B	286633	8/24/01	Soil		Arsenic	mg/kg	6.6		1
R2BG-4C	286634	8/24/01	Soil	FD of R2BG-4B	Arsenic	mg/kg	4.6		1
R2SB-38A	286635	8/27/01	Soil		Arsenic	mg/kg	6.5		1
R2SB-38B	286636	8/27/01	Soil	·	Arsenic	mg/kg	5.2		1
R2SE-23C	286637	8/27/01	Soil	FD of R2SB-38A	Arsenic-	mg/kg	6.6		1
R2SB-37A	286638	8/27/01	Soil		Arsenic	mg/kg	9.2		1
R2SB-37B	286639	8/27/01	Soil		Arsenic	mg/kg	8		1
R2SB-39A	286640	8/27/01	Soil		Arsenic	mg/kg	8.7		1
R2SB-39B	286641	8/27/01	Soil		Arsenic	mg/kg	7.9		1
R2SB-44A	286642	8/27/01	Soil		Arsenic	mg/kg	7.8		1
R2SB-44B	286643	8/27/01	Soil		Arsenic	mg/kg	8.5		1
R2SB-43A	286644	8/27/01	Soil		Arsenic	mg/kg	7.4		1
R2SB-43B	-286645	8/27/01	Soil		Arsenic	mg/kg	7.4		1
R2SB-45A	286646	8/27/01	Soil		Arsenic	mg/kg	7.3		1
R2SB-45B	286647	8/27/01	Soil		Arsenic	mg/kg	6.2		1
R2SB-41A	286648	8/27/01	Soil		Arsenic	mg/kg	5.9		1
R2SB-41B	286649	8/27/01	Soil	_	Arsenic	mg/kg	5.9		1
R2SB-36A	286650	8/27/01	Soil		Arsenic	mg/kg	7.8		1
R2SB-36B	286651	8/27/01	Soil		Arsenic	mg/kg	6.1		1
R2SB-36C	286652	8/27/01	Soil	FD of R2SB-36A	Arsenic	mg/kg	9	<u> </u>	1

QA Scientist

Date /////2002

### RMC - BEECHGROVE

### Soil and Sediment Sampling, 8/21 - 8/28/2001 Trimatrix# 35132-30 Project# 98-478-04

Sample Location	Lab ID	Sample Date	Matrix	Remarks	Parameter	Units	Result	Q	DL
R2SB-42A	286653	8/27/01	Soil		Arsenic	mg/kg	4.2		1
R2SB-42B	286654	8/27/01	Soil		Arsenic	mg/kg	3.9		1
R2SB-35A	286655	8/27/01	Soil		Arsenic	mg/kg	3.7		1
R2SB-35B	286656	8/27/01	Soil		Arsenic	mg/kg	4.7		1
R2SB-40A	286657	8/27/01	Soil		Arsenic	mg/kg	6.9		1
R2SB-40B	286658	8/27/01	Soil		Arsenic	mg/kg	4		1
R2SB-32A	286659	8/27/01	Soil		Arsenic	mg/kg	4.9		1
R2SB-32B	286660	8/27/01	Soil		Arsenic	mg/kg	4.2		1
R2SB-33A	286661	8/27/01	Soil		Arsenic	mg/kg	6.3		1
R2SB-33B	286662	8/27/01	Soil		Arsenic	mg/kg	5.7		1
R2SB-33C	286663	8/27/01	Soil	FD of R2SB-33A	Arsenic	mg/kg	4.5		1
R2SB-34A	286664	8/27/01	Soil		Arsenic	mg/kg	7.1		1
R2SB-34B	286665	8/27/01	Soil		Arsenic	mg/kg	4.1		1
EB-1-JLV	286666	8/21/01	Aqueous	Equipment Blank	Arsenic	ug/L		U	1
EB-2-ЛLV	286667	8/21/01	Aqueous	Equipment Blank	Arsenic	ug/L		U	1
EB-3-JLV	286668	8/23/01	Aqueous	Equipment Blank	Arsenic	ug/L		U	1
EB-4-JLV	286669	l	Aqueous	Equipment Blank	Arsenic	ug/L		Ū	1
EB-5-ЛLV	286670		Aqueous	Equipment Blank	Arsenic	ug/L		U	1
EB-6-ЛLV	286671	8/23/01	Aqueous	Equipment Blank	Arsenic	ug/L		Ū	1
EB-7-JLV	286672	8/24/01	Aqueous	Equipment Blank	Arsenic	ug/L		U	1
EB-8-JLV	286673	8/27/01	Aqueous	Equipment Blank	Arsenic	ug/L		U	1
EB-9-JLV	286674	8/27/01	Aqueous	Equipment Blank	Arsenic	ug/L		Ū	1
EB-10-ЛLV	286675		Aqueous	Equipment Blank	Arsenic	ug/L		U	1
Field Blank	286676	L	Aqueous	Field Blank	Arsenic	ug/L		U	1
R2SB-23B	286688	8/23/01	Soil		Arsenic	mg/kg	13		1

QA Scientist

Date 11/1/200

### RMC - BEECHGROVE

Soil and Sediment Sampling, 8/21 - 8/28/2001 Trimatrix# 35132-30 Project# 98-478-04

Sample Location	Lab ID	Sample Date	Matrix	Remarks	Parameter	Units	Result	Q	DL
R2SED-1A	286553	8/21/01	Sediment		Lead	mg/kg	1210	U	25
R2SED-1B	286554	8/21/01	Sediment		Lead	mg/kg	1550		25
R2SED-2A	286555	8/21/01	Sediment		Lead	mg/kg	1230	U	25
R2SED-2B	286556	8/21/01	Sediment		Lead	mg/kg	955	U	25
R2SED-3A	286557	8/21/01	Sediment		Lead	mg/kg	1570		25
R2SED-3B	286558		Sediment		Lead	mg/kg	6020	Ū	125
R2SED-4A	286559	8/21/01	Sediment		Lead	mg/kg	2480	U	63
R2SED-4B	286560		Sediment	<del> </del>	Lead	mg/kg	1570		25
R2SED-5A	286561		Sediment		Lead	mg/kg	5410		125
R2SED-5B	286562		Sediment		Lead	mg/kg	1240		25
R2SED-5C	286563	8/21/01	Sediment	FD of R2SED-5A	Lead	mg/kg	5030		63
R2SED-6A	286564		Sediment		Lead	mg/kg	8430		125
R2SED-6B	286565		Sediment		Lead	mg/kg	3840		63
R2SED-7A	286566		Sediment		Lead	mg/kg	5480		125
R2SED-7B	286567		Sediment		Lead	mg/kg	2340		63
R2SED-8A	286568		Sediment		Lead	mg/kg	8190		125
R2SED-8B	286569		Sediment		Lead	mg/kg	2610		63
R2SED-9A	286570		Sediment		Lead	mg/kg	3630		63
	286571	<del> </del>	Sediment		Lead	mg/kg	471		6.3
	286572		Sediment		Lead	mg/kg	84		1.3
R2SED-10B	286573		Sediment	<u> </u>	Lead	mg/kg	25		0.6
	286574			FD of R2SED-10A	Lead	mg/kg	84	_	1.3
	286575	8/23/01		12 0110000 1011	Lead	mg/kg	1750		25
R2SB-1B	286576	8/23/01		, , , , , , , , , , , , , , , , , , , ,	Lead	mg/kg	1080		25
	286577	8/23/01			Lead	mg/kg	197		3.2
	286578	8/23/01			Lead	mg/kg	51	_	0.6
	286579	8/23/01			Lead	mg/kg	3330		63
R2SB-9B	286580	8/23/01			Lead	mg/kg	287		6.3
	286581	8/23/01			Lead	mg/kg	7390		125
	286582	8/23/01			Lead	mg/kg	875		13
	286583	8/23/01			Lead	mg/kg	4160		63
	286584	8/23/01			Lead	mg/kg	267	$\neg$	3.2
	286585	8/23/01		FD of R2SB-17A	Lead	mg/kg	3950		63
	286586	8/23/01			Lead	mg/kg	779		13
	286587	8/23/01			Lead	mg/kg	117		3.2
	286588	8/23/01			Lead	mg/kg	463		6.3
	286589	8/23/01			Lead	mg/kg	734		13
	286590	8/23/01			Lead	mg/kg	188		3.2
	286591	8/23/01		·	Lead	mg/kg	296		3.2
	286592	8/23/01		····	Lead	mg/kg	84		1.3
	286593	8/23/01			Lead	mg/kg	486	J	6.3
	286594	8/23/01			Lead	mg/kg	129	J	3.2
	286595	8/23/01		FD of R2SB-20A	Lead	mg/kg	447	J	6.3
	286596	8/23/01			Lead	mg/kg	796	J	13
	286597	8/23/01			Lead	mg/kg	250	J	3.2
	286598	8/23/01			Lead	mg/kg	669	J	13
	286599	8/23/01			Lead	mg/kg	122	J	3.2
	286600	8/23/01			Lead	mg/kg	179	J	3.2
	286601	8/23/01			Lead	mg/kg	125	J	3.2
	286602	8/23/01			Lead	mg/kg	265	J	3.2
RANK-INA I	20000171	0// 1/(/ 1	OUI '		LUGU	TITE INC.	200		

QA Scientist\_

### RMC - BEECHGROVE Soil and Sediment Sampling, 8/21 - 8/28/2001 Trimatrix# 35132-30 Project# 98-478-04

Sample Location	Lab ID	Sample Date	Matrix	Remarks	Parameter	Units	Result	Q	DL
R2SB-11A	286604	8/23/01			Lead	mg/kg	360	J	6.3
R2SB-11B	286605	8/23/01		<u> </u>	Lead	mg/kg	83	J	1.3
R2SB-11C	286606	8/23/01		FD of R2SB-11A	Lead	mg/kg	323	J	6.3
R2SB-12A	286607	8/23/01			Lead	mg/kg	222	J	3.2
R2SB-12B	286608				Lead	mg/kg	71	J	1.3
R2SB-5A	286609	8/23/01			Lead	mg/kg	121	J	3.2
R2SB-5B	286610				Lead	mg/kg	68	J	1.3
R2SB-14A	286611	8/23/01			Lead	mg/kg	89	J	1.3
R2SB-14B	286612	8/23/01			Lead	mg/kg	7.3	j	0.6
R2SB-10A	286613	8/23/01		<del> </del>	Lead	mg/kg	25	J	0.6
R2SB-10B	286614			<del>  = </del>	Lead	mg/kg	10	-	0.6
R2SB-7A	286615	8/23/01			Lead	mg/kg	78	J	1.3
R2SB-7B	286616	8/23/01			Lead	mg/kg	35	۳-	0.6
R2SB-7C	286617	8/23/01		FD of R2SB-7A	Lead	mg/kg	49	J	0.6
R2SB-6A	286618	8/23/01		FD 01 K25B-7A	Lead	mg/kg	587	1	6.3
R2SB-6B	286619	8/23/01		<del> </del>	Lead		286	J	3.2
R2SB-3A	286620				Lead	mg/kg	991	J	13
R2SB-3B	286621	8/23/01		<del> </del>	<del></del>	mg/kg	1760	J	25
R2SB-4A	286622	8/23/01			Lead	mg/kg	1980	J	25
R2SB-4A	286623	8/23/01			Lead	mg/kg		<u> </u>	
R2SB-2A	<del></del>	8/23/01			Lead	mg/kg	1380	J	25
	286624				Lead	mg/kg	1290	J	25
R2SB-2B	286625	8/23/01			Lead	mg/kg	2760	J	63
R2SB-38A	286635	8/27/01			Lead	mg/kg	282	J	6.3
R2SB-38B	286636			ED CDOCD 304	Lead	mg/kg	175	J	3.2
R2SB-38C	286637	8/27/01		FD of R2SB-38A	Lead	mg/kg	271	J	6.3
R2SB-37A	286638	8/27/01			Lead	mg/kg	366	J	6.3
R2SB-37B	286639	8/27/01			Lead	mg/kg	509	J	6.3
R2SB-39A	286640	8/27/01		<u> </u>	Lead	mg/kg	383	J	6.3
R2SB-39B	286641	8/27/01			Lead	mg/kg	144	J	3.2
R2SB-44A	286642	8/27/01		<u> </u>	Lead	mg/kg	252	J	3.2
R2SB-44B	286643	8/27/01		ļ	Lead	mg/kg	108	J	3.2
R2SB-43A	286644	<del></del>	<del></del>	<del> </del>	Lead	mg/kg	250	J	3.2
R2SB-43B	286645	8/27/01		ļ	Lead	mg/kg	201	J	3.2
R2SB-45A	286646			<del> </del>	Lead	mg/kg	140	ĵ	
R2SB-45B	286647	8/27/01		 	Lead	mg/kg	85	J	1.3
R2SB-41A	286648				Lead	mg/kg	172	J	3.2
R2SB-41B	286649			<u> </u>	Lead	mg/kg	128	J	3.2
R2SB-36A	286650		<u> </u>		Lead	mg/kg	310	J	6.3
R2SB-36B	286651	8/27/01		ED CDOCD OC	Lead	mg/kg	109	J	3.2
R2SB-36C	286652			FD of R2SB-36A	Lead	mg/kg	328	J	6.3
R2SB-42A	286653				Lead	mg/kg	165	J	3.2
R2SB-42B	286654	<del></del>		ļ	Lead	mg/kg	77	J	1.3
R2SB-35A	286655				Lead	mg/kg	191	J	3.2
R2SB-35B	286656			<u></u>	Lead	mg/kg	79	J	1.3
R2SB-40A	286657			ļ	Lead	mg/kg	422	J	6.3
R2SB-40B	286658				Lead	mg/kg	50	J	0.6
R2SB-32A	286659				Lead	mg/kg	286	J	6.3
R2SB-32B	286660				Lead	mg/kg	91	J	1.3
R2SB-33A	286661	8/27/01		<u> </u>	Lead	mg/kg	202	J	3.2
R2SB-33B	286662	<u> </u>			Lead	mg/kg	67	J	1.3
R2SB-33C	286663	8/27/01	Soil	FD of R2SB-33A	Lead	mg/kg	250	1	6.3

QA Scientist

35132E30 Tables.xlsLead

Date /////2002

### RMC - BEECHGROVE

### Soil and Sediment Sampling, 8/21 - 8/28/2001 Trimatrix# 35132-30 Project# 98-478-04

Sample Location	Lab ID	Sample Date	Matrix	Remarks	Parameter	Units	Result	Q	DL
R2SB-34A	286664	8/27/01	Soil		Lead	mg/kg	170	J	3.2
R2SB-34B	286665	8/27/01	Soil		Lead	mg/kg	28	J	0.6
EB-1-ЛLV	286666	8/21/01	Aqueous	Equipment Blank	Lead	ug/L	11		1
ЕВ-2-ЛLV	286667	8/21/01	Aqueous	Equipment Blank	Lead	ug/L	5.8		1
ЕВ-3-ЛLV	286668	8/23/01	Aqueous	Equipment Blank	Lead	ug/L	2.8		1
ЕВ-4-ЛLV	286669	8/23/01	Aqueous	Equipment Blank	Lead	ug/L	2.3		1
EB-5-JLV	286670	8/23/01	Aqueous	Equipment Blank	Lead	ug/L	1.7		1
EB-6-ЛLV	286671	8/23/01	Aqueous	Equipment Blank	Lead	ug/L	1.6		1
EB-7-JLV	286672	8/24/01	Aqueous	Equipment Blank	Lead	ug/L	8.6		1
EB-8-JLV	286673	8/27/01	Aqueous	Equipment Blank	Lead	ug/L		U	1
EB-9-JLV	286674	8/27/01	Aqueous	Equipment Blank	Lead	ug/L		U	1
EB-10-ЛLV	286675	8/27/01	Aqueous	Equipment Blank	Lead	ug/L	2.9		1
Field Blank	286676	8/28/01	Aqueous	Field Blank	Lead	ug/L		U	1
R2SB-23B	286688	8/23/01	Soil		Lead	mg/kg	105	J	1.3

QA Scientist

Date 11/11/200)



### **APPENDIX C**

Data Validation Report of Groundwater and Soil Samples Collected on September 22 and 24, 2001

### DATA VALIDATION REPORT

OF

# GROUNDWATER AND SOIL SAMPLES COLLECTED ON SEPTEMBER 22 AND 24, 2001

**FOR** 

**INORGANIC ANALYSES** 

Sample Delivery Group No. 35132-31

PREPARED FOR:

Refined Metals Corporation Beech Grove, Indiana

PREPARED BY:

ADVANCED GEOSERVICES CORP. CHADDS FORD, PENNSYLVANIA

November 6, 2001 Project Number 2001-824-00

# DATA VALIDATION REPORT INORGANICS

#### **INTRODUCTION**

This data validation report addresses the inorganic results from the groundwater and soil samples collected on September 22 and 24, 2001, as part of the RMC Beech Grove, Indiana, Pre-Remedial Design (RD) sampling event. The soil samples were analyzed by Trimatrix in Grand Rapids, Michigan for lead and arsenic by USEPA SW-846 method 6020. Groundwater samples were analyzed for inorganics (antimony, arsenic, barium, cadmium, chromium, lead, mercury, selenium, silver) by USEPA SW-846 methods 6020 and 7000 series. The data were reported by Trimatrix under sample delivery group (SDG) 35132-31.

This review has been performed with guidance from the Indiana Department of Environmental Management's *Guidance to the Performance and Presentation of Analytical Chemistry Data* (July 1998) and the U.S. EPA's *National Functional Guideline for Inorganic Data Review* (Feb. 1994). The findings presented in this report are based upon a review of all data supplied by the laboratory.

#### 1. Timeliness

All samples were prepared and analyzed within holding time limits of 6 months (28 days for mercury).

### 2. Sample Preparation

All sample preparation procedures were in accordance with the method protocols.

#### 3. Calibration

Soil samples were analyzed for arsenic and lead by ICP-MS. The groundwater samples were analyzed for antimony, arsenic, barium, cadmium, chromium, lead, mercury, selenium, silver by ICP-MS and CVAA The instruments were standardized according to the analytical method using one blank and a single calibration standard for each element. All calibrations (ICVs) were performed as required and met the criteria for acceptance.

### 4. Reference Control Samples/Calibration Verification

Reference control samples (CCVs) are digested and analyzed along with the samples to verify the efficiency of laboratory procedures. Control limits for the ICP-MS reference sample are 90-110 percent (80-120 percent for mercury) of the certified value. All recoveries met the acceptance criteria for control samples.

#### 5. Blanks

No target analytes were detected in laboratory or field blanks.

### 6. ICP Interference Check Sample

The interference check sample (LCS) is analyzed by ICP-MS to verify interelement and background correction factors. Analysis was performed as required at the beginning and end of each sample analysis run and recoveries were within the specified criteria of 80-120 percent.

### 7. Duplicate Analysis

The relative percent differences (RPDs) were within the control limit of 20 percent for aqueous samples and 35 percent for solid samples.

### 8. Field Duplicates

Sample MW-3/MW-3A and R2SB-46-B/R2SB-46-C were field duplicates. Results exhibited reasonable agreement.

### 9. Matrix Spike Analysis

The matrix spike (MS) percent recoveries were within the QC limits of 75-125 percent (soil matrices) and 80-120 percent (aqueous matrices), with the exception of the following:

Matrix	MS or MSD	Parameter	Spike Added	Sample Conc	Spiked Conc	%R
GW	MS	Silver	50	0.2 U	18.1	36%
GW	MSD	Silver	50	0.2 U	17.3	35%
GW	MS	Selenium	50	3.7	69.5	132%
GW	MSD	Selenium	50	3.7	67.3	127%
Soil	MSD	Arsenic	31.2	9.0	31.0	71%

The associated sample results and reporting limits were qualified as estimated (J/UJ).

### 10. Laboratory Control Sample (LCS)

The laboratory control sample (LCS) percent recoveries were within the QC limits of 80-120 percent.

#### 11. ICP Serial Dilution

All concentrations were either less than 50 times the instrument detection limit (IDL) or greater than 50 times the IDL with the percent differences that were  $\pm 10$  percent of the serial dilution result.

### DATA VALIDATION REPORT VALIDATION SUMMARY

### **SUMMARY**

All the data is useable as qualified.

### **DATA QUALIFIERS**

The following qualifiers were used to modify the data quality and usefulness of individual analytical results.

$\mathbf{U}$	-	The analyte was not detected at the given quantitation limit.
J	-	The analyte was positively identified and detected; however, the concentration is an estimated value because the result is less than the quantitation limit or quality control criteria were not met.
UJ	-	The analyte was not detected; the associated quantitation limit is an estimated value.
D	-	The value was obtained from a reanalysis of a diluted sample.
E	-	Concentration reported is estimated, the concentration exceeded the instrument's calibration range. The sample should be diluted.
R	-	The value reported has been rejected.

### **DATA ASSESSMENT**

Data review was performed by an experienced quality assurance scientist independent of the analytical laboratory and not directly involved in the project.

This is to certify that I have examined the analytical data and based on the information provided to me by the laboratory, in my professional judgement the data are acceptable for use except where qualified with qualifiers which modify the usefulness of those individual values.

ality Assurance Manager

11/6/01 Date 11/6/2001

### INORGANIC DATA VALIDATION SUMMARY

Site Name: Project Number:	RMC Beachgr	ove_		Labora Case /C	tory: Order No.:	Trimatrix 35132-31
Sampling Date(s): Compound List: Method:	TAL  CLP SOW ILMO4.	Priority P		[ ]	Appendix IX SW-846 Method	Other Pb, As
The following table ind	licates the data validation cri	teria examin	ed, any	problems i	dentified, and the	QA action applied.
Data Validation Criteria	a:	accept	FYI	qualify	Comments	
Holding Times Initial Calibrations						
Continuing Calibration CRDL Standards	5					
Blank Analysis Results ICP Interference Check		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \				
Duplicate Results Field Duplicate Results				33333		
Spike Analysis Recover Serial Dilution Results	ries	4		<b>V</b>		
Laboratory Control San Furnace AA QC Analys						
Quantitation/Detection  Overall Assessment of 1						
Other:				<u> </u>		
General Comments:						

Accept - No qualification required.

FYI - For your information only, no qualification necessary.

Qualify - Qualify as rejected, estimated or biased

NA - Not applicable.

NR - Not reviewed.

QA Scientist Date 11/6/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number:

Location:

Contact: Jennifer L. Rice

35132- 31

Phone: (616) 975-4500

CAS No. MW-9 Data Qualifiers Units C | Q | M

Lab Sample No: 288677

7440-36-0 Antimony, Total <10 MS ug/L 7440-38-2 Arsenic, Total 7.7 MS ug/L 7440-39-3 Barium, Total 137 MS ug/L 7440-43-9 Cadmium, Total <0.2 MS ug/L Chromium, Total 7440-47-3 <1.0 MS ug/L 7439-92-1 Lead, Total 1.6 MS ug/L <0.2 CV ug/L 7439-97-6 Mercury, Total ug/L 7782-49-2 Selenium, Total <2.0 MS 7440-22-4 Silver, Total <0.2 UJ MS ug/L

Sampled by: BMG/SM
Date Sampled: 09/22/01
Time Sampled: 09:40
Date Received: 09/25/01

Time Received: 09/25/0



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number:

35132- 31

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

Q M

CAS No.

MW-1

Data Qualifiers

Units

or there was a single

Lab Sample No:

288678

	·				
7440-36-0	Antimony, Total	<10		MS	ug/L
7440-38-2	Arsenic, Total	33		MS	ug/L
7440-39-3	Barium, Total	101		MS	ug/L
7440-43-9	Cadmium, Total	0.2		MS	ug/L
7440-47-3	Chromium, Total	3.1		MS	ug/L
7439-92-1	Lead, Total	5.9		MS	ug/L
7439-97-6	Mercury, Total	<0.2		CV	ug/L
7782-49-2	Selenium, Total	<b>№</b> 6.1	J	MS	ug/L
7440-22-4	Silver, Total	<0.2	LUI	MS	ug/L

Sampled by:
Date Sampled:
Time Sampled:
Date Received:
Time Received:

BMG/SM 09/22/01 11:19 09/25/01 08:30

<sup>\*</sup> See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Submittal Number:

35132-

Location: Contact:

Jennifer L. Rice

Subm: 9/22-24/01 Samples

Phone:

(616) 975-4500

CAS No.

MW-2

Data Qualifiers Q

UJ

Units

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

MS

MS

MS

MS

MS

MS

CV

MS

MS

288679

<10

12

31

<1.0

49

<0.2

<2.0

<0.2

0.3

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total

7440-39-3 Barium, Total 7440-43-9 Cadmium, Total

Lab Sample No:

Selenium, Total

Silver, Total

Chromium, Total 7440-47-3 Lead, Total 7439-92-1 7439-97-6 Mercury, Total

7782-49-2 7440-22-4

Sampled by: Date Sampled:

Time Sampled: Date Received:

Time Received:

BMG/SM

09/22/01

12:36

09/25/01



Advanced GeoServices Corporation

Submittal Number:

35132- 31

Units

Proj: RMC - Beech Grove, IN

Location: Contact:

Subm: 9/22-24/01 Samples

Phone:

Jennifer L. Rice (616) 975-4500

Data Qualifiers MW-7 CAS No.

Q MS/MSD C

Lab Sample No: 288680

ug/L MS <10 Antimony, Total 7440-36-0 MS ug/L 25 Arsenic, Total 7440-38-2 ug/L MS Barium, Total 21 7440-39-3 MS ug/L Cadmium, Total <0.2 7440-43-9 MS ug/L Chromium, Total <1.0 7440-47-3 MS ug/L 19 Lead, Total 7439-92-1 CV ug/L Mercury, Total <0.2 7439-97-6 MS ug/L **3**.7 J Selenium, Total 7782-49-2 ug/L UJ MS\*<0.2 Silver, Total 7440-22-4

Sampled by: Date Sampled: Time Sampled: Date Received: Time Received: BMG/SM 09/22/01 13:38 09/25/01 08:30

<sup>\*</sup> See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Lab Sample No:

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number:

35132- 31

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No	ο.		8 - WM	Da	ata	Qualifi	iers	Units
	•			C		Q	М	

288681

7440-36-0	Antimony, Total	14	1	MS	ug/L
7440-38-2	Arsenic, Total	5.1	İ	MS	ug/L
7440-39-3	Barium, Total	133	Ì	MS	ug/L
7440-43-9	Cadmium, Total	0.8	Ì	MS	ug/L
7440-47-3	Chromium, Total	<1.0		MS	ug/L
7439-92-1	Lead, Total	21		MS	ug/L
7439-97-6	Mercury, Total	<0.2		CV	ug/L
7782-49-2	Selenium, Total	<2.0	}	MS	ug/L
7440-22-4	Silver, Total	<0.2	IUJ	MS	ug/L

Sampled by: BMG/SM

Date Sampled: 09/22/01

Time Sampled: 16:31

Date Received: 09/25/01

Time Received: 08:30

HLH11/6/



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number:

35132- 31

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

MW-3

Data Qualifiers

Units

C Q N

Lab Sample No:

288682

	`				
7440-36-0	Antimony, Total	<10	1	MS	ug/L
7440-38-2	Arsenic, Total	9.7	}	MS	ug/L
7440-39-3	Barium, Total	102	<b>\</b>	MS	ug/L
7440-43-9	Cadmium, Total	<0.2		MS	ug/L
7440-47-3	Chromium, Total '	<1.0	j	MS	ug/L
7439-92-1	Lead, Total	1.3		MS	ug/L
7439-97-6	Mercury, Total	<0.2	}	CV	ug/L
7782-49-2	Selenium, Total	<2.0		MS	ug/L
7440-22-4	Silver, Total	<0.2	LUI	MS	ug/L

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/SM

09/22/01

16:31

09/25/01



Advanced GeoServices Corporation

ration

35132- 31

Proj: RMC - Beech Grove, IN

Location: Contact:

Submittal Number:

Jennifer L. Rice

M

Subm: 9/22-24/01 Samples

Phone:

(616) 975-4500

CAS No.

MW-3A

Data Qualifiers

Q

Units

Lab Sample No:

288683

	•				
7440-36-0	Antimony, Total	<10		MS	ug/L
7440-38-2	Arsenic, Total	9.8		MS	ug/L
7440-39-3	Barium, Total	101	}	MS	ug/L
7440-43-9	Cadmium, Total	<0.2	1	MS	ug/L
7440-47-3	Chromium, Total:	<1.0	}	MS	ug/L
7439-92-1	Lead, Total	1.4	1	MS	ug/L
7439-97-6	Mercury, Total	<0.2	}	CV	ug/L
7782-49-2	Selenium, Total	<b>4</b> .7	J	MS	ug/L
7440-22-4	Silver, Total	<0.2	NJ	MS	ug/L

Sampled by: Date Sampled:	BMG/SM 09/22/01
Time Sampled:	16:51
Date Received:	09/25/01
Time Received:	08:30

<sup>\*</sup> See attached Statement of Data Qualifications.

HLH HLH



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB1-092201 Data Qualifiers

Units

C Q

Lab Sample No:

288684

7440-36-0	Antimony, Total	<10	1	MS	ug/L
7440-38-2	Arsenic, Total	<1.0	Ì	MS	ug/L
7440-39-3	Barium, Total	<10	ĺ	MS	ug/L
7440-43-9	Cadmium, Total	<0.2	}	MS	ug/L
7440-47-3	Chromium, Total	<1.0		MS	ug/L
7439-92-1	Lead, Total	<1.0		MS	ug/L
7439-97-6	Mercury, Total	<0.2		CV	ug/L
7782-49-2	Selenium, Total	<2.0	1	MS	ug/L
7440-22-4	Silver, Total	<0.2	105	MS	ug/L

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/SM

09/22/01 17:00

09/25/01



Advanced GeoServices Corporation

Submittal Number:

C

35132-

Proj: RMC - Beech Grove, IN

Location: Contact:

Jennifer L. Rice

Subm: 9/22-24/01 Samples

Phone:

(616) 975-4500

CAS No.

MW-5

Data Qualifiers

Q M

Lab Sample No:

288685

7440-36-0 Antimony, Total <10 7440-38-2 Arsenic, Total 7440-39-3 Barium, Total 7440-43-9 Cadmium, Total

Chromium, Total

Mercury, Total

Silver, Total

Selenium, Total

Lead, Total

170 <0.2 <1.0

2.0

<0.2

<2.0

<0.2

7.6

UJ

ug/L MS MS ug/L MS ug/L MS ug/L

Units

ug/L MS MS ug/L CV ug/L MS ug/L

ug/L

MS

Sampled by:

7440-47-3

7439-92-1

7439-97-6

7782-49-2

7440-22-4

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/SM

09/24/01

10:26

09/25/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number: 35

35132- 31

MS

MS

MS

MS

MS

MS

CV

MS MS

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

MW-4

Data Qualifiers

Units

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L ug/L

ug/L

Lab Sample No:

288686

		•		
7440-36-0	Antimony, Total		<10	}
7440-38-2	Arsenic, Total		<1.0	1
7440-39-3	Barium, Total		197	j
7440-43-9	Cadmium, Total	,	<0.2	1
7440-47-3	Chromium, Total	7.	<1.0	1
7439-92-1	Lead, Total		<1.0	1
7439-97-6	Mercury, Total		<0.2	1
7782-49-2	Selenium, Total		<2.0	
7440-22-4	Silver, Total		<0.2	1 15

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/SM 09/24/01

11:29

09/25/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Contact:

Submittal Number:

35132- 31

Location:

Jennifer L. Rice

Phone:

(616) 975-4500

M

MS

MS

MS

MS

MS

MS

CV

MS

MS

CAS No.

MW-6

Data Qualifiers Q

IUT

Units

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

Lab Sample No:

Silver, Total

288687

		•			
7440-36-0	Antimony, Total		<10	j	- 1
7440-38-2	Arsenic, Total		1.9	į .	Ì
7440-39-3	Barium, Total		92	İ	İ
7440-43-9	Cadmium, Total		<0.2	j	ĺ
7440-47-3	Chromium, Total	•	<1.0	į	Ì
7439-92-1	Lead, Total		<1.0	j	į
7439-97-6	Mercury, Total		< 0.2	į	j
7782-49-2	Selenium, Total		<2.0		j

Sampled by: Date Sampled: Time Sampled: Date Received: Time Received:

7440-22-4

BMG/SM 09/24/01

<0.2

12:55

09/25/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number: 35132- 31

Location:

Contact: Jennifer L. Rice

Phone:

(616) 975-4500

Q

CAS No.

EB2-092401 Data Qualifiers

Lab Sample No:

288688

7440-36-0	Antimony, Total	<10		MS	ug/L
7440-38-2	Arsenic, Total	<1.0	j	MS	ug/L
7440-39-3	Barium, Total	<10	Ì	MS	ug/L
7440-43-9	Cadmium, Total	<0.2	İ	MS	ug/L
7440-47-3	Chromium, Total	<1.0		MS	ug/L
7439-92-1	Lead, Total	<1.0	1	MS	ug/L
7439-97-6	Mercury, Total	<0.2	ĺ	CV	ug/L
7782-49-2	Selenium, Total	<2.0	1	MS	ug/L
7440-22-4	Silver, Total	<0.2	107	MS	ug/L

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/SM

09/24/01

13:30

09/25/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number: 35

35132- 31

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-46-A

Data Qualifiers
C | Q | M

Lab Sample No:

288689

7440-38-2 7439-92-1 Arsenic, Total Lead, Total 6.9 34 1

MS mg/kg dry
MS mg/kg dry

Units

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/SM

09/24/01

14:35

09/25/01



Advanced GeoServices Corporation

Subm: 9/22-24/01 Samples

Location:

Submittal Number:

35132- 31

Proj: RMC - Beech Grove, IN

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-46-B

Data Qualifiers

Q

Units

Lab Sample No:

288690

7440-38-2 7439-92-1 Arsenic, Total Lead, Total

6.5 41

MS mg/kg dry mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: BMG/SM 09/24/01

14:41 09/25/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number:

35132- 31

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-46-C

Data Qualifiers

Q

Lab Sample No:

288691

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

6.1 38

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: BMG/SM

09/24/01

14:48

09/25/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number:

C

35132- 31

MS

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-47-A

Data Qualifiers

Q

Units

Lab Sample No:

288692

7440-38-2 7439-92-1 Arsenic, Total Lead, Total

6.7 45

MS mg/kg dry mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/SM

09/24/01

14:56

09/25/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number:

35132- 31

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-47-B

Data Qualifiers

Units

MS/MSD

С

Q | 1

Lab Sample No:

288693

7440-38-2

Arsenic, Total

9.0

BMG/SM

15

MS mg/kg dry

7439-92-1

Lead, Total

24

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: 15:01 09/25/01

09/24/01

08:30

H1 H



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number:

35132- 31

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-48-A

Data Qualifiers

Lab Sample No:

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

6.5 41

288694

J

MS mg/kg dry
MS mg/kg dry

Units

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/SM

09/24/01

15:09

09/25/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number: 35132-

Location:

Contact: Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-48-B Data Qualifiers Units

C | Q | M

Lab Sample No:

288695

7440-38-2 Arsenic, Total

7439-92-1 Lead, Total

6.7 45 J

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/SM

09/24/01

15:14

09/25/01

08:30

HLH 11/6/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number:

35132- 31

Location:

Contact:

Jennifer L. Rice

(616) 975-4500 Phone:

CAS No.

R2SB-49-A

Data Qualifiers

Units

C Q M

Lab Sample No:

288696

7440-38-2 7439-92-1 Arsenic, Total Lead, Total

8.0 47

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/SM

09/24/01

15:21

09/25/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number:

35132- 31

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-49-B Data Qualifiers

Units

Q M

Lab Sample No:

288697

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

9.7

MS mg/kg dry

117

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled: Date Received:

Time Received:

BMG/SM

09/24/01

15:25

09/25/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number:

35132- 31

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-50-A

Data Qualifiers

Units

C Q M

Lab Sample No:

288698

7440-38-2 7439-92-1 Arsenic, Total Lead, Total 6.9 34 1 5

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled: Date Received:


Time Received:

BMG/SM

09/24/01

15:33

09/25/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number: 35132-Location: 31

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-50-B

Units

Data Qualifiers C

Lab Sample No:

288699

7440-38-2 7439-92-1

Arsenic, Total Lead, Total

7.0 36

mg/kg dry MS MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/SM

09/24/01

15:38

09/25/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number:

35132- 31

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB3-092401 Data Qualifiers

Units

J

Lab Sample No:

288700

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

<1.0 <1.0

MS ug/L MS ug/L

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: BMG/SM

09/24/01

15:55

09/25/01

08:30

ALH 11/6/01



### QUALITY CONTROL REPORT SPIKE SAMPLE RECOVERY USEPA CLP FORM 5A

SDG No.

35132 -31

Matrix

WATER

Sample ID.

MW-7MS/MSD

Lab Sample No. Units

288680 ug/L

Analyte	Control	Spiked	Sample	Spike	%R	М
	Limit %R	Sample	Result	Added		
•		Result				
Antimony, Total	70 - 138	52.2	<10	50	104	MS
Antimony, Total	70 - 138	49.2	<10	50	98	MS
Arsenic, Total	59 - 164	83.2	25	50	116	MS
Arsenic, Total	59 - 164	83.9	25	50	118	MS
Barium, Total	53 - 142	74.7	21	50	107	MS
Barium, Total	53 - 142	76.8	21	50	112	MS
Cadmium, Total	74 - 127	53.6	<0.2	50	107	MS
Cadmium, Total	74 - 127	54.8	<0.2	50	110	MS
Lead, Total	75 - 134	72.0	19	50	106	MS
Lead, Total	75 - 134	75.7	19	50	113	MS
Mercury, Total	59 - 158	2.67	<0.2	2.5	107	CA
Mercury, Total	59 - 158	2.58	<0.2	2.5	103	CV
Selenium, Total	59 - 155	69.5	3.7	50	(132)	MS
Selenium, Total	59 - 155	67.3	3.7	50	(127)	MS
Silver, Total	69 - 128	18.1	<0.2	50	36_	) MS
Silver, Total	69 - 128	17.3	<0.2	50	(35)	MS



### QUALITY CONTROL REPORT SPIKE SAMPLE RECOVERY USEPA CLP FORM 5A

SDG No.	35132 -31			Matrix Lab Sample No.	SO 28	IL 8693	
Sample ID.	R2SB-47-BM	MS/MSD		Units	mg	/kg dry	
Analyte		Control Limit %R	Spiked Sample Result	Sample Result	Spike Added	₹R	M
Arsenic, Tota	al	60 - 141	36.0	9.0	31.2	87	MS
Arsenic, Tota	al	60 - 141	31.0	9.0	31.2	(71)	MS
Lead, Total		74 - 132	48.6	24	31.2	79	MS
Lead Total		74 - 132	47.9	24	31.2	77	MS

### Field Duplicates

Criteria	Aqueous	Solid
Both results < 5*EQL	± 1.5*EQL	± 2.5*EQL
Both results > 5*EQL	± 25%	± 40%
One result $\leq$ EQL, one result $\geq$ EQL	± 1.5*EQL	± 2.5*EQL

	R2SB-46-B	R2SB-46-C	EQL	5*EQL	2.5*EQL	RPD	
Arsenic	6.5	6.1	1	5	2.5	6.35	Acceptable
Lead	41	38	1	5	2.5	7.59	Acceptable

HUH 11/6/01

### Field Duplicates

Criteria	Aqueous	Solid
Both results < 5*EQL	± 1.5*EQL	± 2.5*EQL
Both results > 5*EQL	± 25%	± 40%
One result < EQL, one result > EQL	± 1.5*EQL	± 2.5*EQL

	MW-3	MW-3A	EQL	5*EQL	1.5*EQL	RPD/Difference	
Antimony	U	U					
Arsenic	9.7	9.8	1	5	1.5	1.03	Acceptable
Barium	102	101	10	50	15	0.99	Acceptable
Cadmium	U	U					-
Chromium	U	U					
Lead	1.3	1.4	1	5	1.5	0.1	Acceptable
Mercury	U	U					•
Selenium	U	4.7	2	10	3	NC	
Silver	U	U					

NC - not calculable

HLH 1/6/01

### SERIAL DILUTIONS

Analyte	Lab ID	Sample ID	Initial Conc	Serial Dilution Conc	% D	IDL	IDL*50	
Sb	288680	MW-7	U					NC
As	288680	MW-7	24.7	27.00	9.29	0.105	5.25	Acceptable
Se	288680	MW-7	6.95	9.95	43.12	0.191	9.55	
Ag	288680	MW-7	0.07	0.26	273.9	0.012	0.6	
Cd	288680	MW-7	U	,				NC
Cr	288680	MW-7	U					NC
Ba	288680	MW-7	21.29	22.69	6.59	0.2	10	Acceptable
Pb	288680	MW-7	19.29	19.47	0.93	0.022	1.1	Acceptable



#### SERIAL DILUTIONS

Analyte	Lab ID	Sample ID	Initial Conc	Serial Dilution Conc	% D	IDL	IDL*50	
As	288693	R2SB-47-B	9.0	9.02	0.32	0.105	5.25	Acceptable
Pb	288693	R2SB-47-B	23.86	24.42	2.32	0.022	1.1	Acceptable

HLH

#### RMC - MEMPHIS Groundwater Sampling, 9/22 - 9/24/2001 Trimatrix# 35132-31 Project# 98-478-00

Sample Location		MV	V-9		MV	V-1		M	W-2		M\	N-7		M	W-8		M	<i>N</i> -3		MW	/-3A	. ]	EB-1-	0922	201
Lab ID		288	677		288	678		288	679		288	680		288	3681		288	682		288	683		28	8684	
Sample Date		09/22	/200	)1	09/22	/200	)1	09/22	2/200	)1	09/22	/200	1	09/22	2/200	)1	09/22	2/200	)1	09/22	/200	)1	09/2	2/200	)1
Matrix		Groun	dwa	ter	Groun	dwa	ter	Groun	dwa	ter	Groun	dwa	ter	Groun	ıdwa	ter	Groun	dwa	ter	Groun	dwa	ter	Aq	ueous	s
Remarks																				FD of	MW	7-3	Equipm	ent E	3lank
Parameter	Units	Result	Q	DL	Result	Q	DL	Result	Q	DL	Result	Q	DL	Result	Q	DL	Result	Q	DL	Result	Q	DL	Result	Q	DL
Antimony	ug/L		U	10		U	10		U	10		U	10	14		10		U	10		U	10		U	10
	ug/L	7.7		1	33		1	12		1	25		1	5.1		1	9.7		1	9.8		1		U	1
Barium	ug/L	137		10	101		10	31		10	21		10	133		10	102		10	101		10		U	10
Cadmium	ug/L		U	0.2	0.2		0.2	0.3		0.2		U	0.2	0.8		0.2		U	0.2		U	0.2		U	0.2
Chromium	ug/L		Ŭ	1	3.1		1		U	1		U	1		U	1		U	1		U	1		U	1
Lead	ug/L	1.6		1	5.9		1	49		1	19		1	21		1	1.3		1	1.4		1		U	1
Mercury	ug/L		U	0.2		U	0.2		U	0.2		U	0.2	İ	U	0.2		U	0.2		U	0.2		U	0.2
Selenium	ug/L		U	2	6.1	J	2		U	2	3.7	J	2		U	2		U	2	4.7	J	2		U	2
Silver	ug/L		UJ	0.2		UJ	0.2		UJ	0.2		UJ	0.2		UJ	0.2		UJ	0.2		UJ	0.2		UJ	0.2

QA Scientist\_

Date 11/16/200/

#### RMC - MEMPHIS

#### Groundwater Sampling, 9/22 - 9/24/2001 Trimatrix# 35132-31 Project# 98-478-00

						3							
Sample Location		M	W-5		M	W-4		M	W-6		EB-1-	0924	01
Lab ID		288	288685		288	288686		288687			288688		
Sample Date		09/24	09/24/2001		09/24	09/24/2001		09/24/2001			09/24/2001		1
Matrix		Grour			Groun	idwa	ter	Groun	ıdwa	ter	Aqueous		
Remarks											Equipm	ent B	lank
Parameter	Units	Result	Q	DL	Result	Q	DL	Result	Q	DL	Result	Q	DL
Antimony	ug/L		U	10		U	10		U	10		U	10
Arsenic	ug/L	7.6		1		U	1	1.9		1		U	1
Barium	ug/L	170		10	197		10	92		10		U	10
Cadmium	ug/L		U	0.2		U	0.2		U	0.2		U	0.2
Chromium	ug/L		U	1		U	1		U	1		U	1
Lead	ug/L	2		1		U	1		U	1		U	1
Mercury	ug/L		U	0.2		U	0.2		U	0.2		U	0.2
Selenium	ug/L		U	2		Ū	2		U	2		U	2
Silver	ug/L		UJ	0.2		UJ	0.2		UJ	0.2		UJ	0.2

QA Scientist White

Date ///6/00/

#### RMC - BEECHGROVE Soil Sampling, 9/24/2001 Trimatrix# 35132-31 Project# 98-478-04

Sample Location	Lab ID	Sample Date	Matrix	Remarks	Parameter	Units	Result	Q	DL
R2SB-46-A	288689	09/24/2001	Soil		Arsenic	mg/kg	6.9	J	1
R2SB-46-B	288690	09/24/2001	Soil		Arsenic	mg/kg	6.5	J	1
R2SB-46-C	288691	09/24/2001	Soil	FD of R2SB-46-B	Arsenic	mg/kg	6.1	J	1
R2SB-47-A	288692	09/24/2001	Soil		Arsenic	mg/kg	6.7	J	1
R2SB-47-B	288693	09/24/2001	Soil		Arsenic	mg/kg	9	J	1
R2SB-48-A	288694	09/24/2001	Soil		Arsenic	mg/kg	6.5	J	1
R2SB-48-B	288695	09/24/2001	Soil		Arsenic	mg/kg	6.7	J	1
R2SB-49-A	288696	09/24/2001	Soil		Arsenic	mg/kg	8	J	1
R2SB-49-B	288697	09/24/2001	Soil		Arsenic	mg/kg	9.7	J	1
R2SB-50-A	288698	09/24/2001	Soil		Arsenic	mg/kg	6.9	J	1
R2SB-50-B	288699	09/24/2001	Soil		Arsenic	mg/kg	7	J	1
EB-3-092401	288700	09/24/2001	Aqueous	Equipment Blank	Arsenic	ug/L		UJ	1

QA Scientist

Date 1/16/20)

35132E31 Tables.xlsArsenic

#### RMC - BEECHGROVE Soil Sampling, 9/24/2001

Trimatrix# 35132-31 Project# 98-478-00

Sample Location	Lab ID	Sample Date	Matrix	Remarks	Parameter	Units	Result	Q	DL
R2SB-46-A	288689	09/24/2001	Soil		Lead	mg/kg	34		0.6
R2SB-46-B	288690	09/24/2001	Soil		Lead	mg/kg	41		0.6
R2SB-46-C	288691	09/24/2001	Soil	FD of R2SB-46-B	Lead	mg/kg	38		0.6
R2SB-47-A	288692	09/24/2001	Soil		Lead	mg/kg	45		0.6
R2SB-47-B	288693	09/24/2001	Soil		Lead	mg/kg	24		0.6
R2SB-48-A	288694	09/24/2001	Soil		Lead	mg/kg	41		0.6
R2SB-48-B	288695	09/24/2001	Soil		Lead	mg/kg	45		0.6
R2SB-49-A	288696	09/24/2001	Soil		Lead	mg/kg	47		0.6
R2SB-49-B	288697	09/24/2001	Soil		Lead	mg/kg	117		3.2
R2SB-50-A	288698	09/24/2001	Soil		Lead	mg/kg	34		0.6
R2SB-50-B	288699	09/24/2001	Soil		Lead	mg/kg	36		0.6
EB-3-092401	288700	09/24/2001	Aqueous	Equipment Blank	Lead	ug/L		U	1

QA Scientist\_

35132E31 Tables.xlsLead



# APPENDIX D Data Validation Report of Groundwater and Soil Samples Collected on December 10-14, 2001

#### DATA VALIDATION REPORT

OF

GROUNDWATER AND SOIL SAMPLES
COLLECTED ON DECEMBER 10 - 14, 2001

FOR

**INORGANIC ANALYSES** 

Sample Delivery Group No. 35132-32/33/34

PREPARED FOR:

Refined Metals Corporation Beech Grove, Indiana

PREPARED BY:

ADVANCED GEOSERVICES CORP. CHADDS FORD, PENNSYLVANIA

April 24, 2002 Project Number 98-478-00

## DATA VALIDATION REPORT INORGANICS

#### **INTRODUCTION**

This data validation report addresses the inorganic results from the groundwater, sediment, soil samples collected on December 10-14, 2001, as part of the RMC Beech Grove, Indiana, Pre-Remedial Design (RD) sampling event. The soil and sediment samples were analyzed by Trimatrix in Grand Rapids, Michigan for lead and arsenic by USEPA SW-846 method 6020. Groundwater samples were analyzed for total and dissolved inorganics (antimony, arsenic, barium, cadmium, chromium, lead, selenium, silver) and total mercury by USEPA SW-846 methods 6020 and 7000 series. The data were reported by Trimatrix under sample delivery group (SDG) 35132-32/33/34.

This review has been performed with guidance from the Indiana Department of Environmental Management's Guidance to the Performance and Presentation of Analytical Chemistry Data (July 1998) and the U.S. EPA's National Functional Guideline for Inorganic Data Review (Feb. 1994). The findings presented in this report are based upon a review of all data supplied by the laboratory.

#### 1. Timeliness

All samples were prepared and analyzed within holding time limits of 6 months (28 days for mercury).

#### 2. Sample Preparation

All sample preparation procedures were in accordance with the method protocols.

#### 3. Calibration

Soil and sediment samples were analyzed for arsenic and lead by ICP-MS. The groundwater samples were analyzed for total and dissolved (antimony, arsenic, barium, cadmium, chromium, lead, selenium, silver) and total mercury by ICP-MS and CVAA. The instruments were standardized according to the analytical method using one blank and a single calibration standard for each element. All calibrations (ICVs) were performed as required and met the criteria for acceptance.

#### 4. Reference Control Samples/Calibration Verification

Reference control samples (CCVs) are digested and analyzed along with the samples to verify the efficiency of laboratory procedures. Control limits for the ICP-MS reference sample are 90-

110 percent (80-120 percent for mercury) of the certified value. All recoveries met the acceptance criteria for control samples.

#### 5. Blanks

No target analytes were detected in laboratory or field blanks, with the exception of the following:

Blank ID	Parameter	Conc	Associated Samples
Method Blank 71626	Lead	2.2 mg/kg	R2SB-53-A, R2SB-53-B, R2SB-53-BD, CSB-30A-A, CSB-30A-B, CSB-30A-C, CSB-30A-D, CSB-30A-E, CSB-30A-CD, CSB-10A-E, CSB-32A-D, CSB-32A-E, CSB-10A-A, CSB-10A-B, CSB-10A-D, CSB-32A-A, CSB-32A-B, CSB-32A-C, CSB-10A-CD, CSB-10A-C
EB-6-121301	Lead	2.6 μg/L	R2SB-52-AD, R2SB-53-A, R2SB-53-B, R2SB-53-BD
EB-1-121401	Lead	1.4 μg/L	CSB-35A-A, CSB-35A-B, CSB-35A-C, CSB-35A-D, CSB-35A-E, CSB-35A-F, CSB-35A-G, CSB-35A-H, CSB-35A-I, CSB-35A-J, CSB-35A-HD, CSB-26A-A, CSB-26A-B, CSB-26A-C, CSB-26A-D, CSB-26A-E
EB-2-121401	Lead	2.1 µg/L	CSB-35A-A, CSB-35A-B, CSB-35A-C, CSB-35A-D, CSB-35A-E, CSB-35A-F, CSB-35A-G, CSB-35A-H, CSB-35A-I, CSB-35A-J, CSB-35A-HD, CSB-26A-A, CSB-26A-B, CSB-26A-C, CSB-26A-D, CSB-26A-E

Sample results less than five times the blank concentration were qualified as undetected (U) due to blank contamination.

#### 6. ICP Interference Check Sample

The interference check sample (LCS) is analyzed by ICP-MS to verify interelement and background correction factors. Analysis was performed as required at the beginning and end of each sample analysis run and recoveries were within the specified criteria of 80-120 percent.

#### 7. Duplicate Analysis

The relative percent differences (RPDs) were within the control limit of 20 percent for aqueous samples and 35 percent for solid samples.

#### 8. Field Duplicates

Sample MW-3/MW-3A, R2SED-7/R2SED-7D, R2SB-4A-A/R2SB-4A-AD, R2SB-2A-A/R2SB-2A-AD, R2SB-1A-C/R2SB-1A-CD, R2SB-52-A/R2SB-52-AD, R2SB-53-B/R2SB-53-BD, CSB-35A-H/CSB-35A-HD, CSB-26A-C/CSB-26A-CD, CSB-1A-D/CSB-1A-DD, CSB-28A-C/CSB-28A-CD, CSB-30A-C/CSB-30A-CD, CSB-10A-C/CSB-10A-CD, and CSB-10A-

H/CSB-10A-HD were field duplicates. Results exhibited reasonable agreement, with the exception of the following:

Sample ID	Parameter	Concentration	RPD
R2SB-2A-A R2SB-2A-AD	Arsenic	4.6 mg/kg 7.8 mg/kg	51.61%
R2SB-52-A R2SB-52-AD	Arsenic	4.6 mg/kg 9.3 mg/kg	67.63 %
CSB-35A-H CSB-35A-HD	Lead	1520 mg/kg 413 mg/kg	114.54 %
CSB-35A-H CSB-35A-HD	Antimony	27 mg/kg 11 mg/kg	84.21 %
CSB-35A-H CSB-35A-HD	Cadmium	1.5 mg/kg 0.75 mg/kg	66.67 %
CSB-1A-D CSB-1A-DD	Antimony	2660 mg/kg 1650 mg/kg	46.87 %
CSB-1A-D CSB-1A-DD	Cadmium	1000 mg/kg 346 mg/kg	97.18 %
CSB-28A-C CSB-28A-CD	Lead	27 mg/kg 118 mg/kg	125.52 %
CSB-30A-C CSB-30A-CD	Antimony	7 mg/kg 4.6 mg/kg	41.38 %
CSB-10A-C CSB-10A-CD	Lead	256,000 mg/kg 169,000 mg/kg	40.94 %
CSB-10A-H CSB-10A-HD	Lead	101 mg/kg 42 mg/kg	82.52 %

Sample results were qualified as estimated (J).

#### 9. Matrix Spike Analysis

The matrix spike (MS) percent recoveries were within the QC limits of 75-125 percent (soil/sediment matrices) and 80-120 percent (aqueous matrices), with the exception of the following:

Parameter	%R	MS or MSD	Associated Samples
Dissolved Arsenic	129% 131%	MS MSD	MW-9, MW-1, MW-2, MW-7S, MW-8S, MW-3, MW-3D, MW-5, MW-4, MW-6, EB1-121001,
Dissolved Selenium	133% 131%	MS MSD	EB2-121101

Parameter	%R	MS or MSD	Associated Samples
Total Lead	71%	MSD	R2SED-1C, R2SED-1D, R2SED-5D, R2SED-7C, R2SED-7D, R2SED-3C, R2SED-3D, R2SED-5C, R2SED-7CD, R2SED-9C, R2SED-9D, R2SB-51-A, R2SB-51-B
Total Arsenic	40% 57%	MS MSD	R2SB-4A-A, R2SB-4A-B, R2SB-4A-AD, R2SB-4A-C, R2SB-3A-A, R2SB-3A-C, R2SB-2A-A, R2SB-2A-B, R2SB-2A-C, R2SB-2A-AD, R2SB-1A-A, R2SB-1A-B, R2SB-1A-C, R2SB-1A-CD, R2SB-13A-A, R2SB-13A-B, R2SB-13A-C, R2SB-52-A, R2SB-52-B
Total Antimony	74%	MSD	CSB-1A-D, CSB-1A-E, CSB-1A-DD, CSB-38A-A, CSB-38A-B, CSB-38A-C, CSB-38A-D, CSB-13A-E, CSB-28A-E, CSB-10A-A, CSB-10A-B, CSB-10A-D, CSB-32A-A, CSB-32A-B, CSB-32A-C, CSB-10A-CD
Total Antimony	127%	MS	STRW-1

The associated sample results and reporting limits were qualified as estimated (J/UJ) when the %R was less than the lower QC limit. The associated sample results were qualified as estimated (J) when the %R exceeded the upper QC limit.

#### 10. Laboratory Control Sample (LCS)

The laboratory control sample (LCS) percent recoveries were within the QC limits of 80-120 percent.

#### 11. ICP Serial Dilution

All concentrations were either less than 50 times the instrument detection limit (IDL) or greater than 50 times the IDL with the percent differences that were  $\pm 10$  percent of the serial dilution result, with the exception of the following:

Sample ID	Parameter	Initial Conc	Serial Dilution Conc	IDL	%D	Associated Samples
MW-7S	Arsenic	30.106 mg/kg	23.304 mg/kg	0.11	22.59	MW-1, MW-2, MW-3, MW-3D,
	Chromium	13.422 mg/kg	8.362 mg/kg	0.14	37.7	MW-4, MW-5, MW-6, MW-7S, MW-8S, MW-9,
	Selenium	6.451 mg/kg	11.989 mg/kg	0.19	85.84	EB-1-121001, EB-2-121101

Sample ID	Parameter	Initial Conc	Serial Dilution Conc	IDL	%D	Associated Samples
R2SB-3A-C	Arsenic	6.339 mg/kg	8.23 mg/kg	0.1	29.83	R2SB-3A-C, R2SB-2A-A, R2SB-2A-B, R2SB-2A-C, R2SB-2A-AD, R2SB-1A-A, R2SB-1A-C, R2SB-1A-C, R2SB-13A-A, R2SB-13A-B, R2SB-13A-C, R2SB-52-A, R2SB-52-B
CSB-38A-D	Lead	11.586 mg/kg	16.303 mg/kg	0.03	40.71	CSB-38A-D

Sample results were qualified as estimated (J).

## DATA VALIDATION REPORT VALIDATION SUMMARY

{

#### **SUMMARY**

All the data is useable as qualified.

#### **DATA QUALIFIERS**

The following qualifiers were used to modify the data quality and usefulness of individual analytical results.

U	-	The analyte was not detected at the given quantitation limit.
J		The analyte was positively identified and detected; however, the concentration is an estimated value because the result is less than the quantitation limit or quality control criteria were not met.
UJ	-	The analyte was not detected; the associated quantitation limit is an estimated value.
D	-	The value was obtained from a reanalysis of a diluted sample.
E	-	Concentration reported is estimated, the concentration exceeded the instrument's calibration range. The sample should be diluted.
R	-	The value reported has been rejected.

#### **DATA ASSESSMENT**

Data review was performed by an experienced quality assurance scientist independent of the analytical laboratory and not directly involved in the project.

This is to certify that I have examined the analytical data and based on the information provided to me by the laboratory, in my professional judgement the data are acceptable for use except where qualified with qualifiers which modify the usefulness of those individual values.

Junif M Stanhase 4/24/2002

Quality Assurance Scientist Date

Jennif M Stanhase 4/24/2002

Quality Assurance Manager Date

#### RMC BEECHGROVE

#### 4th Quarter 2001 Groundwater, 12/10 - 12/11/2001 Trimatrix# 35132-32 Project# 98-478-04

Sample Location		M	W-9		MV	V-1		MV	V-2		EB-1-1	1210	001	MW	7-7S		MW	7-8S		MV	<i>N</i> -3	
Lab ID		295	087		295	088		295	089		295	090		295	091	-	295	092		295	093	
Sample Date		12/10	)/200	)1	12/10	/200	10	12/10	/20	01	12/10	/200	)1	12/11	/200	)1	12/11	/200	1	12/11	/200	)1
Matrix		Groun	idwa	ter	Groun	dwa	iter	Groun	dwa	iter	Aqu	eous	s	Groun	dwa	ter	Groun	dwa	ter	Groun	dwa	ter
Remarks											Equipme	ent E	Blank		_							
Parameter	Units	Result	Q	RL	Result		RL	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL
Total Metals														2.0					A STORY			
Antimony	ug/L		U	10		U	10		U	10		U	10	_	U	10		U	10		U	10
Arsenic	ug/L	4		1	27		1	12		1		U	1	26		1	13		1	11		1
Barium	ug/L	68		10	93		10	48		10		U	10	25		10	123		10	98		10
Cadmium	ug/L		U	0.2		U	0.2	0.4		0.2		U	0.2		U	0.2	0.4		0.2		U	0.2
Chromium	ug/L	2.2		1	4		1	4.8		1		U	1	2.8		1		U	1		U	_1
Lead	ug/L		U	1	3.4		1	84		1_		U	1	47		1	23		1		U	1
Mercury	ug/L		U	0.2		U	0.2		U	0.2		U	0.2		U	0.2		U	0.2		U	0.2
Selenium	ug/L		U	2	4		2	3.1		2		U	2	5.7		2		U	2	3.7		_2
Silver	ug/L		U	0.2		U	0.2		U.	0.2	_	U	0.2		U	0.2		U	0.2		U	0.2
Dissolved Metals';	4					* * * * * * * * * * * * * * * * * * * *			377											3		240 V.
Antimony	ug/L		U	10		U	10		U	10		U	10		U	10		U	10		U	10
Arsenic	ug/L	3.7	J	1	22	J	1	9.8	J	1_		UJ	1	30	J	1	14	J	1	8.4	J	1
Barium	ug/L	68		10	85		10	25		10		U	10_	23		10	135 `		10	113		10
Cadmium_	ug/L		U	0.2		U	0.2		U	0.2		U	0.2		U	0.2	0.3		0.2	L	U	0.2
Chromium	ug/L	3.8	J	1	8.9	J	1_	6.8	J	1		UJ	1	13	J	1	3.8	J	1	6.6	J	_1
Lead	ug/L		U	1		U	1	6.2		1		U	1	2.5		1	11		1		U	1
Selenium	ug/L		UJ	2	4.9	J	2	3.7	J	2		UJ	2	6.5	J	2		IJ	2	3.7	J	2

QA Scientist - AG

Date 4/16/2002

#### RMC BEECHGROVE

#### 4th Quarter 2001 Groundwater, 12/10 - 12/11/2001 Trimatrix# 35132-32 Project# 98-478-04

Sample Location		MW	7-3E	)	M	W-5		M	W-4		M	W-6		EB-2-	1211	01
Lab ID		295	094		295	5095		295	5096		295	097		295	098	
Sample Date		12/11	/200	01	12/11	1/200	)1	12/11	/200	)1	12/11	/200	)1	12/11	/200	)1
Matrix		Groun	dwa	iter	Groun	idwa	ter	Groun	ıdwa	ter	Groun	ıdwa	ter	Aqu	eous	s
Remarks		FD of	ΜV	V-3										Equipme	ent E	lank
Parameter	Units	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL
Total Metals			440				1.1	7						Walio in		3.00
Antimony	ug/L		U	10		U	_10		U	10		U	10		U	10
Arsenic	ug/L	11		1	5.4		1		U	1	2.2		1		U	1
Barium	ug/L	102		10	150		10	187		10	79		10		U	10
Cadmium	ug/L	:	U	0.2		บ	0.2		U	0.2		U	0.2	-	U	0.2
Chromium	ug/L		U	1		บ	1		U	1		U	1		U	1
Lead	ug/L		U	1	2.1		1	1.5		1	1.3		1		U	1
Mercury	ug/L		U	0.2		U	0.2		U	0.2		U	0.2		U	0.2
Selenium	ug/L	2.7		2		U	2		U	2		U	2		U	2
Silver	ug/L		U	0.2		U	0.2		U	0.2		U	0.2	•	U	0.2
Dissolved Metals	· - Specific		3.			9.70	1,000		7 Pp	A Company		×1.				
Antimony	ug/L		U	10		U	10		U	10	_	U	10		U	10
Arsenic	ug/L	8.8	J	1	3.7	J	1		UJ	1	1.4	J	1		UJ	1
Barium	ug/L	123		10	170		10	203		10	89		10		U	10
Cadmium	ug/L		U	0.2		U	0.2		U	0.2		U	0.2		U	0.2
Chromium	ug/L	7.1	J	1	4	J	1	3.4	J	1	3.8	J	1		UJ	1
Lead	ug/L		U	1		U	1		U	1		U	1		U	1
Selenium	ug/L	4.5	J	2		UJ	2		IJ	2		UJ	2		UJ	2

QA Scientist Qu.

Date

#### RMC BEECHGROVE

Sediment Sampling, 12/12/2001 Trimatrix# 35132-32 Project# 98-478-04

Sample Location	Lab ID	Sample Date	Matrix	Remarks	Parameter	Units	Result	Q	RL
R2SED-1C	295099	12/12/2001	Sediment		Arsenic	mg/kg	10		1
R2SED-1D	295100	12/12/2001	Sediment		Arsenic	mg/kg	5.5		1
R2SED-3C	295101	12/12/2001	Sediment		Arsenic	mg/kg	13		1
R2SED-3D	295102	12/12/2001	Sediment		Arsenic	mg/kg	12		1
R2SED-5C	295103	12/12/2001	Sediment		Arsenic	mg/kg	5.7		1
R2SED-5D	295104	12/12/2001	Sediment		Arsenic	mg/kg	7.3		1
EB-3-121201	295105	12/12/2001	Aqueous	Equipment Blank	Arsenic	ug/L		U	1
R2SED-7C	295106	12/12/2001	Sediment		Arsenic	mg/kg	13		1
R2SED-7D	295107	12/12/2001	Sediment		Arsenic	mg/kg	9.2		1
R2SED-7CD	295108	12/12/2001	Sediment	FD of R2SED-7C	Arsenic	mg/kg	10		1
R2SED-9C	295109	12/12/2001	Sediment		Arsenic	mg/kg	8.9		1
R2SED-9D	295110	12/12/2001	Sediment		Arsenic	mg/kg	8.2		1
R2SB-51-A	295111	12/12/2001	Sediment		Arsenic	mg/kg	6.6		1
R2SB-51-B	295112	12/12/2001	Sediment		Arsenic	mg/kg	7		1
		\$ 5.50 Pag \$ 19.5				0.0			
R2SED-1C	295099	12/12/2001	Sediment		Lead	mg/kg	19	J	0.6
R2SED-1D	295100	12/12/2001	Sediment		Lead	mg/kg	62	J	0.6
R2SED-3C	295101	12/12/2001	Sediment		Lead	mg/kg	622_	J	13
R2SED-3D	295102	12/12/2001	Sediment		Lead	mg/kg	691_	J	13
R2SED-5C	295103	12/12/2001	Sediment		Lead	mg/kg	73_	J	1.3
R2SED-5D	295104	12/12/2001	Sediment		Lead	mg/kg	20	J	0.6
EB-3-121201	295105	12/12/2001	Aqueous	Equipment Blank	Lead	ug/L		U	1
R2SED-7C	295106	12/12/2001	Sediment		Lead	mg/kg	61	J	0.6
R2SED-7D	295107	12/12/2001	Sediment		Lead	mg/kg	27	J	0.6
R2SED-7CD	295108	12/12/2001	Sediment	FD of R2SED-7C	Lead	mg/kg	57	J	0.6
R2SED-9C	295109	12/12/2001	Sediment		Lead	mg/kg	25	J	0.6
R2SED-9D	295110	12/12/2001	Sediment		Lead	mg/kg	39	J	0.6
R2SB-51-A	295111	12/12/2001	Sediment		Lead	mg/kg	285	J	6.3
R2SB-51-B	295112	12/12/2001	Sediment		Lead	mg/kg	199	J	6.3

QA Scientist\_

## RMC BEECHGROVE Sediment Sampling, 12/13/2001 Trimatrix# 351132-33 Project# 98-478-04

Sample Location	Lab ID	Sample Date	Matrix	Remarks	Parameter	Units	Result	Q	RL
	4.3		<b>4</b> 4						
R2SB-4A-A	295447	12/13/2001	Sediment		Arsenic	mg/kg	28	J	1
EB-1-121301	295448	12/13/2001	Aqueous	Equipment Blank	Arsenic	ug/L		U	1
R2SB-4A-B	295449	12/13/2001	Sediment		Arsenic	mg/kg	13	J	1
R2SB-4A-AD	295450	12/13/2001	Sediment	FD of R2SB-4A-A	Arsenic	mg/kg	26	J	1
R2SB-4A-C	295451	12/13/2001	Sediment		Arsenic	mg/kg	18	J	1
R2SB-3A-A	295452	12/13/2001	Sediment		Arsenic	mg/kg	36	J	1
R2SB-3A-B	295453	12/13/2001	Sediment		Arsenic	mg/kg	19		3.1
R2SB-3A-C	295454	12/13/2001	Sediment		Arsenic	mg/kg	6.3	J	1
EB-2-121301	295455	12/13/2001	Aqueous	Equipment Blank	Arsenic	ug/L		U	1
R2SB-2A-A	295456	12/13/2001	Sediment		Arsenic	mg/kg	16	J	1
R2SB-2A-B	295457	12/13/2001	Sediment		Arsenic	mg/kg	15	J	1
R2SB-2A-C	295458	12/13/2001	Sediment		Arsenic	mg/kg	4.6	J	1
R2SB-2A-AD	295459	12/13/2001	Sediment	FD of R2SB-2A-A	Arsenic	mg/kg	7.8	J	1
EB-3-121301	295460	12/13/2001	Sediment		Arsenic	ug/L		U	1
R2SB-1A-A	295461	12/13/2001	Sediment		Arsenic	mg/kg	58	J	1
R2SB-1A-B	295462	12/13/2001	Sediment		Arsenic	mg/kg	7.6	J	1
R2SB-1A-C	295463	12/13/2001	Sediment		Arsenic	mg/kg	7.8	J	1
R2SB-1A-CD	295464	12/13/2001	Sediment	FD of R2SB-1A-C	Arsenic	mg/kg	8.3	J	1
R2SB-13A-A	295465	12/13/2001	Sediment		Arsenic	mg/kg	14	J	1
R2SB-13A-B	295466	12/13/2001	Sediment		Arsenic	mg/kg	2.1	J	1
R2SB-13A-C	295467	12/13/2001	Sediment		Arsenic	mg/kg	4.5	J	l
R2SB-52-A	295468		Sediment		Arsenic	mg/kg	4.6	J	1
R2SB-52-B	295469	12/13/2001	Sediment		Arsenic	mg/kg	3.3	J	1
EB-5-121301	295470	12/13/2001	Aqueous	Equipment Blank	Arsenic	ug/L		U	1
R2SB-52-AD	295471	12/13/2001	Sediment	FD of R2SB-52-A	Arsenic	mg/kg	9.3	J	1
R2SB-53-A	295472	12/13/2001	Sediment		Arsenic	mg/kg	8.4	J	1
R2SB-53-B	295473	12/13/2001	Sediment		Arsenic	mg/kg	3.3	J	1
R2SB-53-BD	295474	12/13/2001	Sediment	FD of R2SB-53-B	Arsenic	mg/kg	3	J	1
EB-6-121301	295475	12/13/2001	Aqueous	Equipment Blank	Arsenic	ug/L		U	1

QA Scientist\_

#### RMC BEECHGROVE Soil Sampling, 12/14/2001 Trimatrix# 351132-33 Project# 98-478-04

							seni		L	ead		Anti	mon	y		lmiı	m
Sample Location			Matrix	Remarks	Units	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	Q	RL
CSB-13A-A	295508	12/14/2001	Soil		mg/kg	11	T to	1	2,300		63	80		5	64		1.3
CSB-13A-B	295509	12/14/2001	Soil		mg/kg	22	920 34	1	1,070	25 T	13	197		5	29	W.	0.5
CSB-13A-C	295510	12/14/2001	Soil		mg/kg	6.6		l	75	*	1.3	5		1	36		0.5
CSB-13A-D	295511	12/14/2001	Soil		mg/kg	5.9	3.4	1	39	34	0.6	1.9	<b>\$</b> 1	1	1.7	8	0.5
CSB-13A-E	295512	12/14/2001	Soil		mg/kg	6		1	27	4	0.6	2.9	Ĵ	1	0.99	2300	0.5
EB-7-121401	295513	12/14/2001	Aqueous	Equipment Blank	ug/L		U	1		U	1		Û	10		Ü	0.2
CSB-28A-A	295514	12/14/2001	Soil		mg/kg	53	200	1	30		0.6	5		1	17	1	0.5
CSB-28A-B	295515	12/14/2001	Soil		mg/kg	5.1		1	13		0.6		.U	1		Ű	0.5
CSB-28A-C	295516	12/14/2001	Soil		mg/kg	7.9	\$	1	27	Ĵ	0.6		U	1		U	0.5
CSB-28A-D	295517	12/14/2001	Soil		mg/kg	6.5	Agrico Agrico	1	14	2 (3)	0.6		U	1		Ū	0.5
CSB-28A-E	295518	12/14/2001	Soil		mg/kg	9.4	dered to	1	16		0.6		ÚĴ	1		Ü	0.5
CSB-28A-CD	295519	12/14/2001	Soil	FD of CSB-28A-C	mg/kg	9.1	2	1	118	Ţ	6.3	3	334	1		U	0.5
CSB-30A-A	295520	12/14/2001	Soil		mg/kg	30	J	1	2,360		63	63	44.0 32.0	2.5	4.2		0.5
CSB-30A-B	295521	<del></del>	Soil	<u> </u>	mg/kg	13	Ĵ	1_	366		6.3	14		1	1.3		0.5
EB-8-121401	295522		Aqueous	Equipment Blank	ug/L		U	1		Ü	1		U	10		U	0.2
CSB-30A-C	295523		Soil		mg/kg	9.1	Ţ	1	243	3.7	6.3	7	J	1	0.83		0.5
CSB-30A-D	295524	12/14/2001	Soil		mg/kg	6.6	Ĵ	1	32		0.6	1.2		1		Ü	0.5
CSB-30A-E	295525		Soil	<u></u>	mg/kg	6.6	J	1	13	U	0.6		U	1		U	0.5
CSB-10A-A	295526		Soil		mg/kg	4.5		1	1,780	મેટ્રેજિંદ . જ જેડ	63	5.7	J	1	0.59	300	0.5
CSB-10A-B	295527	12/14/2001	Soil		mg/kg	6.1		1	1,210		32	_ 31	J	1	1.3		0.5
CSB-10A-C	295528		Soil		mg/kg	433		6.25	256,000	j	6,250	1,720		50	132		0.625
EB-9-121401	295529	12/14/2001	Aqueous	Equipment Blank	ug/L		U	1		Ü	1		U.	10		U	0.2
CSB-30A-CD	295530	12/14/2001	Soil	FD of CSB-30A-C	mg/kg	9.5	J	1	228		3.2	4.6	J.	1	0.71	1	0.5
CSB-10A-D	295531	12/14/2001	Soil		mg/kg	2,730		63	475,000		12,500	4,260	J	100	527	100 mg/s/100	6.3
CSB-10A-E	295532	12/14/2001	Soil		mg/kg	7.1	J	1	253		6.3	6.7		1	0.61		0.5
CSB-32A-A	295533	12/14/2001	Soil		mg/kg	394		6.3	164,000		6,250	2,190	J.	100	158		6.3
CSB-32A-B	295534		Soil		mg/kg	199		3.2	90,100		3,130	1,060	Ĵ	50	47		3.2
CSB-32A-C	295535	12/14/2001	Soil		mg/kg	230		3.2	64,000		6,250	1,010	J,	25	38	36	3.2
CSB-32A-D	295536		Soil		mg/kg	8	Ĵ	1	40	100	0.6	2.7		1		U	0.5
CSB-32A-E	295537	12/14/2001	Soil		mg/kg	6.5	J.	1	20	Ū	0.6	1.5		1		U.	0.5
CSB-10A-CD	295538		Soil	FD of CSB-10A-C	mg/kg	313		6.3	169,000	J	6,250	1,520	J		112		6.3
STRW-1-121401	295539	12/14/2001	sw		ug/L	4.7	Ĵ	1	811	7 (A)	25	46	Į,	10	11		0.2

QA Scientist\_

351132-33tables.xlsSoil tables

#### RMC - BEECHGROVE Soil Sampling, 12/14/2002 Trimatrix# 35132-34 Project# 98-478-05

						Antimony its Result   Q   I		ıy	Ars	enic	:	Cadr	niu	m	L	ead	
Sample Location	Lab ID	Sample Date	Matrix	Remarks	Units	Result	Q	RL	Result	Q	RL	Result	Q	RL	Result	$ \mathbf{Q} $	RL
CSB-1A-F	297370	12/14/2001	Soil		mg/kg	1.7		_1	8.5		1	2		0.5	170		2.5
CSB-1A-G	297371	12/14/2001	Soil		mg/kg	1.6		1	5.6		1		U	0.5	65		1
CSB-1A-H	297372	12/14/2001	Soil		mg/kg	2		1	6		1		U	0.5	82		1
CSB-1A-I	297373	12/14/2001	Soil		mg/kg	1.4		1	5.7		1		U	0.5	47		0.6
CSB-1A-J	297374	12/14/2001	Soil		mg/kg	3.6		1	5.7		1		U	0.5	144		2.5
CSB-10A-F	297375	12/14/2001	Soil		mg/kg	2,960		50	1,700		50	363		5	288,000		5,000
CSB-10A-G	297376	12/14/2001	Soil		mg/kg	12		1	28		1	7.2		0.5	1090		25
CSB-10A-H	297377	12/14/2001			mg/kg	1.8		1	11		1	5.1	1.	0.5	101	J	2.5
CSB-10A-HD	297378	12/14/2001	Soil	FD of CSB-10A-H	mg/kg	1.6		1	14		1	4.7	13 13	0.5	42	J	0.6
CSB-10A-I	297379	12/14/2001	Soil		mg/kg	6.1		1	44		1	20		0.5	365		5

QA Scientist The U'ce

Date\_3/11/2002

35132-34tables.xls

### INORGANIC DATA VALIDATION SUMMARY

Site Name: Project Number: Sampling Date(s):	RMC Beech 1 98-478-0 12/10-14/2				ratory: /Order No.:	Trimatrix 35132-32+33
Compound List:	TAL	Priority I	Pollutant	. [	Appendix IX	Va nous
Method:	CLP SOW ILMO4.	40 CFR	136	. [	SW-846 Method	Other
The following table indi	cates the data validation c	riteria examin	ed, any	problems	6010 7000 identified, and th	
Data Validation Criteria:		accept	FYI	qualify	Comments	
Holding Times	<del></del>	7 17				
Initial Calibrations						
Continuing Calibrations						
CRDL Standards			4,4	D		
Blank Analysis Results			X	V	Sample Conc	< 10 x Prop Blank Core.
ICP Interference Check S	ample Recoveries					
Duplicate Results				W	gms	
Field Duplicate Results	(see below)				MW-3 R	25ED-7 R 25B-4A-A 23ED-7D R25B-4A-A
Spike Analysis Recoverie					- I	< 4× spikerdded
Serial Dilution Results						band conc >50 xIDL
Laboratory Control Samp	ele Results					
Furnace AA QC Analysis						
Quantitation/Detection L	mits					
Overall Assessment of Da	ita					
Other:						
General Comments:	Field Deplicates	continued:				
Rasb-2A-A		725B- 5			SB - 53-B	CSB-35A-N
R258- 2A-AD	R258-1A-CD 1	2258-52	<u>-40</u>	<u> </u>	SB- 53BD	058-35A-HD
CSB-26A-C	CSB-IA-D	C <b>S</b> B-	28A+	>C	CSB - 30A	-C CSB-10A-C
CSB-26A-CD	CSB-1A-DD	CSB-			CSB-30A-	
						•

Accept - No qualification required.

FYI - For your information only, no qualification necessary.

Qualify - Qualify as rejected, estimated or biased

NA - Not applicable.

NR - Not reviewed.

QA Scientist Jennif M. Stanligge Date 3/28/2002

	T			Ĭ						BC * 5		
Blank ID	Parameter	Conc	Units	Associated Samples	% Solids	Weight	Volume	DF	BC	or *10	Sample Conc	Q
Method Blank	Lead	2.2	mg/kg	R2SB-53-A						22	499	
71626				R2SB-53-B						22	58	
		ŀ	ł	R2SB-53-BD	<del>                                     </del>					22	52	
				CSB-30A-A	<del>                                     </del>					22	2360	
	į.	ŀ	ļ	CSB-30A-B						22	366	
		ŀ		CSB-30A-C	<del>                                     </del>					22	243	
			l	CSB-30A-D	<del> </del>					22	32	
	1	<b>\</b>		CSB-30A-E	<del>                                     </del>					22	13	*
			1	CSB-30A-CD						22	228	38.090 53.75
		1		CSB-10A-E	<del> </del>					22	253	
i.	1	1		CSB-32A-D	<del> </del>	ļ				22	40	
		ł		CSB-32A-E	<del> </del>		L	ļ	· · · · · · ·	22		** <b>*</b> *
			[	CSB-10A-A	<del> </del>					22	1780	12°40°7-31°-21
				CSB-10A-B	ļ					22	1210	
	İ		ł	CSB-10A-D	ļ					22	475000	
			i	CSB-32A-A	<del> </del>					22	164000	
			]		ļ				<del>_</del>			
				CSB-32A-B						22	90100	
			<b>\</b>	CSB-32A-C	<del> </del>					22	64000	
			1	CSB-10A-CD	ļ	<u> </u>				22	169000	
	ļ		<del> </del>	CSB-10A-C						22	256000	ļ
EB-6-121301	Lead	2.6	μg/L	R2SB-52-AD	1	0.4005	0.05	50	16.2	81	338	
				R2SB-53-A	1	0.3995	0.05	50	16.3	81	499	
				R2SB-53-B	1	0.4005	0.05	5	1.6	8	58	
	<u> </u>	<b> </b>		R2SB-53-BD	1	0.4003	0.05	5	1.6	8	52	
EB-1-121401	Lead	1.4	μg/L	CSB-35A-A	1	0.9997	0.1	10000	1400.4	7002	70,400	
	ľ			CSB-35A-B	1	0.9997	0.1	50	7.0	35	279	
•			l	CSB-35A-C	1	0.9997	0.1	50000	7002.1	35011	350,000	
				CSB-35A-D	1	1.0001	0.1	50	7.0	35	285	
			ļ	CSB-35A-E	1	0.9998	0.1	100	14.0	70	499	
				CSB-35A-F	1	1.0005	0.1	10	1.4	7	69	
			1	CSB-35A-G	1	1.0005	0.1	25	3.5	17	156	
	1		İ	CSB-35A-H	1	1.0005	0.1	250	35.0	175	1,520	
	1			CSB-35A-I	1	0.9998	0.1	5	0.7	4	11	
	1		ł	CSB-35A-J	1	1.0003	0.1	5	0.7	3	11	
	× ·		}	CSB-35A-HD	1	0.9995	0.1	100	14.0	70	413	
				CSB-26A-A	1	1.0005	0.1	25	3.5	17	174	
				CSB-26A-B	1	1.0005	0.1	10	1.4	7	88	
	1		1	CSB-26A-C	1	1.0005	0.1	5	0.7	3	40	
	}		ĺ	CSB-26A-D	1	1.0005	0.1	5	0.7	3	25	
	1			CSB-26A-E	1	1	0.1	5	0.7	4	23	
EB-2-121401	Lead	2.1	μg/L	CSB-35A-A	1	0.9997	0.1	10000	2100.6	10503	70,400	
			-	CSB-35A-B	1	0.9997	0.1	50	10.5	53	279	
		i		CSB-35A-C	1	0.9997	0.1	50000	10503.2	52516	350,000	
				CSB-35A-D	1	1.0001	0.1	50	10.5	52	285	
			[	CSB-35A-E	1	0.9998	0.1	100	21.0	105	499	-
			{	CSB-35A-F	1	1.0005	0.1	10	2.1	10	69	
	]			CSB-35A-G	1	1.0005	0.1	25	5.2	26	156	
			1	CSB-35A-H	1	1.0005	0.1	250	52.5	262	1,520	
	1		}	CSB-35A-I	1	0.9998	0.1	5	1.1	5	11	
			1	CSB-35A-J	1	1.0003	0.1	5	1.0	5	11	<del></del>
	1			CSB-35A-HD	1	0.9995	0.1	100	21.0	105	413	
	]			CSB-26A-A	1	1.0005	0.1	25	5.2	26	174	
			1	CSB-26A-B	1						88	
				CSB-26A-C		1.0005	0.1	10	2.1	10		
,			]		1	1.0005	0.1	5	1.0	5	40	
	}		Ì	CSB-26A-D	1	1.0005	0.1	5	1.0	5	25	<b> -</b>
			L	CSB-26A-E	l	1	0.1	_5	1.1	5	23	

<sup>\* -</sup> Sample concentration less than 5 or 10 times blank concentration, qualified as "U" Undetected.

AwD 4/4/2002



#### QUALITY CONTROL REPORT BLANKS USEPA CLP FORM 3

SDG	No.	
Inst	rument	ID

35132 -33

114

Parameter

Lead, Total

Ref. Cit.

USEPA-6020

Matrix

SOIL

Units

mg/kg dry

CSB-10A-C

Batch	Blank QC Type	Sequence No.	Amount Found
71626	Method Preparation	1	2.2
71647	Method Preparation	1	<0.60

## Associated Samples

CSB-30A-CD

Mo rom 300275



SDG No.

35132 -32

Matrix

Lab Sample No.

WATER 295091

Sample ID.

MW-7SMS/MSD

Units

ug/L

Analyte	Control Limit %R	Spiked Sample Result	Sample Result	Spike Added	ŧR	М
Antimony, Dissolved	70 - 138	287.2	<10	250	115	MS
Antimony, Dissolved	70 - 138	296.6	<10	250	119	MS
Antimony, Total	70 - 138	58.3	<10	50	117	MS
Antimony, Total	70 - 138	57.7	<10	50	115	MS
Arsenic, Dissolved	59 - 164	353.4	30	250	129	MS 🛧
Arsenic, Dissolved	59 - 164	357.4	30	250	131	MS ❤
Arsenic, Total	59 - 164	76.6	26	50	101	MS
Arsenic, Total	59 - 164	75.5	26	50	99	MS
Barium, Dissolved	53 - 142	279.2	23	250	102	MS
Barium, Dissolved	53 - 142	276.4	23	250	101	MS
Barium, Total	53 - 142	70.0	25	50	90	MS
Barium, Total	53 - 142	70.4	25	50	91	MS
Cadmium, Dissolved	74 - 127	265.5	<0.2	250	106	MS
Cadmium, Dissolved	74 - 127	263.3	<0.2	250	105	MS
Cadmium, Total	74 - 127	48.6	<0.2	50	97	MS
Cadmium, Total	74 - 127	48.0	<0.2	50	96	MS
Chromium, Dissolved	76 - 127	283.4	13	250	108	MS
Chromium, Dissolved	76 - 127	276.8	13	250	106	MS
Chromium, Total	76 - 127	49.3	2.8	50	93	MS
Chromium, Total	76 - 127	49.3	2.8	50	93	MS
Lead, Dissolved	75 - 134	256.6	2.5	250	102	MS
Lead, Dissolved	75 - 134	255.3	2.5	250	101	MS
Lead, Total	75 - 134	95.3	47	50	97	MS
Lead, Total	75 - 134	95.4	47	50	97	MS
Mercury, Total	59 - 158	2.74	<0.2	2.5	110	CA
Mercury, Total	59 - 158	2.43	<0.2	2.5	97	CA
Selenium, Dissolved	59 - 155	338.5	6.5	250	$\bigcirc 133 \bigcirc$	MS *
Selenium, Dissolved	59 - 155	334.6	6.5	250	$\bigcirc 131)$	MS 🛠
Selenium, Total	59 - 155	56.1	5.7	50	101	MS
Selenium, Total	59 - 155	55.1	5.7	50	99	MS
Silver, Total	69 - 128	43.8	<0.2	50	88	MS
Silver, Total	69 - 128	43.8	<0.2	50	88	MS

\* Associated Samples

MW-9 MW-3

MW-1

MW-3D

MW-2

MW-5

EB1-121001

MW-4

MW-73

MW-6

MW-85

OB2-121101

000286



SDG No.	35132 -32 R2SED-9DMS/MSD		Matrix Lab Sample No. Units	29	OIL 95110 g/kg dry	
Analyte	Control Limit %R	Spiked Sample Result	Sample Result	Spike Added	%R	М
Arsenic, Tota Arsenic, Tota Lead, Total Lead, Total		36.9 35.9 64.7 61.1	8.2 8.2 39 39	31.2 31.2 31.2 31.2	92 89 82	MS MS MS

R2SED-1C	R25ED-5C
Rased- ID	RISED-7CD
RZ-SED-SD	R250-9C
Rased-76	R25ED-9D
R2SED-7D	R25B-51-A
Rased-3c	RISB-SI-B
R2SED-3D	





SDG No.	35132 -33		Matrix Lab Sample No.		IL 5454	
Sample ID.	R2SB-3A-CMS/MSD		Units	mg	/kg dry	
Analyte	Control Limit %R	Spiked Sample Result	Sample Result	Spike Added	ŧR	M
Arsenic, Tota		18.8 24.2	6.3 6.3	31.2 31.2	40 57	MS MS

R25B-4A-A	R25B-1A-A
R2SB-4A-B	RASB-IA-B
R25B-4A-AD	R25B-1A-C
R2SB-4A-C	R25B-1A-CD
R2SB-3A-A	R2SB-13A-A
Rasb-3A-C	R2SB-13A-B
R2SB-3A-A	R2SB-13A-C
R25B- 2A-B	R25B-52-A
Rasb- QA-C	R25B-52-B
R2SB-2A-AD	

My Just



SDG No.	35132 -33 R2SB-53-AMS/MSD	·	Matrix Lab Sample No. Units	29	IL 5472 /kg dry	
Analyte	Control Limit %R	Spiked Sample Result	Sample Result	Spike Added	₹R	M
Arsenic, Tota Arsenic, Tota		30.4 29.1	8.4 8.4	31.2 31.2	7 <u>1</u> 66	MS MS

R2SB-53-A

R2SB-53-B

R2SB-53-B

CSB-30A-CD

CSB-30A-E

CSB-30A-B

CSB-30A-C

CSB-30A-C

CSB-30A-C

CSB-30A-C

CSB-30A-C

CSB-30A-C

Mysham.



SDG No.	35132 -33		Matrix Lab Sample No		5506	
Sample ID.	CSB-38A-DMS/MSD		Units		/kg dry	•
Analyte	Control Limit %F	Spiked Sample Result	Sample Result	Spike Added	₹R	М
Antimony, Total Arsenic, Total Arsenic, Total Cadmium, Total Cadmium, Total Lead, Total	tal     68 - 12       al     60 - 14       al     60 - 14       al     65 - 13	26 18.4 33.7 41 27.4 34 30.0 34 29.1 32 46.2	<1.0 <1.0 2.5 2.5 <0.50 <0.50 12	25 25 31.2 31.2 31.2 31.2 31.2	77 74 100 80 96 93 110 123	MS MS MS MS MS MS

CSB-IA-D	CSB-28A-E
CSB-IA-E	CSB-104-A
CSB-IA-DB	CSB-10A-B
CSB- 38A-A	CSB-10A-D
	CSB-32A-A
CSB-38A-B	CSB-33A-B
CB-38A-C	CBB-30A-C
CSB-38A-D	CSB-10A-CD
CSB-13A-E	220 (01) 00



SDG No.	35132 -33			Matrix Lab Sample No.		ATER 95539	
Sample ID.	STRW-11214	101		Units	u	g/L	
Analyte		Control Limit %R	Spiked Sample Result	Sample Result	Spike Added	%R	М
Antimony, Tot	al	70 - 138	109.3	46	50	127	) ms
Antimony, Tot	al	70 - 138	91.7	46	50	91	MS
Arsenic, Tota	1	59 - 164	54.3	4.7	50	99	MS
Arsenic, Tota	1	59 - 164	54.6	4.7	50	100	MS
Cadmium, Tota	1	74 - 127	60.2	11	50	98	MS
Cadmium, Tota	1	74 - 127	58.5	11	50	95	MS

STRW-1





#### QUALITY CONTROL REPORT MATRIX SPIKE DUPLICATE USEPA CLP FORM 6

SDG No.

35132 -33

Matrix

SOIL

Sample ID.

R2SB-3A-CMS/MSD

Lab Sample No.

295454

Units

mg/kg dry

Analyte

Control Limit Sample Result Duplicate Spike RPD M

Arsenic, Total

0 - 20

18.8

24.2

Result

25) MS OK < 35

R23B-4A-A

Rasb-4A-B

R25B-4A-AD

Rasis-4A-C

R25B-3A-A

RISB-3A-C

225B-2A-A

R25B-2A-B

Rasb-2A-C

Rasb-2A-AD

R2SB-1A-A

R2SB-1A-B

Rasb-IA-C

R2SB-IA-CD

R2SB-13A-A

R25B-13A-B

R2SB-13A-C

R28B-52-A

R2SB-52-B



#### QUALITY CONTROL REPORT MATRIX SPIKE DUPLICATE USEPA CLP FORM 6

SDG No.	35132 -33			Matrix Lab Sample No.	SOIL 295506
Sample ID.	CSB-38A-DMS/MSI	)		Units	mg/kg dry
Analyte		Control Limit	Sample Result	Duplicate Spike Result	RPD M
Antimony, Tota Arsenic, Tota Cadmium, Tota Lead, Total	al	0 - 20 0 - 20 0 - 20 0 - 20	19.3 27.4 30.0 50.3	18.4 33.7 29.1 46.2	5 MS 21 MS OK 236 3 MS 8 MS

CSB-IA-D	CSB-28A-E
CSB-IA-E	CSB-10A-A
CSB-IA-DD	CSB-10A-B
CSB-38A-A	CSB-10A-D
CSB-38A-B	CSB-32A-A
CSB-38A-C	CSB-32A-B
CSB-38A-D	CSB-32A-C
CSB-13A-E	CSB-10A-CD
C20-1-	



#### QUALITY CONTROL REPORT MATRIX SPIKE DUPLICATE USEPA CLP FORM 6

SDG No.	35132 -33 CSB-32A-DMS/MS	D		Matrix Lab Sample No. Units	SOIL 295536 mg/kg dry
Analyte		Control Limit	Sample Result	Duplicate Spike Result	RPD M
Antimony, To Arsenic, Tot Cadmium, Tot Lead, Total	al	0 - 20 0 - 20 0 - 20 0 - 20	25.6 32.9 25.6 65.0	24.6 37.0 31.9 66.8	4 MS 12 MS 22 MS GK 435 3 MS

$$CSB - 30A - A$$
  $CSB - 32A - D$   
 $CSB - 30A - B$   $CSB - 32A - E$   
 $CSB - 30A - C$   
 $CSB - 30A - D$   
 $CSB - 30A - E$   
 $CSB - 30A - CD$   
 $CSB - 30A - CD$   
 $CSB - 10A - E$ 

000302

Site Name:

RMC Beech Grove

Project Number:

98-478-04

Field Duplicates	<del></del>	<del> </del>	<del>,</del>	······	<del></del>
Sample ID	Analyte	Units	Result	RPD	Qualifier
MW-3	Total Arsenic	μg/L	11		
MW-3D		μg/L	11	0.00	
	Total Barium	μg/L	98		
		μg/L	102	4.00	L
	Total Selenium	μg/L	3.7		
		μg/L	2.7	31.25	į
	Dissolved Arsenic	μg/L	8.4		
		μg/L	8.8	4.65	
	Dissolved Barium	μg/L	113		1
		μg/L	123	8.47	ĺ
	Dissolved Chromium	μg/L	6.6		
		μg/L	7.1	7.30	1
	Dissolved Selenium	μg/L	3.7		
		μg/L	4.5	19.51	
R2SED-7C	Arsenic	mg/kg	13		<del> </del>
R2SED-7D		mg/kg	10	26.09	
·· · <del>-</del>	Lead	mg/kg	61	20.37	1
		mg/kg	57	6.78	
R2SB-4A-A	Arsenic	mg/kg	28	0.70	+
R2SB-4A-AD	ruscine		26	7.41	1
(CSD-4A-AD	Lead	mg/kg	2490	7.41	<del> </del>
	Leau	mg/kg	2320	7.07	
R2SB-2A-A		mg/kg		7.07	<del> </del>
	Arsenic	mg/kg	4.6	51.61	
R2SB-2A-AD		mg/kg	7.8	51.61	ļ <u>.</u>
	Lead	mg/kg	816		·
		mg/kg	996	19.87	ļ
R2SB-1A-C	Arsenic	mg/kg	7.6		ì
R2SB-1A-CD		mg/kg	7.8	2.60	<u> </u>
	Lead	mg/kg	4230		ŀ
		mg/kg	5010	16.88	ļ
R2SB-52-A	Arsenic	mg/kg	4.6		
R2SB-52-AD		mg/kg	9.3	67.63	*
	Lead	mg/kg	3.3		
		mg/kg	3	9.52	
R2SB-53-B	Arsenic	mg/kg	300		
R2SB-53-BD		mg/kg	338	11.91	i
	Lead	mg/kg	58		Ţ
		mg/kg	52	10.91	ļ
CSB-35A-H	Arsenic	mg/kg	8.1		
CSB-35A-HD		mg/kg	6.5	21.92	ì
	Lead	mg/kg	1520		
	<del></del>	mg/kg	413	114.54	*
	Antimony	mg/kg	27		1
		mg/kg	11	84.21	
	Cadmium	mg/kg	1.5		<del> </del>
		mg/kg	0.75	66.67	*
CSB-26A-C	Arsenic	mg/kg	6.4	00.07	<del> </del>
CSB-26A-CD	Aisonic	$\overline{}$	5.5	15.13	ŀ
20A-CD	Tood	mg/kg		13.13	<del> </del>
	Lead	mg/kg	40	70 57	}
	A mark	mg/kg	30	28.57	<del> </del>
	Antimony	mg/kg	1	40.00	
		mg/kg	1.5	40.00	<del> </del>
CSB-1A-D	Arsenic	mg/kg	989		
CSB-1A-DD		mg/kg	821	18.56	ļ
	Lead	mg/kg	249000		
		mg/kg	185000	29.49	ļ
	Antimony	mg/kg	2660		
		mg/kg	1650	46.87	*

2x RL(2)=4, P.FF=1

Laboratory: Trimatrix

My his

Page 1 of 2

Site Name:

RMC Beech Grove

Project Number:

98-478-04

Field Duplicates

Field Duplicates			т-		
Sample ID	Analyte	Units	Result	RPD	Qualifier
	Cadmium	mg/kg	1000		-
		mg/kg	346	97.18	*
CSB-28A-C	Arsenic	mg/kg	7.9		
CSB-28A-CD		mg/kg	9.1	14.12	
	Lead	mg/kg	27		
	T	mg/kg	118	125.52	*
CSB-30A-C	Arsenic	mg/kg	9.1		
CSB-30A-CD		mg/kg	9.5	4.30	
	Lead	mg/kg	243		
		mg/kg	228	6.37	<u> </u>
	Antimony	mg/kg	7		
		mg/kg	4.6	41.38	*
	Cadmium	mg/kg	0.83		
		mg/kg	0.71	15.58	
CSB-10A-C	Arsenic *	mg/kg	433		
CSB-10A-CD		mg/kg	313	32.17	
	Lead	mg/kg	256000		
		mg/kg	169000	40.94	*
	Antimony	mg/kg	1720		
		mg/kg	1520	12.35	
	Cadmium	mg/kg	132		
		mg/kg	112	16.39	

Laboratory: Trimatrix

Duplicate Criteria: Aqueous matrices <30 % RPD; Soil/Solid matrices <40 %RPD.

3/28/2022

Page 2 of 2

<sup>\* -</sup> Denotes %RPD outside criteria.

NA - Duplicate relative percent difference cannot be calculated.

ND - Not detected.

#### RMC Beech Grove SERIAL DILUTIONS Groundwater Samples

Run Date	T or D	Analyte	Lab ID	Sample ID	Initial Conc	Serial Dilution Conc	% D	IDL	IDL*50	Associated Samples
1/8/2002	D	As	295091	MW-7S	30.106	23.304	22.59	0.11	5.25 *	MW-1, MW-2, MW-3, MW-
		Ba			23.354	22.860	2.12	0.19		3D, MW-4, MW-5, MW-6,
Į.	•	Cd			U	U	nc	0.01	0.50	MW-7S, MW-8S, MW-9, EB
ł		Cr			13.422	8.362	37.70	0.14	6.90 *	1-121001, EB-2-121101
		Se			6.451	11.989	85,84	0.19	9.70 *	]
		Pb			2.518	2.271	9.81	0.03	1.50	
1/8/2002	T	Ba	295093	MW-3	97.860	100.528	2.73	0.20	10.00	MW-3
12/16/2001	T	Sb	295091	MW-7S	U	U	nc	0.03	1.65	MW-1, MW-2, MW-3, MW-
}				•						3D, MW-4, MW-5, MW-6,
	]		{							MW-7S, MW-8S, MW-9, EB
ł										1-121001, EB-2-
1							]			121101
L	<u> </u>		<u> </u>							

<sup>\*</sup> Associated sample results were qualified because %D >10% and Initial and Serial Dilution Concs >IDL\*50



#### RMC Beech Grove SERIAL DILUTIONS Soil/Sediment Samples

										_
	Run Date	Analyte	Lab ID	Sample ID	Initial Conc	Serial Dilution Conc	% D	IDL	IDL*50	]
Г	1/2/2002	Sb	295539	STRW-1-121401	46.255	48.039	3.86	0.06	3.05	]
Γ	1/3/2002	As	295472	R2SB-53-A	8.357	8.695	4.05	0.10	4.85	]
Г	1/3/2002	Sb	295536	CSB-32A-D	2.719	2.879	5.89	0.06	3.05	
Г	1/3/2002	As	295536	CSB-32A-D	8.043	8.206	2.03	0.10	4.85	1
Γ	1/3/2002	Cd	295536	CSB-32A-D	Ŭ	U	nc	0.03	1.4	]
Г	1/4/2002	Pb	295110	R2SED-9D	38.823	37.476	3.47	0.03	1.45	]
	1/4/2002	As	295454	R2SB-3A-C	6.339	8.230	29.83	0.10	4.85	]*
	1/4/2002	Pb	295506	CSB-38A-D	20.286	21.029	3.66	0.03	1.45	
	1/7/2002	As	295492	CSB-26A-D	6.220	6.248	0.45	0.10	4.85	
	1/7/2002	Cd	295492	CSB-26A-D	0.538	0.532	1.01	0.03	1.4	]
	1/7/2002	Pb	295492	CSB-26A-D	24.913	25.142	0.92	0.03	1.5	]
	1/7/2002	Sb	295492	CSB-26A-D	U	Ŭ	nc	0.06	3.05	l
	1/7/2002	Pb	295506	CSB-38A-D	11.586	16.303	40.71	0.03	1.5	]*
	1/7/2002	Sb	295506	CSB-38A-D	U	U	nc	0.06	3.05	
	1/7/2002	Pb	295536	CSB-32A-D	39.695	42.511	7.09	0.03	1.5	]
	1/7/2002	As	295539	STRW-1-121401	4.739	4.622	2.47	0.11	5.25	]
	1/7/2002	Cd	295539	STRW-1-121401	10.543	11.527	9.33	0.01	0.5	

<sup>\*</sup> Associated sample results were qualified because %D >10% and Initial and Serial Dilution Concs >IDL\*50

Associated samples for 295454 are 295454, 295456, 295457, 295458, 295459, 295461, 295462, 295463, 295464, 295465, 295466, 295467, 295468, 295469.

Associated samples for 295506 is 295506.

(M) /202



## ANALYTICAL REPORT USEPA CLP FORM 1

Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

MW-9

Data Qualifiers

Units

Lab Sample No:

295087

				*
7440-36-0	Antimony, Total	<10	ł	MS ug/L
7440-38-2	Arsenic, Total	4.0	ł	MS ug/L
7440-39-3	Barium, Total	68	1	MS ug/L
7440-43-9	Cadmium, Total	<0.2	1	MS ug/L
7440-47-3	Chromium, Total	2.2	1	MS ug/L
7439-92-1	Lead, Total	<1.0		MS ug/L
7439-97-6	Mercury, Total	<0.2	1	CV ug/L
7782-49-2	Selenium, Total	<2.0	1	MS ug/L
7440-22-4	Silver, Total	<0.2	i	MS ug/L
7440-36-0	Antimony, Dissolved	<10		MS ug/L
7440-38-2	Arsenic, Dissolved	3.7ゴ	Ţ	MS ug/L
7440-39-3	Barium, Dissolved	68-	1	MS ug/L
7440-43-9	Cadmium, Dissolved	<0.2	1	MS ug/L
7440-47-3	Chromium, Dissolved	3.8 ブ	I	MS ug/L
7439-92-1	Lead, Dissolved	<1.0	- 1	MS ug/L
7782-49-2	Selenium, Dissolved	\$2.0 US		MS ug/L

Sampled by: Date Sampled: Time Sampled: Date Received: Time Received: MKA/BLM 12/10/01 13:15

> 12/13/01 09:00

> > 000064



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

M

MS

MS

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

MW-1

Data Qualifiers

Q

Units

ug/L

ug/L

Lab Sample No:

295088

			•
7440-36-0	Antimony, Total	<10	
7440-38-2	Arsenic, Total	27	
7440-39-3	Barium, Total	93	
7440-43-9	Cadmium, Total	<0.2	
7440-47-3	Chromium, Total	4.0	
7439-92-1	Lead, Total	3.4	
7439-97-6	Mercury, Total	<0.2	
7782-49-2	Selenium, Total	4.0	
7440-22-4	Silver, Total	<0.2	
7440-36-0	Antimony, Dissolved	<10	
7440-38-2	Arsenic, Dissolved	22 5	
7440-39-3	Barium, Dissolved	85 <sup>-</sup>	
7440-43-9	Cadmium, Dissolved	<0.2	
7440-47-3	Chromium, Dissolved	8.9ブ	
7439-92-1	Lead, Dissolved	<1.0	
7782-49-2	Selenium, Dissolved	4.9ブ	
•			

MS ug/L ug/L MS MS ug/L MS ug/L CV ug/L ug/L MS MS ug/L MS ug/L MS ug/L MS ug/L MS ug/L ug/L MS ug/L MS

MS

ug/L

Sampled by: Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/10/01

15:18

12/13/01

09:00

Mys hos



Advanced GeoServices Corporation

Submittal Number:

35132- 32

Proj: RMC - Beech Grove, IN

Location: Contact:

Jennifer L. Rice

M

Subm: December 2001 Samples

Phone:

(616) 975-4500

CAS No.

MW-2

Data Qualifiers Q

Units

Lab Sample No:

295089

Antimony, Total	<10	1		MS	ug/L
Arsenic, Total	12	1		MS	ug/L
Barium, Total	48	1		MS	ug/L
Cadmium, Total	0.4	Ì		MS	ug/L
Chromium, Total	4.8			MS	ug/L
Lead, Total	84		•	MS	ug/L
Mercury, Total	<0.2	1		CV	ug/L
Selenium, Total	* 3.1	J		MS	ug/L
Silver, Total	<0.2	ĺ		MS	ug/L
Antimony, Dissolved	<10	1		MS	ug/L
Arsenic, Dissolved	9.87	1	i	MS	ug/L
Barium, Dissolved	25 ·	Ì		MS	ug/L
Cadmium, Dissolved	<0.2	ĺ		MS	ug/L
Chromium, Dissolved	6.8ブ	1		MS	ug/L
Lead, Dissolved	6.2	İ		MS	ug/L
Selenium, Dissolved	3.7ブ			MS	ug/L
	Arsenic, Total Barium, Total Cadmium, Total Chromium, Total Lead, Total Mercury, Total Selenium, Total Silver, Total Antimony, Dissolved Arsenic, Dissolved Barium, Dissolved Cadmium, Dissolved Chromium, Dissolved Lead, Dissolved	Arsenic, Total 12 Barium, Total 48 Cadmium, Total 0.4 Chromium, Total 4.8 Lead, Total 84 Mercury, Total <0.2 Selenium, Total *3.1 Silver, Total <0.2 Antimony, Dissolved <10 Arsenic, Dissolved 9.8 Barium, Dissolved 25 Cadmium, Dissolved <0.2 Chromium, Dissolved 6.8 Lead, Dissolved 6.2	Arsenic, Total 12 Barium, Total 48 Cadmium, Total 0.4 Chromium, Total 4.8 Lead, Total 84 Mercury, Total <0.2 Selenium, Total * 3.1 Silver, Total <0.2 Antimony, Dissolved <10 Arsenic, Dissolved 9.8 Barium, Dissolved 25 Cadmium, Dissolved <0.2 Chromium, Dissolved 6.8 Lead, Dissolved 6.2	Arsenic, Total 12 Barium, Total 48 Cadmium, Total 0.4 Chromium, Total 4.8 Lead, Total 84 Mercury, Total <0.2 Selenium, Total *3.1 Silver, Total <0.2 Antimony, Dissolved <10 Arsenic, Dissolved 9.8 Barium, Dissolved 25 Cadmium, Dissolved <0.2 Chromium, Dissolved 6.8 Lead, Dissolved 6.2	Arsenic, Total 12 MS Barium, Total 48 MS Cadmium, Total 0.4 MS Chromium, Total 4.8 MS Lead, Total 84 MS Mercury, Total <0.2 CV Selenium, Total *3.1 J MS Silver, Total <0.2 MS Antimony, Dissolved <10 MS Arsenic, Dissolved 9.8 MS Barium, Dissolved 25 MS Cadmium, Dissolved <0.2 MS Cadmium, Dissolved 6.8 MS Lead, Dissolved 6.8 MS

Sampled by:	MKA/BLM
Date Sampled:	12/10/01
Time Sampled:	17:11
Date Received:	12/13/01
Time Received:	09:00

See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB1-121001 Data Qualifiers

Units

c | Q | I

Lab Sample No:

295090

7440-36-0	Antimony, Total	<10		MS	ug/L
7440-38-2	Arsenic, Total	<1.0	1 .	MS	ug/L
7440-39-3	Barium, Total	<10		MS	ug/L
7440-43-9	Cadmium, Total	<0.2		MS	ug/L
7440-47-3	Chromium, Total	<1.0	1	MS	ug/L
7439-92-1	Lead, Total	<1.0		MS	ug/L
7439-97-6	Mercury, Total	<0.2		CV	ug/L
7782-49-2	Selenium, Total	<2.0		MS	ug/L
7440-22-4	Silver, Total	<0.2		MS	ug/L
7440-36-0	Antimony, Dissolved	<10		MS	ug/L
7440-38-2	Arsenic, Dissolved	メ1.0 ひづ		MS	ug/L
7440-39-3	Barium, Dissolved	<10		MS	ug/L
7440-43-9	Cadmium, Dissolved	<0.2		MS	ug/L
7440-47-3	Chromium, Dissolved	£1.0 UJ		MS	ug/L
7439-92-1	Lead, Dissolved	<1.0		MS	ug/L
7782-49-2	Selenium, Dissolved	£2.0UJ	1	MS	ug/L

Sampled by:
Date Sampled:

Time Sampled: Date Received:

Time Received:

MKA/BLM

12/10/01

17:45

12/13/01

09:00

Jan wor



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact: Phone: Jennifer L. Rice

(616) 975-4500

CAS No.

MW-7S MS/MSD Data Qualifiers

Units

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L \*

Lab Sample No:

Antimony, Total

Arsenic, Total

Barium, Total

Lead, Total

Cadmium, Total

Mercury, Total

Selenium, Total

Antimony, Dissolved

Arsenic, Dissolved

Cadmium, Dissolved

Chromium, Dissolved

Selenium, Dissolved

Barium, Dissolved

Lead, Dissolved

Silver, Total

Chromium, Total

295091

<10

26

25

<0.2

2.8 47

<0.2

5.7 <0.2

<10 30 ゴ

23-

<0.2 13づ

2.5 6.5 了 MS CV MS MS MS

MS

MS

MS

MS

MS

MS ug/L MS ug/L MS ug/L

MS ug/L MS ug/L

MS ug/L MS ug/L

Sampled by:

7440-36-0

7440-38-2

7440-39-3

7440-43-9 7440-47-3

7439-92-1 7439-97-6

7782-49-2

7440-22-4 7440-36-0

7440-38-2

7440-39-3

7440-43-9

7440-47-3

7439-92-1

7782-49-2

Date Sampled:

Time Sampled: Date Received:

Time Received:

MKA/BLM 12/11/01

09:50

09:50

12/13/01

09:00

13/28/2002

000068



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

MW-85

Data Qualifiers

Units

C | Q | M

Lab Sample No:

295092

7440-36-0	Antimony, Total	<10	MS	ug/L
7440-38-2	Arsenic, Total	. 13	MS	ug/L
7440-39-3	Barium, Total	123	MS	ug/L
7440-43-9	Cadmium, Total	0.4	MS	ug/L
7440-47-3	Chromium, Total	<1.0	MS	ug/L
7439-92-1	Lead, Total	23	MS	ug/L
7439-97-6	Mercury, Total	<0.2	CV	ug/L
7782-49-2	Selenium, Total	<2.0	MS	ug/L
7440-22-4	Silver, Total	<0.2	MS	ug/L
7440-36-0	Antimony, Dissolved	<10	 MS	ug/L
7440-38-2	Arsenic, Dissolved	14 づ	MS	ug/L
7440-39-3	Barium, Dissolved	135	MS	ug/L
7440-43-9	Cadmium, Dissolved	0.3	MS	ug/L
7440-47-3	Chromium, Dissolved	3.8ブ	MS	ug/L
7439-92-1	Lead, Dissolved	11	MS	ug/L
7782-49-2	Selenium, Dissolved	k2.0 U3	MS	ug/L

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/11/01

12:28

12/13/01

09:00

977 Nover 000069



Advanced GeoServices Corporation

Submittal Number:

35132- 32

Proj: RMC - Beech Grove, IN

Location: Contact:

Jennifer L. Rice

Subm: December 2001 Samples Phone:

(616) 975-4500

CAS No.

MW-3

Data Qualifiers Units

C Q M

Lab Sample No:

Selenium, Dissolved

295093

-				
7440-36-0	Antimony, Total	<10	MS	ug/L
7440-38-2	Arsenic, Total	11	MS	ug/L
7440-39-3	Barium, Total	98	MS	ug/L
7440-43-9	Cadmium, Total	<0.2	MS	ug/L
7440-47-3	Chromium, Total	<1.0	MS	$\mathtt{ug}/\mathtt{L}$
7439-92-1	Lead, Total	<1.0	MS	ug/L
7439-97-6	Mercury, Total	<0.2	cv	ug/L
7782-49-2	Selenium, Total	3.7	MS	ug/L
7440-22-4	Silver, Total	<0.2	MS	ug/L
7440-36-0	Antimony, Dissolved	<10	MS	ug/L
7440-38-2	Arsenic, Dissolved	8.4 🤇	MS	$\mathtt{ug}/\mathtt{L}$
7440-39-3	Barium, Dissolved	113	MS	ug/L
7440-43-9	Cadmium, Dissolved	<0.2	MS	
7440-47-3	Chromium, Dissolved	6.67	MS	ug/L
7439-92-1	Lead, Dissolved	<1.0	MS	ug/L

Sampled by:
Date Sampled:
Time Sampled:
Date Received:
Time Received:

7782-49-2

MKA/BLM 12/11/01 13:51 12/13/01

09:00

3.7づ

M3/25/2

ug/L



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone: (616

(616) 975-4500

CAS No.

MW-3D

Data Qualifiers

Units

Lab Sample No:

295094

	•				
7440-36-0	Antimony, Total	<10		MS	ug/L
7440-38-2	Arsenic, Total	11		MS.	ug/L
7440-39-3	Barium, Total	102	[	MS	ug/L
7440-43-9	Cadmium, Total	<0.2	[	MS	ug/L
7440-47-3	Chromium, Total	<1.0		MS	ug/L
7439-92-1	Lead, Total	<1.0	į	MS	ug/L
7439-97-6	Mercury, Total	<0.2	j l	CV	ug/L
7782-49-2	Selenium, Total	2.7		MS	ug/L
7440-22-4	Silver, Total	<0.2	j	MS	ug/L
7440-36-0	Antimony, Dissolved	<10	ĺ	MS	ug/L
7440-38-2	Arsenic, Dissolved	8.8 ブ	·	MS	ug/L
7440-39-3	Barium, Dissolved	123	j	MS	ug/L
7440-43-9	Cadmium, Dissolved	<0.2	į i	MS	ug/L
7440-47-3	Chromium, Dissolved	7.1 づ	ĺ	MS	ug/L
7439-92-1	Lead, Dissolved	<1.0	j	MS	ug/L
7782-49-2	Selenium, Dissolved	4.5 づ	j	MS	ug/L

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/11/01

14:15

12/13/01

09:00

W3/28/2022



Advanced GeoServices Corporation

Submittal Number:

35132- 32

Proj: RMC - Beech Grove, IN

Location: Contact:

Jennifer L. Rice

Subm: December 2001 Samples

Phone:

(616) 975-4500

CAS No.

MW-5

Data Qualifiers Units

C | Q | M

Lab Sample No:

295095

7440-36-0	Antimony, Total	<10		MS	ug/L
7440-38-2	Arsenic, Total	5.4	j	MS	ug/L
7440-39-3	Barium, Total	150	i	MS	ug/L
7440-43-9	Cadmium, Total	<0.2		MS	ug/L
7440-47-3	Chromium, Total	<1.0	1.	MS	ug/L
7439-92-1	Lead, Total	2.1		MS	ug/L
7439-97-6	Mercury, Total	<0.2		CV	ug/L
7782-49-2	Selenium, Total	<2.0		MS	ug/L
7440-22-4	Silver, Total	<0.2		MS	ug/L
7440-36-0	Antimony, Dissolved	<10		MS	ug/L
7440-38-2	Arsenic, Dissolved	3.7 つ		MS	ug/L
7440-39-3	Barium, Dissolved	170		MS	ug/L
7440-43-9	Cadmium, Dissolved	<0.2		MS	ug/L
7440-47-3	Chromium, Dissolved	4.0 ブ		MS	ug/L
7439-92-1	Lead, Dissolved	<1.0		MS	ug/L
7782-49-2	Selenium, Dissolved	#2.0Uゴ		MS	ug/L

Sampled by:
Date Sampled:
Time Sampled:
Date Received:

Time Received:

MKA/BLM 12/11/01 15:13

12/13/01

09:00

Who had



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

MW-4

Data Qualifiers

C | Q

Units

Lab Sample No:

295096

E440 36 0	Ambimon. Motol
7440-36-0	Antimony, Total
7440-38-2	Arsenic, Total
7440-39-3	Barium, Total
7440-43-9	Cadmium, Total
7440-47-3	Chromium, Total
7439-92-1	Lead, Total
7439-97-6	Mercury, Total
7782-49-2	Selenium, Total
7440-22-4	Silver, Total
7440-36-0	Antimony, Dissolved
7440-38-2	Arsenic, Dissolved
7440-39-3	Barium, Dissolved
7440-43-9	Cadmium, Dissolved
7440-47-3	Chromium, Dissolved
7439-92-1	Lead, Dissolved

Selenium, Dissolved

Sampl	led by:
Date	Sampled:
Time	Sampled:
Date	Received:
Time	Received:

7782-49-2

:10	
1.0	
187	
0.2	
1.0	
1.5	
:0.2	
2.0	
:0.2	
:10	
(1.0 U)	
20-3	
0.2	
3.47	
1.0	
2.0 ひづ	

		٠,
	MS	ug/L
1	MS	ug/L
	MS	ug/L
-	MS	ug/L
	MS	ug/L
1	CV	ug/L
1	MS	ug/L
	MS	ug/L
1	MS	ug/L
	MS	ug/L
	MS	ug/L
	MS	ug/L
	MS	ug/L
	MS	ug/L
	MS	ug/L
-		

MS ug/L

12/11/01 16:14 12/13/01 09:00

MKA/BLM

M2/28/2012



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Location:

Submittal Number:

Contact:

Jennifer L. Rice

35132- 32

Phone:

(616) 975-4500

Q | M

CAS No.

MW-6

Data Qualifiers

Units

Lab Sample No:

295097

7440-36-0	Antimony, Total	<10	1	MS	ug/L
7440-38-2	Arsenic, Total	2.2		MS	ug/L
7440-39-3	Barium, Total	79		MS	ug/L
7440-43-9	Cadmium, Total	<0.2		MS	ug/L .
7440-47-3	Chromium, Total	<1.0		MS	ug/L
7439-92-1	Lead, Total	1.3	1	MS	ug/L
7439-97-6	Mercury, Total	<0.2		CV	ug/L
7782-49-2	Selenium, Total	<2.0		MS	ug/L
7440-22-4	Silver, Total	<0.2		MS	ug/L
7440-36-0	Antimony, Dissolved	<10		MS	ug/L
7440-38-2	Arsenic, Dissolved	1.4 7	1	MS	ug/L
7440-39-3	Barium, Dissolved	89	1	MS	ug/L
7440-43-9	Cadmium, Dissolved	<0.2	1	MS	ug/L
7440-47-3	Chromium, Dissolved	3.85	}	MS	ug/L
7439-92-1	Lead, Dissolved	<1.0	ļ	MS	ug/L
7782-49-2	Selenium, Dissolved	x2.0 Uゴ	1	MS	ug/L

Sampled by:

Date Sampled:

Time Sampled:
Date Received:

Time Received:

MKA/BLM

12/11/01 17:25

17:25

09:00

7325 000074



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB2-121101 Data Qualifiers

Units

C Q 1

Lab Sample No:

295098

	•				
7440-36-0	Antimony, Total	<10		MS	ug/L
7440-38-2	Arsenic, Total	<1.0		MS	ug/L
7440-39-3	Barium, Total	<10	1	MS	ug/L
7440-43-9	Cadmium, Total	<0.2	]	MS	ug/L
7440-47-3	Chromium, Total	<1.0	1	MS	ug/L
7439-92-1	Lead, Total	<1.0	į į	MS	ug/L
7439-97-6	Mercury, Total	<0.2	1	CA	ug/L
7782-49-2	Selenium, Total	<2.0		MS	ug/L
7440-22-4	Silver, Total	<0.2	1	MS	ug/L
7440-36-0	Antimony, Dissolved	<10		MS	ug/L
7440-38-2	Arsenic, Dissolved	×1.0 Uブ	1	MS	ug/L
7440-39-3	Barium, Dissolved	<10	1	MS	$\mathtt{ug}/\mathtt{L}$
7440-43-9	Cadmium, Dissolved	<0.2		MS	ug/L
7440-47-3	Chromium, Dissolved	\$1.0 US		MS	ug/L
7439-92-1	Lead, Dissolved	<1.0	]	MS	ug/L
7782-49-2	Selenium, Dissolved	\$2.0 US		MS	ug/L

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/11/01

17:45

12/13/01

09:00

700075



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Location:

Submittal Number:

35132- 32

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-1C

Data Qualifiers

Units

Lab Sample No:

295099

7440-38-2

Arsenic, Total

10

MS mg/kg dry

7439-92-1

Lead, Total

19 3

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/12/01

11:25

12/13/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-1D

Data Qualifiers

Units

Q

Lab Sample No:

295100

7440-38-2 7439-92-1

Arsenic, Total

Lead, Total

5.5

MS mg/kg dry mg/kg dry

MS

62 J

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/12/01

11:36

12/13/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-3C

Data Qualifiers Q

Lab Sample No:

295101

7440-38-2 7439-92-1 Arsenic, Total Lead, Total

13

622 ゴ

MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/12/01

12:10

12/13/01

09:00

000078



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

M

Phone:

(616) 975-4500

CAS No.

R2SED-3D

Data Qualifiers

Q

Units

Lab Sample No:

295102

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

12 691 づ MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/12/01

12:20

12/13/01

09:00

13/28/2002

000079



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

.

Subm: December 2001 Samples

Submittal Number: 35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-5C

Data Qualifiers

Units

C | Q

Lab Sample No:

295103

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

5.7

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/12/01 12:40

12/13/01

09:00

Wyl 2/28/2002



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-5D

Data Qualifiers

Units

C | Q |

Lab Sample No:

295104

7440-38-2

Arsenic, Total

7,3

MS mg/kg dry

7439-92-1

Lead, Total

20 づ

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/12/01

12:50

12/13/01

09:00

7 3/28/2000 000081



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB3-121201 Data Qualifiers

Units

Lab Sample No:

295105

7440-38-2

Arsenic, Total

<1.0

MS ug/L

7439-92-1

Lead, Total

<1.0

MS ug/L

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/12/01

13:05

12/13/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-7C

Data Qualifiers

Units

C | Q |

Lab Sample No:

295106

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

13 61 て MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/12/01

13:38

12/13/01

09:00

Myshoor Myshoor



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number: 35132- 32

Location:

Contact: Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-7D Data

Data Qualifiers

Units

Lab Sample No:

295107

7440-38-2

Arsenic, Total

7439-92-1 Lead, Total

9.2

| MS mg/kg dry | MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/12/01

13:40

12/13/01

09:00

Myske



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-7CD

Data Qualifiers

Units

Q

Lab Sample No:

295108

7440-38-2

Arsenic, Total

10

MS mg/kg dry

7439-92-1

Lead, Total

57 ゴ

mg/kg dry MS

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/12/01

13:58

.12/13/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number: 35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-9C

Data Qualifiers

Units

Lab Sample No:

295109

7440-38-2

Arsenic, Total

8.9

MS mg/kg dry

7439-92-1

Lead, Total

25 づ

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/12/01

14:15

12/13/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number: 35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-9D

Data Qualifiers

MS/MSD

С

Q M

Lab Sample No: 295110

7440-38-2

Arsenic, Total

MS mg/kg dry

7439-92-1

Lead, Total

A 39 5

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received:

MKA/BLM

12/12/01

14:20

12/13/01

<sup>\*</sup> See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

35132- 32

Location:

Submittal Number:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-51-A

Data Qualifiers Q

Units

Lab Sample No:

295111

7440-38-2

Arsenic, Total

6.6

mg/kg dry MS

7439-92-1

Lead, Total

285 J

mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/12/01

15:05

12/13/01

09:00

000088



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-51-B

Data Qualifiers

Units

C | Q

Lab Sample No:

295112

7440-38-2

Arsenic, Total

7439-92-1 Lead, Total

7.0

199 ブ

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/12/01

15:06

12/13/01

09:00

Mystrian Market



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 35132-

Location:

Contact:

Jennifer L. Rice

M

Phone:

(616) 975-4500

CAS No.

R2SB-4A-A

Data Qualifiers 0

Units

Lab Sample No:

295447

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

28 T 2490

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

10:20

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB1-121301 Data Qualifiers

rs Units

C Q M

Lab Sample No:

295448

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

<1.0

1.0

MS ug/L

ug/L

MS

<1.0

Sampled by: Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

10:25

12/17/01

09:15

Wyshior



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-4A-B

Data Qualifiers Units

Q

Lab Sample No:

295449

7440-38-2

Arsenic, Total

13 て

mg/kg dry MS

7439-92-1

Lead, Total

874

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC 12/13/01

10:29

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 351

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-4A-4D Data Qualifiers

Units

C | Q | N

Lab Sample No:

295450

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

26 J 2320

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

10:45

12/17/01

09:15

Mystron



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Location: Contact:

Jennifer L. Rice

35132- 33

Subm: 12/13-14/01 Samples

Phone:

(616) 975-4500

CAS No.

R2SB-4A-C Data Qualifiers

Submittal Number:

Units

C | Q | M

Lab Sample No:

295451

7440-38-2

Arsenic, Total

18 7

MS mg/kg dry

7439-92-1

Lead, Total

1420

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

10:46

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-3A-A

Data Qualifiers

Units

Lab Sample No:

295452

7440-38-2

Arsenic, Total

7439-92-1

36 J

1620

MS mg/kg dry MS mg/kg dry

Lead, Total

Sampled by: Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

11:29

12/17/01



Advanced GeoServices Corporation

Submittal Number: 35132- 33

Proj: RMC - Beech Grove, IN

Location:

Contact:

Jennifer L. Rice

Subm: 12/13-14/01 Samples

Phone:

(616) 975-4500

CAS No.

R2SB-3A-B Data Qualifiers Units

Q M

Lab Sample No:

295453

7440-38-2 7439-92-1 Lead, Total

Arsenic, Total

**/** 19 1410 MS mg/kg dry mg/kg dry MS

Sampled by: Date Sampled: Time Sampled: Date Received: Time Received: BLM/MAC 12/13/01 11:35 12/17/01 09:15



<sup>\*</sup> See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

eroj. Idio Becom Grove, in

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-3A-C

Data Qualifiers

Units

MS/MSD

: 1

Q

Lab Sample No:

295454

7440-38-2

Arsenic, Total

**≠** 6.3 づ

<del>J</del> J

MS mg/kg dry

7439-92-1

Lead, Total

**/** 1330

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:
Date Received:

Time Received:

BLM/MAC 12/13/01

11:40

12/17/01

09:15

Wyshor

<sup>\*</sup> See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Submittal Number:

35132- 33

Proj: RMC - Beech Grove, IN

Location: Contact:

Jennifer L. Rice

M

Subm: 12/13-14/01 Samples

Phone:

(616) 975-4500

CAS No.

EB2-121301 Data Qualifiers C

Units

Lab Sample No:

295455

7440-38-2

Arsenic, Total

<1.0

MS ug/L

7439-92-1

Lead, Total

<1.0

MS ug/L

Sampled by:

Date Sampled:

12/13/01

BLM/MAC

Time Sampled:

11:55 12/17/01

Date Received: Time Received:



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-2A-A

Data Qualifiers
C | Q | N

Units

Lab Sample No:

295456

7440-38-2

Arsenic, Total

7439-92-1 Le

Lead, Total

16 ゴ

MS mg/kg dry
MS mg/kg dry

918

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

12:07

12/17/01

09:15

Wystran



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

M

Phone:

(616) 975-4500

CAS No.

R2SB-2A-B

Data Qualifiers

Units

·

С

Lab Sample No:

295457

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

15 J 4120

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

12:16

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-2A-C

Data Qualifiers

Units

C | Q | 1

Lab Sample No:

295458

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

4.6 J

MS mg/kg dry

Total

816

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

12:20

12/17/01

09:15

Wyshop 2



Advanced GeoServices Corporation

Submittal Number:

35132- 33

Proj: RMC - Beech Grove, IN

Location: Contact:

Jennifer L. Rice

Subm: 12/13-14/01 Samples

Phone:

(616) 975-4500

CAS No.

R2SB-2A-AD Data Qualifiers

Units

Lab Sample No:

295459

7440-38-2

Arsenic, Total

7.8

mg/kg dry MS

7439-92-1

Lead, Total

996

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

12:27

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

M

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB3-121301 Data Qualifiers

Q

C

Units

Lab Sample No:

295460

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

<1.0 <1.0

ug/L MS ug/L

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

12:48

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 35132- 33

Location:

Contact: Jennifer L. Rice

Phone: (616) 975-4500

R2SB-1A-A Data Qualifiers Units

MS/MSD C | Q | M

Lab Sample No:

295461

7440-38-2 Arsenic, Total

7439-92-1 Lead, Total

58 **5** 

MS mg/kg dry mg/kg dry

Sampled by:

CAS No.

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC 12/13/01

12:52

12/17/01

09:15

(Mystalia)



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-1A-B

Data Qualifiers

Units

c | 0 | 1

Lab Sample No:

295462

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

7.6 **5** 

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

13:05

12/17/01

09:15

Myskos



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-1A-C

Data Qualifiers

Units

C | Q | M

Lab Sample No:

295463

7440-38-2

Arsenic, Total

7.8

MS mg/kg dry

7439-92-1

Lead, Total

4230

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

13:27

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-1A-CD Data Qualifiers

C | Q | M

Lab Sample No:

295464

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

8.3 ゴ 5010

MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC 12/13/01

13:57

12/17/01 09:15

Wyship



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-13A-A Data Qualifiers

C | Q | M

Lab Sample No:

295465

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

14 **5** 2910

MS mg/kg dry
MS mg/kg dry

Units

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

14:11 12/17/01

09:15

Wyshor



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-13A-B Data Qualifiers

Units

C | Q | 1

Lab Sample No:

295466

7440-38-2

Arsenic, Total

7439-92-1 Lead, Total

2.1 づ 24

MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC 12/13/01

12/13/0

14:17

12/17/01

09:15

My hour



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-13A-C Data Qualifiers

Units

C | Q

Lab Sample No:

295467

7440-38-2

Arsenic, Total

4.5 5

MS mg/kg dry

7439-92-1

Lead, Total

11

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

14:25

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

CAS No.

Lab Sample No:

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

Sampled by: Date Sampled: Time Sampled:

Date Received:

Time Received:

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

R2SB-52-A Data Qualifiers

Units Q M c |

295468

4.6 了

300

MS mg/kg dry MS mg/kg dry

BLM/MAC

12/13/01

15:01

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132-

M

Location:

Contact: Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-52-B

Data Qualifiers

Units

С Q

Lab Sample No:

295469

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

5.7

mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

15:12

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB5-121301 Data Qualifiers

C | Q | 1

Lab Sample No:

295470

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total <1.0

<1.0

MS ug/L MS ug/L

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

15:16

12/17/01

09:15

Morgran



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 35132- 33

Location:

Contact: Jennifer L. Rice

Phone: (616) 975-4500

CAS No. R2SB-52-AD Data Qualifiers Units

C | Q | M

Lab Sample No: 295471

7440-38-2 Arsenic, Total 9.3 | MS mg/kg dry 7439-92-1 Lead, Total 338 | MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

BLM/MAC

12/13/01

15:21

12/17/01

Time Received: 09:15

Chiphron Chiphron



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-53-A Data Qualifiers

Units

MS/MSD

C Q

35132- 33

Lab Sample No:

295472

7440-38-2 7439-92-1

Arsenic, Total

Lead, Total

8.47 **/** 499

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled: Date Received:

Time Received:

BLM/MAC

12/13/01

16:05

12/17/01 09:15

\* See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

35132- 33

Location:

Submittal Number:

Contact:

Jennifer L. Rice

M

Phone:

(616) 975-4500

CAS No.

R2SB-53-B

Data Qualifiers

Units

Lab Sample No:

295473

7440-38-2

Arsenic, Total

3.3 ブ

MS mg/kg dry

7439-92-1

Lead, Total

58

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

16:10

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-53-BD Data Qualifiers Q

Lab Sample No:

295474

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

3.0 づ

52

mg/kg dry MS MS mg/kg dry

Units

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

16:30

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 35132- 33

Location:

Contact: Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB6-121301 Data Qualifiers Units

M

Lab Sample No:

295475

7440-38-2

Arsenic, Total

7439-92-1 Lead, Total <1.0 2.6 MS ug/L MS ug/L

Sampled by:

Date Sampled:

Time Sampled:

Time Received:

Date Received:

BLM/MAC 12/13/01

16:36

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

33 35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB1-121401 Data Qualifiers

Units

0 M

Lab Sample No:

295476

Antimony, Total 7440-36-0

Arsenic, Total 7440-38-2 7440-43-9 Cadmium, Total

7439-92-1

Lead, Total

<10 <1.0

< 0.2

1.4

ug/L MS

MS ug/L MS

ug/L MS ug/L

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

09:20

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB2-121401 Data Qualifiers

Units

C | Q

Lab Sample No:

295477

Antimony, Total 7440-36-0

Arsenic, Total 7440-38-2 7440-43-9 Cadmium, Total

Lead, Total

<10

<1.0 <0.2

2.1

ug/L MS

ug/L MS ug/L

MS ug/L

Sampled by:

7439-92-1

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

10:05

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-35A-A

Data Qualifiers

Units

Lab Sample No:

295478

7440-36-0

Antimony, Total Arsenic, Total 7440-38-2 Cadmium, Total 7440-43-9

7439-92-1

Lead, Total

1280

154 83

70400

mg/kg dry

MS mg/kg dry

MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

12:41

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-35A-B

Data Qualifiers Units

Q

\_

Lab Sample No:

295479

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total

7440-43-9 Cadmium, Total

Lead, Total

5.3

6.1 0.66

279

MS mg/kg dry

MS mg/kg dry

MS mg/kg dry
MS mg/kg dry

Sampled by:

7439-92-1

Date Sampled:

Time Sampled:
Date Received:

Time Received:

BLM/MAC

12/14/01 12:42

12/17/01

09:15

Myshor



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-35A-C

Data Qualifiers

Units

C | Q | M

Lab Sample No:

295480

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total

7439-92-1

Lead, Total

3150 408

BLM/MAC

144 350000 MS mg/kg dry

MS mg/kg dry

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received:

12:43 12/17/01

12/14/01

09:15

Wylakar Malan



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 35132- 33

Location:

Contact:

Jennifer L. Rice

Phone: (616) 975-4500

CAS No.

CSB-35A-D Data Qualifiers

Qualifiers Units

C | Q | M

Lab Sample No:

295481

7440-36-0 Antimony, Total

7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total

7439-92-1

Lead, Total

4.9

0.62

285

62

MS mg/kg dry

MS mg/kg dry

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

12:44

12/17/01

09:15

3/28/2007



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-35A-E

Data Qualifiers

Units

Q M

Lab Sample No:

295482

7440-36-0

Antimony, Total

7440-38-2

Arsenic, Total Cadmium, Total

7440-43-9 7439-92-1

Lead, Total

3.9

6.3

0.99 499

mg/kg dry

MS mg/kg dry

MS

MS mg/kg dry

mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

12:45

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

and becen drove, in

Subm: 12/13-14/01 Samples

Submittal Number: 35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-35A-F

Data Qualifiers Units

C | Q | M

Lab Sample No:

295483

7440-36-0 Antimony, Total

7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total

7439-92-1 Lead, Total

1.7

<0.50

69

MS mg/kg dry

MS mg/kg dry

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

12:50

12/17/01

09:15

Chyling in



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-35A-G

Data Qualifiers

Units

Q

Lab Sample No:

295484

7440-36-0

Antimony, Total Arsenic, Total

7440-38-2 7440-43-9 7439-92-1

Cadmium, Total

Lead, Total

6.3

6.6

0.89

156

MS mg/kg dry

MS mg/kg dry

mg/kg dry MS MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

12:53

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-35A-H

Units

Data Qualifiers
Q | M

Lab Sample No:

295485

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total

7439-92-1 Lead, Total

27 ブ 8.1 1.5 ブ 1520 ブ MS mg/kg dry MS mg/kg dry

MS mg/kg dry
MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:
Date Received:

Time Received:

BLM/MAC

12/14/01 12:54

12/17/01

09:15

Myster Just



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-35A-I

Data Qualifiers

Units

Lab Sample No:

295486

7440-36-0

Antimony, Total Arsenic, Total

7440-38-2 7440-43-9 7439-92-1

Lead, Total

Cadmium, Total

<1.0

5.9

<0.50

11

mg/kg dry MS

MS mg/kg dry

MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

12:55

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 35132 - 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-35A-J

Data Qualifiers

Units

Q M

Lab Sample No:

295487

7440-36-0 7440-38-2

Antimony, Total Arsenic, Total

7440-43-9

Cadmium, Total

7439-92-1

~~~

Lead, Total

<1.0

4.1

<0.50

11

MS mg/kg dry

MS

MS mg/kg dry

MS mg/kg dry mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

12:56

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-35A-HD Data Qualifiers

Units

C | Q |-

Lab Sample No:

295488

7440-36-0 Antimony, Total

7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total

7439-92-1 Lead, Total

11 イ

6.5 0.75 づ

413

MS mg/kg dry

MS mg/kg dry

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

13:14

12/17/01

09:15

J3/2/2002



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Location:

Submittal Number:

Subm: 12/13-14/01 Samples

Contact: Jennifer L. Rice

Phone:

(616) 975-4500

35132-

CAS No.

CSB-26A-A Data Qualifiers

Q ' | M

Lab Sample No:

295489

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total

6.4

12

MSmg/kg dry mg/kg dry MS

Units

7440-43-9 7439-92-1

Cadmium, Total Lead, Total

46 174 MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC 12/14/01

13:25

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-26A-B

Data Qualifiers

Units

Q

Lab Sample No:

Lead, Total

295490

Antimony, Total 7440-36-0 Arsenic, Total 7440-38-2

Cadmium, Total 7440-43-9

11 40 88

1.7

mg/kg dry

MS

MS mg/kg dry

mg/kg dry MS

mg/kg dry

Sampled by:

7439-92-1

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

13:26

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 3

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-26A-C

Data Qualifiers Units

MS

\_C | Q | M

Lab Sample No:

295491

7440-36-0 7440-38-2

Antimony, Total Arsenic, Total

7440-43-9

Cadmium, Total Lead, Total 1.0 6.4

<0.50

4 50

50

MS mg/kg dry

MS mg/kg dry
MS mg/kg dry

mg/kg dry

40

Sampled by:

7439-92-1

Date Sampled:

Time Sampled:
Date Received:

Time Received:

BLM/MAC

12/14/01

13:28

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-26A-D

Data Qualifiers

Units

MS/MSD

С

Lab Sample No: 295492

7440-36-0

Antimony, Total 7440-38-2 Arsenic, Total

7440-43-9 7439-92-1

Cadmium, Total Lead, Total

<1.0

6.2

0.54 25

MS mg/kg dry

MS

MS mg/kg dry

mg/kg dry MS

mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

13:30

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 35132-

Location:

Contact: Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-26A-E Data Qualifiers Units

C Q M

Lab Sample No:

295493

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total 7439-92-1 Lead, Total <1.0 5.8 <0.50 23

BLM/MAC

| MS mg/kg dry | MS mg/kg dry | MS mg/kg dry | MS mg/kg dry

Sampled by:

Date Sampled: Time Sampled:

Date Received: Time Received: 13:35 12/17/01

12/14/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB4-121401 Data Qualifiers

Units

C | Q | M

Lab Sample No:

295494

7440-36-0 7440-38-2

5-0 Antimony, Total 3-2 Arsenic, Total

7440-43-9 7439-92-1 Cadmium, Total Lead, Total <10 <1.0

<0.2

<1.0

| MS ug/L

MS ug/L

MS ug/L MS ug/L

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

13:34

12/17/01

09:15

angrapios



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

(616) 975-4500

CAS No.

CSB-26A-CD Data Qualifiers

c l Q

Lab Sample No:

295495

Antimony, Total 7440-36-0 Arsenic, Total 7440-38-2

7440-43-9

Cadmium, Total

7439-92-1 Lead, Total

1.5

5.5 0.53

30

MS mg/kg dry

mg/kg dry MS

mg/kg dry MS MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled: Date Received:

Time Received:

BLM/MAC

12/14/01

13:48

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-1A-A

Data Qualifiers

Units

C | Q | M

Lab Sample No:

295496

7440-36-0 7440-38-2

Antimony, Total Arsenic, Total

7440-43-9 7439-92-1 Cadmium, Total Lead, Total 3.4

3.2

<0.50

903

MS mg/kg dry

MS mg/kg dry
MS mg/kg dry

j

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

13:55

12/17/01

09:15

My Just



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-1A-B

Data Qualifiers

Units

Q M

Lab Sample No:

295497

7440-36-0 Antimony, Total

7440-38-2 Arsenic, Total

7440-43-9 Cadmium, Total

7439-92-1 Lead, Total

<1.0

1.5

<0.50

18

mg/kg dry MS

MS mg/kg dry

MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01 13:56

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-1A-C

Data Qualifiers

Units

Q

Lab Sample No:

295498

7440-36-0

Antimony, Total 7440-38-2 Arsenic, Total

7440-43-9

Cadmium, Total

7439-92-1

Lead, Total

<1.0

1.5

<0.50 44

mg/kg dry MS

MS mg/kg dry

MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

13:59

12/17/01



Advanced GeoServices Corporation

Submittal Number:

35132-

Proj: RMC - Beech Grove, IN

Location: Contact:

Jennifer L. Rice

M

Subm: 12/13-14/01 Samples

Phone:

(616) 975-4500

CAS No.

CSB-1A-D

Data Qualifiers Q

Units

Lab Sample No:

295499

7440-36-0 7440-38-2

2660 7 Antimony, Total Arsenic, Total 989

mg/kg dry MS MS mg/kg dry

7440-43-9 7439-92-1

Cadmium, Total Lead, Total

1000 ゴ 249000

mg/kg dry MS MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

13:59

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-1A-E

Data Qualifiers

Units

C | Q |

Lab Sample No:

295500

7440-36-0 7440-38-2 Antimony, Total Arsenic, Total

7440-43-9 7439-92-1 Cadmium, Total Lead, Total 16 3

6.8

1.7 847 MS mg/kg dry
MS mg/kg dry

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

14:01

12/17/01

09:15

Chaptings.



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB5-121401 Data Qualifiers

С

Lab Sample No:

295501

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total Cadmium, Total 7440-43-9

7439-92-1 Lead, Total <10 <1.0 <0.2

<1.0

MS ug/L MS ug/L

ug/L MS ug/L

Units

Sampled by:

Date Sampled:

Time Sampled: Date Received:

Time Received:

BLM/MAC

12/14/01 14:05

12/17/01



CAS No.

# ANALYTICAL REPORT USEPA CLP FORM 1

Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 35132- 33

Location:

1650づ

346 づ

185000

821

Contact: Jennifer L. Rice

Phone: (616) 975-4500

CSB-1A-DD Data Qualifiers Units

C | Q | M

mg/kg dry

mg/kg dry

mg/kg dry

mg/kg dry

MS

MS

MS

MS

Lab Sample No: 295502

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total

7440-43-9 Cadmium, Total

7439-92-1 Lead, Total

Sampled by: BLM/MAC
Date Sampled: 12/14/01
Time Sampled: 14:19

Date Received: 12/17/01

Time Received: 09:15

(13/12/mor



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

35132-

Location:

Submittal Number:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-38A-A

Data Qualifiers

Units

C

Lab Sample No:

295503

Antimony, Total 7440-36-0 Arsenic, Total 7440-38-2

Cadmium, Total 7440-43-9

7439-92-1 Lead, Total

156

67

110

6200

mg/kg dry MS

MSmg/kg dry

MSmg/kg dry

mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

14:19

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-38A-B

Data Qualifiers

M

MS

Q

Units

Lab Sample No:

295504

7440-36-0 7440-38-2 Antimony, Total Arsenic, Total

7440-43-9

Cadmium, Total

7439-92-1

Sampled by: Date Sampled:

Time Sampled:

Date Received:

Time Received:

Lead, Total

大1.0 Uづ

7.9

<0.50

14

MS mg/kg dry
MS mg/kg dry

MS mg/kg dry

mg/kg dry

BLM/MAC

12/14/01

14:20

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

beech Grove, in

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-38A-C

Data Qualifiers

Units

C | Q | M

Lab Sample No:

295505

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total

7440-43-9 Cadmium, Total

7439-92-1

Lead, Total

月1.0 Uゴ 9.3

<0.50

MS mg/kg dry MS mg/kg dry

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

14:22

12/17/01 09:15

Chydron Chydron



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

Location:

Contact:

Jennifer L. Rice

35132-

Phone:

(616) 975-4500

CAS No.

CSB-38A-D

Data Qualifiers

Units

MS/MSD

С

) |

Lab Sample No:

295506

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total

7439-92-1 Lead, Total

≠1.0 ひろ ≠ 2.5 <0.50

**/** 12

J

MS mg/kg dry
MS mg/kg dry

MS mg/kg dry
MS mg/kg dry

Sampled by: Date Sampled:

Time Sampled:
Date Received:

Time Received:

BLM/MAC

12/14/01

14:23 12/17/01

09:15

Wyshing.

<sup>\*</sup> See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-38A-E

Data Qualifiers

Lab Sample No:

295507

7440-36-0

Antimony, Total Arsenic, Total

7440-38-2 Cadmium, Total 7440-43-9

7439-92-1 Lead, Total

6.2

8.6

6.8

319

MS mg/kg dry mg/kg dry MS

MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

14:27

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-13A-A

Data Qualifiers

Units

M Q

Lab Sample No:

295508

Antimony, Total 7440-36-0 Arsenic, Total 7440-38-2 7440-43-9 Cadmium, Total

Lead, Total 7439-92-1

64 2300

80

11

MS mg/kg dry MS mg/kg dry

MS

MS mg/kg dry

mg/kg dry

Sampled by:

Date Sampled:

Time Sampled: Date Received:

Time Received:

BLM/MAC

12/14/01 14:45

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132~

Location: Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-13A-B

Data Qualifiers

Units

Q

Lab Sample No:

295509

Antimony, Total 7440-36-0 Arsenic, Total 7440-38-2 7440-43-9

Cadmium, Total Lead, Total 7439-92-1

197 22 29

1070

mg/kg dry MS mg/kg dry MS MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled: Date Received:

Time Received:

BLM/MAC

12/14/01

14:46 12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-13A-C

Data Qualifiers

Units

Q

Lab Sample No:

295510

7440-36-0

Antimony, Total Arsenic, Total 7440-38-2

7440-43-9 7439-92-1

Cadmium, Total

Lead, Total

5.0

6.6

75

36

MS mg/kg dry

MS mg/kg dry

mg/kg dry MS

MS

mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

14:47

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-13A-D

Data Qualifiers

Units

Q M

Lab Sample No:

295511

7440-36-0

Antimony, Total

Arsenic, Total

7440-38-2 7440-43-9

Cadmium, Total

7439-92-1

Lead, Total

1.9

5.9

1.7 39

MS mg/kg dry

MS mg/kg dry

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

14:48 12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-13A-E

Data Qualifiers

Units

Q

Lab Sample No:

295512

7440-36-0

Antimony, Total Arsenic, Total 7440-38-2 Cadmium, Total 7440-43-9

7439-92-1

Lead, Total

2.9 J

6.0

0.99 27

MS mg/kg dry

MS mg/kg dry

MS mg/kg dry

mg/kg dry

MS

Sampled by: Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01 14:49

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Location:

Submittal Number:

35132- 33

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB7-121401 Data Qualifiers Units

> c | Q | M

Lab Sample No:

295513

7440-36-0 Antimony, Total Arsenic, Total 7440-38-2 7440-43-9 Cadmium, Total Lead, Total 7439-92-1

<10 <1.0 <0.2 <1.0

ug/L MS ug/L MS ug/L MS ug/L

MS

Sampled by:

Date Sampled: Time Sampled:

Date Received: Time Received: 12/14/01 14:58 12/17/01 09:15

BLM/MAC



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 35132- 33

Location:

Contact: Jennifer L. Rice

Phone: (616) 975-4500

CAS No. CSB-28A-A Data Qualifiers Units

C | Q | M

Lab Sample No: 295514

MS mg/kg dry Antimony, Total 5.0 7440-36-0 mg/kg dry MS 7440-38-2 Arsenic, Total 53 MS mg/kg dry 7440-43-9 Cadmium, Total 17 MS mg/kg dry 7439-92-1 Lead, Total 30

Sampled by: BLM/MAC
Date Sampled: 12/14/01
Time Sampled: 15:12
Date Received: 12/17/01

Date Received: 12/17/0: Time Received: 09:15

Myshor



Advanced GeoServices Corporation

Submittal Number:

35132- 33

Proj: RMC - Beech Grove, IN

Location: Contact:

Jennifer L. Rice

Subm: 12/13-14/01 Samples

Phone:

(616) 975-4500

CAS No.

CSB-28A-B

Data Qualifiers

Units

Lab Sample No:

295515

7440-36-0 Antimony, Total <1.0 | 7440-38-2 Arsenic, Total 5.1 | 7440-43-9 Cadmium, Total <0.50 | 7439-92-1 Lead, Total 13

| MS mg/kg dry | MS mg/kg dry | MS mg/kg dry | MS mg/kg dry

Sampled by:
Date Sampled:
Time Sampled:
Date Received:

Time Received:

BLM/MAC 12/14/01 15:15 12/17/01 09:15



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 35132-

Location:

Contact: Jennifer L. Rice

Phone: (616) 975-4500

CAS No. CSB-28A-C Data Qualifiers Units

C | Q | M

mg/kg dry

MS

Lab Sample No: 295516

 7440-36-0
 Antimony, Total
 <1.0</td>
 MS mg/kg dry

 7440-38-2
 Arsenic, Total
 7.9
 MS mg/kg dry

 7440-43-9
 Cadmium, Total
 <0.50</td>
 MS mg/kg dry

7439-92-1 Lead, Total 27 🕇

Sampled by: BLM/MAC
Date Sampled: 12/14/01
Time Sampled: 15:16

Date Received: 12/17/01

Time Received: 09:15

Wyshar



Advanced GeoServices Corporation

Submittal Number:

35132- 33

Proj: RMC - Beech Grove, IN

Location: Contact:

Jennifer L. Rice

Subm: 12/13-14/01 Samples

Phone:

(616) 975-4500

CAS No.

CSB-28A-D

Data Qualifiers C M Q

Lab Sample No:

295517

7440-36-0 Antimony, Total Arsenic, Total 7440-38-2 7440-43-9 Cadmium, Total

<1.0 6.5 <0.50

mg/kg dry MS MS mg/kg dry

Units

Lead, Total 7439-92-1

14

MS mg/kg dry MS mg/kg dry

Sampled by: Date Sampled:

Time Sampled: Date Received:

Time Received:

BLM/MAC 12/14/01

15:17

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-28A-E

Data Qualifiers

Units

C Q M

Lab Sample No:

295518

7440-36-0 7440-38-2

Antimony, Total Arsenic, Total

7440-43-9

Cadmium, Total

7439-92-1

Lead, Total

\$1.0 UJ

9.4

<0.50 16

mg/kg dry

MS mg/kg dry

MS

mg/kg dry MS

mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

15:11

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

M

CAS No.

CSB-28A-CD Data Qualifiers

Submittal Number:

Units

Q

Lab Sample No:

295519

3.0

Antimony, Total 7440-36-0 7440-38-2 Arsenic, Total Cadmium, Total 7440-43-9 Lead, Total 7439-92-1

9.1 <0.50 118 3 MS mg/kg dry MS mg/kg dry MS mg/kg dry MS mg/kg dry

Sampled by: Date Sampled:

Time Sampled: Date Received: BLM/MAC 12/14/01 15:36 12/17/01

Time Received:

. 09:15



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-30A-A

Data Qualifiers

Units

C Q M

Lab Sample No:

295520

7440-36-0

Antimony, Total Arsenic, Total

7440-38-2 7440-43-9 7439-92-1

Cadmium, Total

Lead, Total

63

30 乙

4.2 2360

mg/kg dry MS

mg/kg dry MS

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

15:42

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Location:

Submittal Number:

Contact:

Jennifer L. Rice

35132~

Phone:

(616) 975-4500

CAS No.

CSB-30A-B Data Qualifiers Units

Q M

Lab Sample No:

295521

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total 7439-92-1 Lead, Total

13 づ 1.3 366

14

| MS mg/kg dry | MS mg/kg dry | MS mg/kg dry | MS mg/kg dry

Sampled by: Date Sampled:

Time Sampled:
Date Received:
Time Received:

BLM/MAC 12/14/01 15:43 12/17/01 09:15



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB8-121401 Data Qualifiers

Units

C | Q | M

Lab Sample No:

295522

7440-36-0 7440-38-2

Antimony, Total Arsenic, Total

7440-43-9 7439-92-1 Cadmium, Total Lead, Total <10

<1.0 <0.2

<1.0

MS ug/L

MS

MS ug/L

MS ug/L

ug/L

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

15:44

12/17/01

09:15

Wyspans



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-30A-C

Data Oualifiers

Q

rs Units | M

Lab Sample No:

295523

7440-36-0 7440-38-2

Antimony, Total Arsenic, Total

7440-43-9 Cadmium, Total

7439-92-1 Lead, Total

7.0 ゴ 9.1 ゴ

0.83

243

MS mg/kg dry

MS mg/kg dry

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

15:48

12/17/01

09:15

Ash por



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132-33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-30A-D

Data Qualifiers

Units

Q

Lab Sample No:

295524

7440-36-0

Antimony, Total Arsenic, Total

7440-38-2 7440-43-9

Cadmium, Total

7439-92-1

Sampled by: Date Sampled:

Time Sampled:

Lead, Total

1.2

6.6 ゴ

<0.50

MS mg/kg dry

MS

MS mg/kg dry

mg/kg dry MS

mg/kg dry

32

BLM/MAC

12/14/01

15:49

12/17/01

09:15

Date Received: Time Received:



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-30A-E

Data Qualifiers

Units

Q

Lab Sample No:

295525

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total

7440-43-9 Cadmium, Total

7439-92-1 Lead, Total <1.0

6.6 ブ

<0.50

13 U

MS mg/kg dry MS mg/kg dry

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: BLM/MAC

12/14/01

15:51

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-10A-A

Data Qualifiers Units

Q

Lab Sample No:

295526

7440-36-0 Antimony, Total Arsenic, Total 7440-38-2

7440-43-9 Cadmium, Total

Lead, Total

7439-92-1

<sub>5.7</sub> づ

4.5 0.59

1780

MS mg/kg dry

MS mg/kg dry

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

16:13

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Location:

Submittal Number:

Contact:

Jennifer L. Rice

35132-

Phone:

(616) 975-4500

CAS No.

CSB-10A-B Data Qualifiers Units

C | Q | M

Lab Sample No:

295527

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total 7439-92-1 Lead, Total 31 5 6.1 1.3 1210

| MS mg/kg dry | MS mg/kg dry | MS mg/kg dry | MS mg/kg dry

Sampled by:

Date Sampled: Time Sampled:

Date Received: Time Received:

12/14/01 16:14 12/17/01 09:15

BLM/MAC



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

Location:

Contact:

Jennifer L. Rice

35132- 33

Phone: (616) 975-4500

CAS No.

CSB-10A-C

Data Qualifiers

Units

C | Q | N

Lab Sample No:

295528

7440-36-0 7440-38-2

Antimony, Total Arsenic, Total

7440-43-9 7439-92-1 Cadmium, Total Lead, Total 1720

433

132 256000 ブ MS mg/kg dry

MS mg/kg dry

MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

16:16

12/17/01

09:15

Myslagar



Advanced GeoServices Corporation

Submittal Number:

35132- 33

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Location: Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB9-121401 Data Qualifiers
C | Q | M

Units

ug/L

Lab Sample No:

295529

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total 7439-92-1 Lead, Total <10 <1.0 <0.2 <1.0

MS ug/L MS ug/L MS ug/L

MS

Sampled by:

Date Sampled:

Time Sampled:
Date Received:

Time Received:

BLM/MAC 12/14/01

16:18

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-30A-CD Data Qualifiers

Units

С M Q

Lab Sample No:

295530

Antimony, Total 7440-36-0

Arsenic, Total 7440-38-2 Cadmium, Total

7440-43-9 7439-92-1

Lead, Total

4.6

9.5 5

0.71

228

MS mg/kg dry

MS mg/kg dry

mg/kg dry MS

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

16:18

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone: (616) 975-4500

CAS No.

CSB-10A-D

Data Qualifiers

Units

Q M

Lab Sample No:

295531

7440-36-0 7440-38-2

Antimony, Total Arsenic, Total

7440-43-9

Cadmium, Total

7439-92-1

Lead, Total

4260 3

2730

527

MS mg/kg dry

MS mg/kg dry

MS mg/kg dry

mg/kg dry

475000

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

16:21

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132-33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-10A-E

Data Qualifiers

Units

Q M

Lab Sample No:

295532

7440-36-0

Antimony, Total Arsenic, Total

7440-38-2 7440-43-9

Cadmium, Total

7439-92-1

Lead, Total

6.7

7.1 び

0.61

253

MS mg/kg dry

MS

MS mg/kg dry

MS mg/kg dry

mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

16:22

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 35132- 33

Location:

Contact: Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-32A-A Data Qualifiers Units

Q

Lab Sample No:

295533

Antimony, Total 7440-36-0 Arsenic, Total 7440-38-2 7440-43-9 Cadmium, Total 7439-92-1

Lead, Total

MS mg/kg dry MS mg/kg dry mg/kg dry MS MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled: Date Received:

Time Received:

BLM/MAC 12/14/01

16:56

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-32A-B

Data Qualifiers

Units

Q

Lab Sample No:

295534

Antimony, Total 7440-36-0 Arsenic, Total 7440-38-2 Cadmium, Total 7440-43-9 7439-92-1

Lead, Total

1060 づ 199 47

90100

mg/kg dry mg/kg dry MS mg/kg dry MS

MS

mg/kg dry

Sampled by: Date Sampled: Time Sampled: Date Received: Time Received: BLM/MAC 12/14/01 16:57 12/17/01 09:15

<sup>\*</sup> See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Submittal Number:

35132- 33

Proj: RMC - Beech Grove, IN

Location: Contact:

Jennifer L. Rice

Subm: 12/13-14/01 Samples

Phone:

(616) 975-4500

CAS No.

CSB-32A-C

Data Qualifiers

Units

: | Q | M

Lab Sample No:

295535

| 7440-36-0 | Antimony, Total |   | 1010 J | 1 | MS | mg/kg dry |
|-----------|-----------------|---|--------|---|----|-----------|
| 7440-38-2 | Arsenic, Total  |   | 230    |   | MS | mg/kg dry |
| 7440-43-9 | Cadmium, Total  | F | 38     |   | MS | mg/kg dry |
| 7439-92-1 | Lead, Total     |   | 64000  |   | MS | mg/kg dry |

Sampled by:
Date Sampled:
Time Sampled:
Date Received:

Time Received:

BLM/MAC
12/14/01
16:58
12/17/01
Time Received:
09:15



<sup>\*</sup> See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Location:

35132- 33

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-32A-D

Data Qualifiers

Units

MS/MSD

Submittal Number:

Q

Lab Sample No:

295536

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total Cadmium, Total 7440-43-9 7439-92-1 Lead, Total

2.7 8.0 5 **\***<0.50 40

J

MS mg/kg dry MS mg/kg dry

MS mg/kg dry MS mg/kg dry

Sampled by: Date Sampled: Time Sampled: Date Received: Time Received: BLM/MAC 12/14/01 16:59 12/17/01 09:15

<sup>\*</sup> See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Location: Contact:

35132-

Subm: 12/13-14/01 Samples

Phone:

Submittal Number:

Jennifer L. Rice (616) 975-4500

CAS No.

CSB-32A-E Data Qualifiers

Units

Q

Lab Sample No:

295537

Antimony, Total 7440-36-0 Arsenic, Total 7440-38-2 7440-43-9 Cadmium, Total

<0.50

6.5 5

1.5

MS mg/kg dry MS mg/kg dry

7439-92-1 Lead, Total

20 U

mg/kg dry MS MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: BLM/MAC

12/14/01

17:01

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-10A-CD Data Qualifiers

Units

CIQI

Lab Sample No:

295538

7440-36-0 7440-38-2 Antimony, Total Arsenic, Total

7440-43-9 7439-92-1 Cadmium, Total Lead, Total 1520 づ

313 112

169000 づ

MS mg/kg dry

MS mg/kg dry

MS mg/kg dry

MS

mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

16:36

12/17/01

09:15

Chyphran Stranger



Advanced GeoServices Corporation

Submittal Number: 35132- 33

Proj: RMC - Beech Grove, IN

Location: Contact:

Jennifer L. Rice

Subm: 12/13-14/01 Samples

Phone:

(616) 975-4500

CAS No.

STRW-1

Data Qualifiers

Units

121401

C | Q | M

OII

Lab Sample No:

295539

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total 7439-92-1 Lead, Total 46 3

MS ug/L

11 / 811 MS ug/L MS ug/L

Sampled by:
Date Sampled:
Time Sampled:
Date Received:
Time Received:

BLM/MAC 12/14/01 17:30 12/17/01 09:15



<sup>\*</sup> See attached Statement of Data Qualifications.

### INORGANIC DATA VALIDATION SUMMARY

| Site Name:  Project Number:  Sampling Date(s):  Deechgrove R  98-478-05  12/14/01                                                                                                                                                              | mC_               |     | Laborat<br>Case /O | ory:<br>Order No.:                               | Irimatrix<br>35/32-34                                                                      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-----|--------------------|--------------------------------------------------|--------------------------------------------------------------------------------------------|
| Compound List: TAL Method: CLP SOW ILMO4. The following table indicates the data validation criteria.                                                                                                                                          | Priority I 40 CFR | 136 | problems i         | Appendix IX SW-846 Method 6020 dentified, and th | Other Pb Other  Other  e QA action applied.                                                |
| Data Validation Criteria:                                                                                                                                                                                                                      | accept            | FYI | qualify            | Comments                                         |                                                                                            |
| Holding Times  Initial Calibrations  Continuing Calibrations  CRDL Standards  Blank Analysis Results  ICP Interference Check Sample Recoveries  Duplicate Results  Field Duplicate Results  Spike Analysis Recoveries  Serial Dilution Results |                   |     | A'                 | CSB-loa                                          | > 110%, No associated sumples  -th  -th  va: lable for CSB-1A-F  ove to high analyte conc. |
| Laboratory Control Sample Results  Furnace AA QC Analysis  Quantitation/Detection Limits  Overall Assessment of Data  Other:                                                                                                                   | 7                 |     |                    | NA                                               |                                                                                            |
| Accept - No qualification required.                                                                                                                                                                                                            |                   |     |                    |                                                  |                                                                                            |

FYI - For your information only, no qualification necessary.

Qualify - Qualify as rejected, estimated or biased

NA - Not applicable.

NR - Not reviewed.

QA Scientist Matthew Potter/Aduli Date 2/18/02 3/19/202



Advanced GeoServices Corporation

Submittal Number:

Proj: RMC - Beech Grove, IN

Location:

Contact:

Jennifer L. Rice

35132-

Subm: December 14, 2001 Samples

Phone:

(616) 975-4500

CAS No.

CSB-1A-F Data Qualifiers Units

C | Q | M

Lab Sample No:

297370

| 7440-36-0 | Antimony, Total | 1.7   | MS | mg/kg dry |
|-----------|-----------------|-------|----|-----------|
| 7440-38-2 | Arsenic, Total  | 8.5   | MS | mg/kg dry |
| 7440-43-9 | Cadmium, Total  | 2.0   | MS | mg/kg dry |
| 7439-92-1 | Lead, Total     | × 170 | MS | mg/kg dry |

Sampled by:
Date Sampled:
Time Sampled:
Date Received:
Time Received:

BMG/MA 12/14/01 14:07 01/24/02 09:10

WP 2/8/07

<sup>\*</sup> See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 14, 2001 Samples

Submittal Number: 35132- 34

Location:

Jennifer L. Rice Contact:

Phone: (616) 975-4500

Data Qualifiers Units CSB-1A-G CAS No.

Q

Lab Sample No: 297371

mg/kg dry MS 7440-36-0 Antimony, Total 1.6 Arsenic, Total 5.6 MS mg/kg dry 7440-38-2 mg/kg dry Cadmium, Total MS 7440-43-9 <0.50

Lead, Total 65 7439-92-1

MS mg/kg dry BMG/MA Sampled by:

12/14/01 Date Sampled: 14:09 Time Sampled:

01/24/02 Date Received:

Time Received: 09:10



Advanced GeoServices Corporation

Subm: December 14, 2001 Samples

Proj: RMC - Beech Grove, IN

Location:

Submittal Number:

35132-

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-1A-H

Data Qualifiers

Units

Lab Sample No:

297372

7440-36-0 Antimony, Total Arsenic, Total 7440-38-2 7440-43-9

Cadmium, Total Lead, Total

2.0 6.0 <0.50

82

IJ

MS mg/kg dry MS mg/kg dry MS

mg/kg dry MS mg/kg dry

Sampled by:

7439-92-1

Date Sampled:

Time Sampled: Date Received:

Time Received:

BMG/MA

12/14/01

14:10 01/24/02

09:10



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 14, 2001 Samples

Submittal Number:

35132- 34

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-1A-I

Data Qualifiers

Units

c | Q | 1

Lab Sample No:

297373

7440-36-0 Antimony, Total

7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total

7440-43-9 7439-92-1

Lead, Total

1.4 5.7

<0.50

47

ן ט MS mg/kg dry

MS mg/kg dry

MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/MA

12/14/01

14:12

01/24/02

09:10

WP 2/18/02



Advanced GeoServices Corporation

Submittal Number:

35132-

Proj: RMC - Beech Grove, IN

Location: Contact:

Jennifer L. Rice

M

Subm: December 14, 2001 Samples

Phone:

(616) 975-4500

CAS No.

CSB-1A-J

Data Qualifiers

Units

Lab Sample No:

297374

Antimony, Total 7440-36-0 Arsenic, Total 7440-38-2 Cadmium, Total 7440-43-9 7439-92-1 Lead, Total

3..6 5.7 <0.50 144

mg/kg dry MS mg/kg dry MS

mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled: Date Received:

Time Received:

BMG/MA

12/14/01

14:13

01/24/02

09:10



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 14, 2001 Samples

Submittal Number:

35132- 34

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-10A-F

Data Qualifiers Units

el Q | M

Lab Sample No:

297375

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total 7439-92-1 Lead, Total

| MS mg/kg dry | MS mg/kg dry | MS mg/kg dry | MS mg/kg dry

Sampled by:
Date Sampled:
Time Sampled:
Date Received:
Time Received:

BMG/MA 12/14/01 16:25 01/24/02 09:10

MB 5/18/05



Advanced GeoServices Corporation

Submittal Number:

35132-

Proj: RMC - Beech Grove, IN

Location: Contact:

Jennifer L. Rice

Subm: December 14, 2001 Samples

Phone:

(616) 975-4500

CAS No.

CSB-10A-G Data Oualifiers

Units

C

Lab Sample No:

Antimony, Total

297376

7440-36-0

12

MS mg/kg dry

7440-38-2

28

MS mg/kg dry MS

7440-43-9 7439-92-1

Arsenic, Total Cadmium, Total Lead, Total

7.2 1090

mg/kg dry mg/kg dry MS

Sampled by:

Date Sampled:

12/14/01

BMG/MA

Time Sampled:

16:26

Date Received:

01/24/02

Time Received:

09:10



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 14, 2001 Samples

Submittal Number:

35132- 34

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-10A-H

Data Qualifiers Units

Lab Sample No:

297377

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total

7439-92-1 Lead, Total

1.8 11

11 5.1 101 [

MS mg/kg dry

MS mg/kg dry
MS mg/kg dry

mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:
Date Received:

Time Received:

BMG/MA

12/14/01

16:28

01/24/02

09:10

MB 3/18/02



Advanced GeoServices Corporation

Subm: December 14, 2001 Samples

Proj: RMC - Beech Grove, IN

Location:

35132- 34

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-10A-HD Data Qualifiers

Submittal Number:

Q

Lab Sample No:

297378

Antimony, Total 7440-36-0 7440-38-2 Arsenic, Total Cadmium, Total 7440-43-9 Lead, Total 7439-92-1

1.6 14 4.7

MS mg/kg dry MS mg/kg dry MS mg/kg dry

42

MS mg/kg dry

Units

Sampled by: Date Sampled: Time Sampled: Date Received: Time Received:

BMG/MA 12/14/01 16:48 01/24/02 09:10



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 14, 2001 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-10A-I

Data Qualifiers Units

С Q

Lab Sample No:

297379

7440-36-0 7440-38-2 Antimony, Total Arsenic, Total

7440-43-9 7439-92-1 Cadmium, Total Lead, Total

6.1

44 20

365

MS mg/kg dry

MS mg/kg dry

MS mg/kg dry
MS mg/kg dry

Sampled by: Date Sampled:

Time Sampled: Date Received:

Time Received:

BMG/MA 12/14/01

16:30

01/24/02

09:10

M 2/18/12



#### QUALITY CONTROL REPORT INITIAL AND CONTINUING CALIBRATION VERIFICATION USEPA CLP FORM 2A

SDG No. Batch No. 35132 -34

181639

Instrument ID

114

Parameter

Lead, Total

Ref. Cit.

EPA-200.8/6020

Matrix

WATER

Units

ug/L

| Verifica<br>QC Typ |   | True<br>Value | Amount<br>Found | %<br>Recovery | Acceptance<br>Window-% | Date     | Analyst |
|--------------------|---|---------------|-----------------|---------------|------------------------|----------|---------|
| ICV                | 1 | 100           | 97.6            | 98            | 90 - 110               | 01/28/02 | SMC     |
| CCV                | 1 | 50            | 49.3            | 99            | 90 - 110               | 01/28/02 | SPLM    |
| CCV                | 2 | 50            | 50.1            | 100           | 90 - 110               | 01/28/02 | SPLM    |
| CCV                | 3 | 50            | 50.1            | 100           | 90 - 110               | 01/28/02 | SPLM    |
| CCV                | 4 | 40            | 49.5            | 124           | 90 - 110               | 01/28/02 | SPLM    |

Stands attourned samples

AND 3/19/2002

### Beechgrove SERIAL DILUTIONS

| Run Date        | Analyte   | Lab ID     | Sample ID    | Initial Conc | Serial Dilution Conc      | % D   | IDL   | IDL*50 |
|-----------------|-----------|------------|--------------|--------------|---------------------------|-------|-------|--------|
| 01/28/2002      | As        | 297370     | CSB-1A-F     | 8.5          | 8.8                       | 4.54  | 0.097 | 4.85   |
|                 | Cd        |            |              | 2.00         | 1.93                      | 3.24  | 0.028 | 1.4    |
|                 | Pb        |            |              | 173.5        | 170.29                    | 1.87  | 0.029 | 1.45   |
| 01/29/2002      | Sb        | 297370     | CSB-1A-F     | 1.7          | 2.0                       | 14.78 | 0.061 | 3.05   |
| * Denotes that  | parameter | was qual   | fied because | %D was >10%  | % and both the Initial ar | nd    |       |        |
| Serial Dilution | Concentra | ations wer | e > IDL*50   |              |                           |       | _     |        |

MB 3/18/07

Site Name:

RMC Beech Grove

Project Number:

98-478-04

Field Duplicates

| Sample ID  | Analyte        | Units | Result | RPD   | Qualifier |
|------------|----------------|-------|--------|-------|-----------|
| CSB-10A-H  | Total Arsenic  | mg/kg | 11     |       |           |
| CSB-10A-HD |                | mg/kg | 14     | 24.00 |           |
|            | Total Antimony | mg/kg | 1.8    |       |           |
|            |                | mg/kg | 1.6    | 11.76 |           |
|            | Total Cadmium  | mg/kg | 5.1    |       |           |
|            |                | mg/kg | 4.7    | 8.16  |           |
|            | Total Lead     | mg/kg | 101    |       |           |
|            |                | mg/kg | 42     | 82.52 | *         |

Laboratory: Trimatrix

Duplicate Criteria: Aqueous matrices <30 % RPD; Soil/Solid matrices <40 %RPD.

<sup>\* -</sup> Denotes %RPD outside criteria.

NA - Duplicate relative percent difference cannot be calculated.

ND - Not detected.

## RMC BEECHGROVE

## Soil Sampling, 12/14/2001 Trimatrix# 351132-33 Project# 98-478-04

|                 |        |             |         |                 |       | Ar     | seni                                  | c   | Lea      | d     | Anti   | mon                                                          | y   | Cad    | lmiu                  | ım  |
|-----------------|--------|-------------|---------|-----------------|-------|--------|---------------------------------------|-----|----------|-------|--------|--------------------------------------------------------------|-----|--------|-----------------------|-----|
| Sample Location | Lab ID | Sample Date | Matrix  | Remarks         | Units | Result | Q                                     | RL  | Result Q | RL    | Result | $ \mathbf{Q} $                                               | RL  | Result | $ \mathbf{Q} $        | RL  |
| EB-1-121401     | 295476 | 12/14/2001  | Aqueous | Equipment Blank | ug/L  |        | U                                     | 1   | 1.4      | 1     |        | Ü                                                            | 10  |        | Ū                     | 0.2 |
| EB-2-121401     | 295477 | 12/14/2001  | Aqueous | Equipment Blank | ug/L  |        | U                                     | 1   | 2.1      | 1     |        | Ū                                                            | 10  |        | U                     | 0.2 |
| CSB-35A-A       | 295478 | 12/14/2001  | Soil    |                 | mg/kg | 154    |                                       | 6.3 | 70,400   | 1,250 | 1,280  | 34                                                           | 25  | 83     | pián C<br>Vácis       | 3.2 |
| CSB-35A-B       | 295479 | 12/14/2001  | Soil    |                 | mg/kg | 6.1    | ०उपूर<br>१९५५)                        | 1   | 279      | 6.3   | 5.3    |                                                              | 1   | 0.66   |                       | 0.5 |
| CSB-35A-C       | 295480 | 12/14/2001  | Soil    |                 | mg/kg | 408    |                                       | 13  | 350,000  | 6,250 | 3,150  | ħ.                                                           | 100 | 144    |                       | 13  |
| CSB-35A-D       | 295481 | 12/14/2001  | Soil    |                 | mg/kg | 6      |                                       | 1   | 285      | 6.3   | 4.9    |                                                              | 1   | 0.62   |                       | 0.5 |
| CSB-35A-E       | 295482 | 12/14/2001  | Soil    |                 | mg/kg | 6.3    |                                       | 1   | 499      | 13    | 3.9    |                                                              | 1   | 0.99   | 25 a 5.               | 0.5 |
| CSB-35A-F       | 295483 | 12/14/2001  | Soil    |                 | mg/kg | 6.3    |                                       | 1   | 69       | 1.3   | 1.7    | 1200<br>1200<br>1200<br>1200<br>1200<br>1200<br>1200<br>1200 | 1   |        | U                     | 0.5 |
| CSB-35A-G       | 295484 | 12/14/2001  | Soil    |                 | mg/kg | 6.6    | i i i i i i i i i i i i i i i i i i i | 1   | 156      | 3.2   | 6.3    |                                                              | 1   | 0.89   | उन्हें हैं<br>अब्दर्भ | 0.5 |
| CSB-35A-H       | 295485 | 12/14/2001  | Soil    |                 | mg/kg | 8.1    |                                       | 1   | 1,520 J  | 32    | 27     | J                                                            | 1   | 1.5    | j                     | 0.5 |
| CSB-35A-I       | 295486 | 12/14/2001  | Soil    |                 | mg/kg | 5.9    |                                       | 1   | 11       | 0.6   |        | U                                                            | 1   |        | U                     | 0.5 |
| CSB-35A-J       | 295487 | 12/14/2001  | Soil    |                 | mg/kg | 4.1    |                                       | 1   | 11       | 0.6   |        | Ü                                                            | 1   |        | U                     | 0.5 |
| CSB-35A-HD      | 295488 | 12/14/2001  | Soil    | FD of CSB-35A-H | mg/kg | 6.5    |                                       | 1   | 413 J    | 13    | 11     | J                                                            | 1   | 0.75   | J                     | 0.5 |
| CSB-26A-A       | 295489 | 12/14/2001  | Soil    |                 | mg/kg | 12     |                                       | 1   | 174      | 3.2   | 6.4    |                                                              | 1   | 46     | 33                    | 0.5 |
| CSB-26A-B       | 295490 |             |         |                 | mg/kg | 11     |                                       | 1   | 88       | 1.3   | 1.7    |                                                              | 1   | 40     |                       | 0.5 |
| CSB-26A-C       | 295491 | 12/14/2001  | Soil    |                 | mg/kg | 6.4    |                                       | 1   | 40       | 0.6   | 1      | ( ×                                                          | 1   |        | U                     | 0.5 |
| CSB-26A-D       | 295492 |             | Soil    | <u> </u>        | mg/kg | 6.2    |                                       | 1   | 25<br>23 | 0.6   |        | U                                                            | 1   | 0.54   | -5%                   | 0.5 |
| CSB-26A-E       | 295493 | 12/14/2001  | 1       |                 | mg/kg | 5.8    |                                       | 1_  | 23       | 0.6   |        | Ų.                                                           | 1   |        | U                     | 0.5 |
| EB-4-121401     | 295494 | 12/14/2001  | Aqueous | Equipment Blank | ug/L  |        | U                                     | 1   | Ū        | 1     |        | U                                                            | 10  |        | U                     | 0.2 |
| CSB-26A-CD      | 295495 |             |         | FD of CSB-26A-C | mg/kg | 5.5    |                                       | 1   | 30       | 0.6   | 1.5    |                                                              | 1   | 0.53   |                       | 0.5 |
| CSB-1A-A        | 295496 |             | Soil    |                 | mg/kg | 3.2    |                                       | 11  | 903      | 32    | 3.4    | 0.4                                                          | _1  |        | U                     | 0.5 |
| CSB-1A-B        | 295497 |             | Soil    |                 | mg/kg | 1.5    |                                       | _1  | 18       | 0.6   |        | U                                                            | 1   |        | U                     | 0.5 |
| CSB-1A-C        | 295498 | 12/14/2001  | Soil    |                 | mg/kg | 1.5    |                                       | _1  | 44       | 0.6   |        | U                                                            | 1   |        | U                     | 0.5 |
| CSB-1A-D        | 295499 | 12/14/2001  | Soil    |                 | mg/kg | 989    | 23                                    | _13 | 249,000  | 6,250 | 2,660  | J                                                            | 100 | 1,000  | J                     | 13  |
| CSB-1A-E        | 295500 | 12/14/2001  | Soil    |                 | mg/kg | 6.8    |                                       | 1   | 847      | 13    | 16     | J                                                            | 1   | 1.7    |                       | 0.5 |
| EB-5-121401     | 295501 | 12/14/2001  | Aqueous | Equipment Blank | ug/L  |        | U                                     | 1   | Ü        | 1     |        | U                                                            | 10  | _      | U                     | 0.2 |
| CSB-1A-DD       | 295502 | 12/14/2001  | Soil    | FD of CSB-1A-D  | mg/kg | 821    |                                       | 13  | 185,000  | 6,250 | 1,650  | J                                                            | 50  | 346    | J.                    | 13  |
| CSB-38A-A       | 295503 | 12/14/2001  | Soil    | <u></u>         | mg/kg | 67     | 10                                    | 6.3 | 6,200    | 125   | 156    | J                                                            | 2.5 | 110    | . 4.8                 | 6.3 |
| CSB-38A-B       | 295504 |             |         |                 | mg/kg | 7.9    |                                       | 1   | 14       | 0.6   |        | UJ                                                           | 1   |        | U                     | 0.5 |
| CSB-38A-C       | 295505 | 12/14/2001  | Soil    |                 | mg/kg | 9.3    |                                       | 1   | 22       | 0.6   |        | IJJ                                                          | 1   |        | U                     | 0.5 |
| CSB-38A-D       | 295506 |             | ·       |                 | mg/kg | 2.5    |                                       | 1   | 12       | 0.6   |        | UJ                                                           | 1   |        | U                     | 0.5 |
| CSB-38A-E       | 295507 | 12/14/2001  | Soil    |                 | mg/kg | 8.6    |                                       | 1   | 319      | 6.3   | 6.2    |                                                              | 1   | 6.8    |                       | 0.5 |

QA Scientist\_\_\_\_\_

#### RMC BEECHGROVE

### Sediment Sampling, 12/13/2001

Trimatrix# 351132-33 Project# 98-478-04

| Sample Location | Lab ID   | Sample Date | Matrix   | Remarks         | Parameter | Units | Result | Q | RL  |
|-----------------|----------|-------------|----------|-----------------|-----------|-------|--------|---|-----|
|                 | <u> </u> |             |          | 4               |           |       |        |   |     |
| R2SB-4A-A       | 295447   |             | Sediment |                 | Lead      | mg/kg | 2,490  |   | 63  |
| EB-1-121301     | 295448   | 12/13/2001  | Aqueous  | Equipment Blank | Lead      | ug/L  |        | U | 1   |
| R2SB-4A-B       | 295449   | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 874    |   | 13  |
| R2SB-4A-AD      | 295450   | 12/13/2001  | Sediment | FD of R2SB-4A-A | Lead      | mg/kg | 2,320  |   | 63  |
| R2SB-4A-C       | 295451   | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 1,420  |   | 32  |
| R2SB-3A-A       | 295452   | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 1,620  |   | 32  |
| R2SB-3A-B       | 295453   | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 1,410  |   | 32  |
| R2SB-3A-C       | 295454   | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 1,330  |   | 32  |
| EB-2-121301     | 295455   | 12/13/2001  | Aqueous  | Equipment Blank | Lead      | ug/L  |        | U | 1   |
| R2SB-2A-A       | 295456   | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 918    |   | 13  |
| R2SB-2A-B       | 295457   | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 4,120  |   | 63  |
| R2SB-2A-C       | 295458   | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 816    |   | 6.3 |
| R2SB-2A-AD      | 295459   | 12/13/2001  | Sediment | FD of R2SB-2A-A | Lead      | mg/kg | 996    |   | 13  |
| EB-3-121301     | 295460   | 12/13/2001  | Sediment |                 | Lead      | ug/L  | _      | U | 1   |
| R2SB-1A-A       | 295461   | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 2,250  |   | 32  |
| R2SB-1A-B       | 295462   | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 609    |   | 6.3 |
| R2SB-1A-C       | 295463   | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 4,230  |   | 32  |
| R2SB-1A-CD      | 295464   | 12/13/2001  | Sediment | FD of R2SB-1A-C | Lead      | mg/kg | 5,010  |   | 63  |
| R2SB-13A-A      | 295465   | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 2,910  |   | 32  |
| R2SB-13A-B      | 295466   | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 24     |   | 0.6 |
| R2SB-13A-C      | 295467   | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 11     |   | 0.6 |
| R2SB-52-A       | 295468   | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 300    |   | 3.2 |
| R2SB-52-B       | 295469   | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 5.7    |   | 0.6 |
| EB-5-121301     | 295470   | 12/13/2001  | Aqueous  | Equipment Blank | Lead      | ug/L  |        | Ū | 1   |
| R2SB-52-AD      | 295471   | 12/13/2001  | Sediment | FD of R2SB-52-A | Lead      | mg/kg | 338    |   | 6.3 |
| R2SB-53-A       | 295472   | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 499    |   | 6.3 |
| R2SB-53-B       | 295473   | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 58     |   | 0.6 |
| R2SB-53-BD      | 295474   | 12/13/2001  | Sediment | FD of R2SB-53-B | Lead      | mg/kg | 52     |   | 0.6 |
| EB-6-121301     | 295475   | 12/13/2001  | Aqueous  | Equipment Blank | Lead      | ug/L  | 2.6    |   | 1   |

QA Scientist Fe G. La

Date 4/16/2002



# **APPENDIX E Background Calculations and Soil Summary Analysis**



#### **Background Calculations and Soil Summary Analysis**

The naturally occurring levels of arsenic from the area where the Site is located were evaluated to determine how background compare to the USEPA Region IX industrial soil PRG for arsenic (cancer) of 2.7 mg/kg. Background sampling was conducted to determine a representative range of naturally occurring levels of arsenic. The samples were collected from a portion of the Citizen's Gas property located west of the Site, which is an area that was thought to be unaffected by Site activities. The soil samples were collected from four locations (R2BG-1 through R2BG-4) at two depth intervals; A and B at depths of 0-3 inches and 3-10 inches, respectively. The soil sampling locations are shown in Drawing 4-3.

The background concentrations of arsenic were calculated using the guidance from the RISC Technical Guide, Section 1.6 (IDEM, 2001). Background is the mean plus one standard deviation. The background calculations are provided in detail below. The coefficient of variation (CV) is also calculated (CV = standard deviation/mean) to determine if additional sampling or other measures were required. If the CV exceeded 1.2 then additional sampling or other measures would be required. As shown below the CV for surface and subsurface were both below 1.2 indicating that the data sets were adequate for determining background.

#### SURFACE BACKGROUND

| R2BG-1A | Arsenic | 9.8 mg/kg |
|---------|---------|-----------|
| R2BG-2A | Arsenic | 10 mg/kg  |
| R2BG-3A | Arsenic | 6.0 mg/kg |
| R2BG-4A | Arsenic | 3.1 mg/kg |

Mean = 7.23 mg/kg

Standard Deviation = 3.31 mg/kg

Coefficient of Variation = 0.46

Surface Background = 7.23 + 3.31 = 10.53 mg/kg

#### SUBSURFACE BACKGROUND

| R2BG-1B | Arsenic | 8.0 mg/kg |
|---------|---------|-----------|
| R2BG-2B | Arsenic | 7.2 mg/kg |
| R2BG-3B | Arsenic | 7.5 mg/kg |
| R2BG-4B | Arsenic | 6.6 mg/kg |



Mean = 7.33 mg/kg

Standard Deviation = 0.59 mg/kg

Coefficient of Variation = 0.08

Surface Background = 7.33 + 0.59 = 7.91 mg/kg

#### GROUNDWATER BACKGROUND

MW-9

9/22/2001

Total Arsenic

 $7.7 \mu g/L$ 

MW-9

12/10/2001

Total Arsenic

 $4.0~\mu g/L$ 

 $Mean = 5.85 \mu g/L$ 

Standard Deviation =  $2.62 \mu g/L$ 

Coefficient of Variation = 0.45

Groundwater Background =  $5.85 + 2.62 = 8.47 \mu g/L$ 

The groundwater background concentration for arsenic was calculated using the same technique outlined in the RISC Technical Guide (IDEM, 2001) as the soil background concentrations. With surface and subsurface arsenic background concentrations of 10.53 mg/kg and 7.91 mg/kg, any Site soil with equal or lesser concentrations can be attributed to naturally occurring background levels of arsenic. Any groundwater arsenic concentrations of 8.47  $\mu$ g/L can also be attributed to naturally occurring background levels of arsenic.

Reference:

Indiana Department of Environmental Management (IDEM), February 15, 2001, Risk Integrated System of Closure Technical Resource Guidance Document.

|                      |        |               |         | RMC Beech    |              | eie   |          |         |           |         |
|----------------------|--------|---------------|---------|--------------|--------------|-------|----------|---------|-----------|---------|
| North of CG Property |        |               | 1 11450 | II III I DOM | Data I mai,  | 313   |          |         |           |         |
|                      |        | 0-3 inch lead | 1       | 3.           | -10 inch lea | ad    | 0-3 inch | arsenic | 3-10 inch | arsenic |
| location             | <400   | <1000         | >1000   | <400         | <1000        | >1000 | <10.5    | >10.5   | <7.9      | >7.9    |
| R2SB-32              | 286    |               |         | 91           |              |       | 4.9      |         | 4.2       |         |
| 33                   | 202    |               |         | 67           |              |       | 6.3      |         | 5.7       |         |
| 34                   | 170    |               |         | 28           |              |       | 7.1      |         | 4.1       |         |
| 35                   | 191    |               |         | 79           |              |       | 3.7      |         | 4.7       |         |
| 36                   | 310    |               |         | 109          |              |       | 7.8      |         | 6.1       |         |
| 37                   | 366    |               |         |              | 509          |       | 9.2      |         | 8         |         |
| 38                   | 282    | ļ             |         | 175          |              |       | 6.5      |         | 5.2       |         |
| 39                   | 383    |               |         | 144          |              | ·     | 8.7      |         | 7.9       |         |
| 40                   |        | 422           |         | 50           |              |       | 6.9      | -       | 4         |         |
| 41                   | 172    |               |         | 128          |              |       | 5.96     |         | 5.9       |         |
| 42                   | 165    |               |         | 77           |              |       | 4.2      |         | 3.9       |         |
| 43                   | 250    |               |         | 201          |              |       | 7.4      |         | 7.4       |         |
| 44                   | 252    |               |         | 108          |              |       | 7.8      |         | 8.5       |         |
| 45                   | 140    |               |         | 85           |              |       | 7.3      |         | 6.2       |         |
| 46                   | 34     |               |         | 41           |              |       | 6.9      |         | 6.5       |         |
| 47                   | 45     |               |         | 25           |              | ,     | 6.7      |         | 9         |         |
| 48                   | 41     |               |         | 45           |              |       | 6.5      |         | 6.5       |         |
| 49                   | 47     |               |         | 117          |              |       | 8        |         |           | 9.7     |
| 50                   | 34     |               |         | 36           |              |       | 6.9      |         | 7         |         |
| number of samples    | 18     | 1             |         | 18           | 1            |       | 19       |         | 18        |         |
| arithmetic mean      | 187.22 | 422           |         | 89.22        | 509          |       | 6.78     |         | 6.16      |         |
| overall mean         |        | 199.58        |         |              | 111.32       |       |          |         |           |         |
| % samples            |        | 1.00          |         |              | 1.00         |       | 1.00     |         | 0.95      | 0.0     |

#### Note:

Citizens Gas samples include 5 locations (R2SB-1 through R2SB-4 and R2SB-13) that were sampled twice.

Only one sample from each interval was used in these calculations. Typically, results flagged as estimated (J values) were discarded.

|                      |        |               | Dhasa                                 | RMC Beech   |                | .:.   |          | <u> </u> |             |             |
|----------------------|--------|---------------|---------------------------------------|-------------|----------------|-------|----------|----------|-------------|-------------|
| North of CG Property |        | ·             | Phase                                 | II RFI Soil | Data Anaty     | S1S   |          |          | <del></del> |             |
| North of Cd Froperty |        | 0-3 inch lead | i                                     | 3           | -10 inch lea   | ıd    | 0-3 inch | arsenic  | 3-10 inch   | arsenic     |
| location             | <400   | <1000         | >1000                                 | <400        | <1000          | >1000 | <10.5    | >10.5    | <7.9        | >7.9        |
| R2SB-32              | 286    |               |                                       | 91          |                |       | 4.9      |          | 4.2         |             |
| 33                   | 202    |               |                                       | 67          |                |       | 6.3      |          | 5.7         | <del></del> |
| 34                   | 170    |               |                                       | 28          |                |       | 7.1      |          | 4.1         | ·           |
| 35                   | 191    |               |                                       | 79          |                |       | 3.7      |          | 4.7         |             |
| 36                   | 310    |               |                                       | 109         |                |       | 7.8      |          | 6.1         |             |
| 37                   | 366    |               |                                       |             | 509            |       | 9.2      |          | 8           |             |
| 38                   | 282    |               | · · · · · · · · · · · · · · · · · · · | 175         |                |       | 6.5      |          | 5.2         |             |
| 39                   | 383    |               |                                       | 144         |                |       | 8.7      | ·        | 7.9         |             |
| 40                   |        | 422           |                                       | 50          | _ <del>_</del> |       | 6.9      |          | 4           |             |
| 41                   | 172    |               |                                       | 128         |                |       | 5.96     |          | 5.9         |             |
| 42                   | 165    |               |                                       | 77          |                |       | 4.2      |          | 3.9         |             |
| 43                   | 250    |               |                                       | 201         |                |       | 7.4      |          | 7.4         |             |
| 44                   | 252    |               |                                       | 108         |                |       | 7.8      |          | 8.5         |             |
| 45                   | 140    | · -           | -                                     | 85          |                |       | 7.3      |          | 6.2         |             |
| 46                   | 34     | 1             |                                       | 41          |                |       | 6.9      |          | 6.5         |             |
| 47                   | 45     |               |                                       | 25          |                |       | 6.7      |          | 9           |             |
| 48                   | 41     |               |                                       | 45          |                |       | 6.5      |          | 6.5         | -           |
| 49                   | 47     |               |                                       | 117         |                |       | 8        |          |             | 9.7         |
| 50                   | 34     |               |                                       | 36          |                |       | 6.9      |          | 7           |             |
| number of samples    | 18     | 1             |                                       | 18          | 1              |       | 19       |          | 18          | 1           |
| arithmetic mean      | 187.22 | 422           |                                       | 89.22       | 509            |       | 6.78     |          | 6.16        |             |
| overall mean         |        | 199.58        |                                       |             | 111.32         |       |          |          |             |             |
| % samples            |        | 1.00          |                                       |             | 1.00           |       | 1.00     |          | 0.95        | 0.05        |

#### Note:

Citizens Gas samples include 5 locations (R2SB-1 through R2SB-4 and R2SB-13) that were sampled twice.

Only one sample from each interval was used in these calculations. Typically, results flagged as estimated (J values) were discarded.



# APPENDIX F Permeability and Grain Size Analysis Report

# GeoSystems Consultants,inc Fort Washington, Pa 19034


| Job No.  | 2001g731   | _Job Name:  | AGC: RMC-Beech Grove (#98-478-04) |
|----------|------------|-------------|-----------------------------------|
| Date     | 9/5/2001   | Reviewed By | ENM                               |
| File No. | 2001731ls8 | Page No.    | 1                                 |

| Laboratory Testing Assignment & Data Summ |
|-------------------------------------------|
|-------------------------------------------|

|             |               |                                                  |                                                  | Laborator        | y Testin                                         | g Assig                                          | nment 8                                          | & Data S                                         | ummai                                            | у                                                |                                                  |                                                  |                                                  |                |                |              |                                                  |
|-------------|---------------|--------------------------------------------------|--------------------------------------------------|------------------|--------------------------------------------------|--------------------------------------------------|--------------------------------------------------|--------------------------------------------------|--------------------------------------------------|--------------------------------------------------|--------------------------------------------------|--------------------------------------------------|--------------------------------------------------|----------------|----------------|--------------|--------------------------------------------------|
| Boring      | Sample        | Depth                                            | Water                                            | Atterberg Limits | Specific                                         | Sieve                                            | Hydro.                                           | Compact.                                         | Carbon-                                          | k                                                | K                                                | Consol.                                          | Uc                                               | UU             | CIU            | Organic      | рН                                               |
| No.         | No            | ft.                                              | Content,%                                        |                  | Gravity                                          |                                                  |                                                  | <u> </u>                                         | nate                                             | Test                                             | Test                                             | Test                                             | Test                                             | Test           | Test           | Content, %   |                                                  |
|             |               |                                                  | ASTMD                                            | ASTMD            | ASTMD                                            | AS                                               | rmd                                              | ASTMD                                            | ASTMD                                            | ASTMD                                            | ASTMD                                            | ASTMD                                            | ASTMD                                            | ASTMD          | ASTMD          |              |                                                  |
|             |               |                                                  | 2216                                             | 4318             | 854                                              | 4:                                               | 22                                               | 1557                                             | 3042                                             | 5084                                             | 2434                                             | 2435                                             | 2166                                             | 2850           | 4767           |              |                                                  |
|             |               |                                                  |                                                  |                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                |                | 1            |                                                  |
|             | MW-6SR        | 10.0-12.0                                        |                                                  | 40/17            |                                                  | Х                                                | Х                                                |                                                  |                                                  | *                                                |                                                  |                                                  |                                                  |                |                |              |                                                  |
|             | 1.            |                                                  |                                                  |                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                |                |              |                                                  |
|             | MW-6SR        | 16.0-18.0                                        |                                                  | 21/11            |                                                  | Х                                                | Х                                                |                                                  |                                                  | •                                                |                                                  |                                                  |                                                  |                | · · · · · · ·  |              |                                                  |
|             |               |                                                  |                                                  |                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  | T                                                |                                                  |                | l              |              |                                                  |
|             | MW-9S         | 22.0-24.0                                        |                                                  |                  |                                                  | Х                                                | Х                                                |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                |                |              | <del></del>                                      |
|             |               |                                                  |                                                  |                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                |                |              |                                                  |
|             | MW-7S         | 26.0-28.0                                        |                                                  |                  |                                                  | Х                                                | Х                                                |                                                  |                                                  |                                                  | 1                                                |                                                  |                                                  |                |                | 1            |                                                  |
|             |               |                                                  |                                                  |                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  | T                                                |                                                  |                |                |              |                                                  |
|             | MW-9S         | 24.0-26.0                                        |                                                  |                  |                                                  | Х                                                | Х                                                |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                |                |              |                                                  |
|             |               |                                                  |                                                  |                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                |                |              |                                                  |
|             |               |                                                  |                                                  |                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                |                |              |                                                  |
|             |               |                                                  |                                                  |                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                |                |              |                                                  |
|             |               |                                                  | <u> </u>                                         |                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                | <del></del>    |              |                                                  |
|             |               |                                                  |                                                  |                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                |                |              |                                                  |
|             |               |                                                  |                                                  |                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                |                |              |                                                  |
|             |               |                                                  |                                                  |                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                |                |              |                                                  |
|             | 1             |                                                  |                                                  |                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                |                | l ———        |                                                  |
|             |               |                                                  |                                                  |                  |                                                  |                                                  |                                                  | ļ — —                                            |                                                  |                                                  |                                                  | <del>                                     </del> |                                                  |                |                |              |                                                  |
|             |               |                                                  |                                                  |                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                |                |              |                                                  |
|             | 1             |                                                  |                                                  |                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                |                | <u> </u>     |                                                  |
|             |               |                                                  |                                                  |                  |                                                  |                                                  |                                                  | <u> </u>                                         |                                                  |                                                  | <del></del>                                      | <del>                                     </del> |                                                  | ļ              |                | <del> </del> | <del> </del>                                     |
|             | <del> </del>  |                                                  |                                                  |                  |                                                  |                                                  |                                                  |                                                  | <del> </del>                                     |                                                  | <del>                                     </del> |                                                  | 1                                                |                | <del> </del> - |              | <b></b>                                          |
|             | <del> </del>  |                                                  | <del>                                     </del> | <del> </del>     |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  | <del> </del>                                     |                                                  |                |                | <u> </u>     | <del> </del>                                     |
|             | +             | <del>                                     </del> | <del> </del>                                     | <u> </u>         |                                                  |                                                  |                                                  |                                                  |                                                  |                                                  | <del> </del>                                     | <del>                                     </del> | <del>                                     </del> | <del></del>    |                | <u> </u>     |                                                  |
|             | <del> </del>  | <del>                                     </del> | <del> </del>                                     | <del></del>      | <del> </del>                                     | <del></del>                                      | <b> </b>                                         | <del>                                     </del> |                                                  | <del></del>                                      |                                                  | <del> </del>                                     | <del> </del>                                     | <u> </u>       | <b></b>        | <del> </del> |                                                  |
|             | <del></del>   | <del> </del>                                     |                                                  | 1                |                                                  | · · · ·                                          |                                                  |                                                  |                                                  |                                                  | 1                                                | <del> </del>                                     | 1                                                |                | <del> </del>   | <u> </u>     | <del> </del>                                     |
|             | +             | <del> </del>                                     | <del> </del>                                     |                  | <b></b> -                                        |                                                  |                                                  |                                                  | <b> </b>                                         | <del> </del>                                     | <del> </del>                                     | <del>}</del>                                     | <del> </del>                                     | <del></del>    | <b></b>        | <del> </del> | <del>  </del>                                    |
| <del></del> | <del> </del>  |                                                  | <del> </del>                                     |                  | <del> </del>                                     | l                                                | <del>                                     </del> | <del>                                     </del> |                                                  |                                                  | <del>                                     </del> | <del> </del>                                     | <del> </del>                                     | <del></del>    | <del> </del>   | <del> </del> | <del> </del>                                     |
|             | <del> </del>  | <b> </b>                                         | ·                                                | 1                |                                                  | <u> </u>                                         | <del> </del>                                     | <del>                                     </del> |                                                  |                                                  | <del> </del>                                     |                                                  | <del> </del>                                     |                | <del> </del>   | <del> </del> | <del>  </del>                                    |
| <del></del> | <del></del>   | <del>                                     </del> |                                                  | <del> </del>     | <del> </del>                                     | <del>                                     </del> |                                                  | <del> </del>                                     | <del>                                     </del> | <del>                                     </del> | <del></del>                                      | <del> </del>                                     | <del> </del>                                     | <del> </del> - | <u> </u>       |              | <del>  </del>                                    |
| <b></b>     | +             | <del> </del>                                     | <del>}</del>                                     | <del> </del>     | <del>                                     </del> | <del> </del>                                     |                                                  | <del> </del>                                     | <del>                                     </del> | <del> </del>                                     | <del> </del> -                                   | <del> </del>                                     | <del> </del>                                     | <del> </del>   | <del> </del>   | <del> </del> | <del>                                     </del> |
|             | <del></del>   | <del> </del>                                     | <del> </del>                                     | <del> </del>     | <del> </del>                                     | <del> </del>                                     |                                                  | <del>                                     </del> | <del> </del>                                     | <del> </del>                                     | <del> </del>                                     | <del> </del>                                     | <del> </del>                                     | <del> </del>   | <del> </del>   | <del> </del> | <del> </del>                                     |
| <u> </u>    | <del>- </del> | <del> </del> -                                   | <del> </del>                                     | <del> </del>     | <del> </del>                                     | <del>                                     </del> | <del> </del>                                     | <del>                                     </del> | <del> </del>                                     | <del>                                     </del> | <del> </del> -                                   | <del> </del>                                     | <del> </del>                                     | <del> </del>   | <del> </del>   | <del> </del> | <del>  </del>                                    |
| <b></b>     |               | <u> </u>                                         | 1                                                | <u> </u>         | <u> </u>                                         | <u> </u>                                         | J                                                |                                                  | <del></del>                                      |                                                  | ــــــــــــــــــــــــــــــــــــــ           | L                                                | <u> </u>                                         | L              | 1              | I            |                                                  |

# GeoSystems Consultants Inc. Fort Washington , Pa.

| Job Name: | AGC: RMC-Be   | eech Grove (#98 | 3-478-04) |       | File No   | 2001731mah1    |                |           |
|-----------|---------------|-----------------|-----------|-------|-----------|----------------|----------------|-----------|
| Job No.   | 2001g731      |                 |           |       | Date      | 12-Sep-01      |                |           |
|           |               |                 |           |       | Cu        | Undefined      | Undefined      | Undefined |
| Dry Wt.   | 309.20        | 424.40          | 458.10    | ]     | Сс        | Undefined      | Undefined      | Undefined |
| Sieve     | Weight        | Weight          | Weight    | Sieve | Sieve     | %              | %              | %         |
| No.       | Retained      | Retained        | Retained  | No.   | Size , mm | Finer          | Finer          | Finer     |
| Sample No | MW-65R, 10-12 | MW-65R, 16-18'  |           |       |           | MW-65R, 10-12' | MW-65R, 16-18' |           |
| 3"        | 0.00          | 0.00            |           | 3"    | 76.00     |                |                |           |
| 2"        | 0.00          | 0.00            |           | 2"    | 50.80     |                |                |           |
| 1.5"      | 0.00          | 0.00            |           | 1.5"  | 38.10     |                |                |           |
| 1"        | 0.00          | 0.00            |           | 1"    | 25.40     |                |                |           |
| 3/4       | 0.00          | 0.00            |           | 3/4   | 19.00     |                | 100.00         |           |
| 1/2"      | 0.00          | 4.70            |           | 1/2"  | 12.70     |                | 98.89          |           |
| 3/8"      | 0.00          | 10.20           |           | 3/8"  | 9.50      | 100.00         | 97.60          |           |
| #4        | 1.40          | 26.70           |           | #4    | 4.75      | 99.55          | 93.71          |           |
| #10       | 7.00          | 54.00           |           | #10   | 2.00      | 97.74          | 87.28          |           |
| #20       | 1.60          | 4.20            |           | #20   | 0.850     | 95.78          | 82.69          |           |
| #40       | 3.90          | 9.80            |           | #40   | 0.430     | 92.97          | 76.58          |           |
| #60       | 7.80          | 16.10           |           | #60   | 0.250     | 88.21          | 69.71          |           |
| #100      | 13.10         | 23.20           |           | #100  | 0.150     | 81.73          | 61.97          |           |
| #200      | 19.30         | 31.60           |           | #200  | 0.072     | 74.16          | 52.80          |           |



| Boring/Sample No. | Depth | Water      | LL/PL        | Description                       |  |
|-------------------|-------|------------|--------------|-----------------------------------|--|
|                   | Ft.   | Content, % | %            |                                   |  |
| MW-65R            | 10-12 |            |              | Brownish gray silt with sand (ML) |  |
| MW-65R            | 16-18 |            |              | Light gray sandy silt (ML)        |  |
| MVV-05R           | 10-10 |            | <del> </del> | Light gray sandy silt (ME)        |  |

Grain-Size (mm)

0.100

0.010

0.001

1.000


100.000

10.000

## GeoSystems Consultants Inc.

Fort Washington , Pa.

| Job Name: | AGC: RMC-B | eech Grove (#98 | 3-478-04)  |       | File No   | 2001731mah3 |            |            |
|-----------|------------|-----------------|------------|-------|-----------|-------------|------------|------------|
| Job No.   | 2001g731   |                 |            |       | Date      | 12-Sep-01   |            |            |
|           |            |                 |            |       | Cu        | Undefined   | Undefined  | Undefined  |
| Dry Wt.   | 513.00     | 458.10          | 463.50     | ]     | Сс        | Undefined   | Undefined  | Undefined  |
| Sieve     | Weight     | Weight          | Weight     | Sieve | Sieve     | %           | %          | %          |
| No.       | Retained   | Retained        | Retained   | No.   | Size , mm | Finer       | Finer      | Finer      |
| Sample No | MW-7S      | MW-9S(S-1)      | MW-9S(S-2) |       |           | MW-7S       | MW-9S(S-1) | MW-9S(S-2) |
| 3"        | 0.00       | 0.00            | 0.00       | 3"    | 76.00     |             |            |            |
| 2"        | 0.00       | 0.00            | 0.00       | 2"    | 50.80     |             |            |            |
| 1.5"      | 0.00       | 0.00            | 0.00       | 1.5"  | 38.10     |             |            |            |
| 1"        | 0.00       | 0.00            | 0.00       | 1"    | 25.40     | 100.00      | 100.00     |            |
| 3/4       | 18.86      | 22.80           | 0.00       | 3/4   | 19.00     | 96.32       | 95.02      |            |
| 1/2"      | 32.80      | 34.00           | 0.00       | 1/2"  | 12.70     | 93.61       | 92.58      |            |
| 3/8"      | 35.20      | 35.70           | 0.00       | 3/8"  | 9.50      | 93.14       | 92.21      | 100.00     |
| #4        | 40.30      | 45.30           | 7.50       | #4    | 4.75      | 92.14       | 90.11      | 98.38      |
| #10       | 59.70      | 65.90           | 24.90      | #10   | 2.00      | 88.36       | 85.61      | 94.63      |
| #20       | 5.20       | 4.10            | 3.70       | #20   | 0.850     | 82.62       | 81.23      | 81.65      |
| #40       | 10.60      | 8.50            | 8.20       | #40   | 0.430     | 76.65       | 76.52      | 76.84      |
| #60       | 17.30      | 13.70           | 13.70      | #60   | 0.250     | 69.25       | 70.95      | 70.95      |
| #100      | 24.50      | 19.90           | 19.50      | #100  | 0.150     | 61.30       | 64.32      | 64.75      |
| #200      | 33.30      | 27.80           | 26.40      | #200  | 0.072     | 51.58       | 55.86      | 57.36      |



| Boring/Sample No. | ole No. Depth |            | LL/PL | Description                |  |
|-------------------|---------------|------------|-------|----------------------------|--|
|                   | Ft.           | Content, % | %     |                            |  |
| MW-7S             | 26-28         |            |       | Light gray sandy silt (ML) |  |
| MW-9S(S-1)        | 22-24         |            |       | Light gray sandy silt (ML) |  |
| MW-9S(S-2)        | 24-26         |            |       | Light gray sandy silt (ML) |  |

|              | GeoSystems Consultants Inc.        |
|--------------|------------------------------------|
| j            | Fort Washington , Pa.              |
| Job No:      | 2001G                              |
| Job Name:    | AGC; RMC-BEECH GROVE N(#98-478-04) |
| Date         | 9/10/2001                          |
| Reviewed By: | E.N.Manuel .                       |
| File No.:    | 2001731LK1                         |

## Summary Of Undistrubed Triaxial Variable -Head Permeability Tests ASTMD-5084

| Date        | Test     | Sample        | W.Co   | Liquid/     | Specific    | Dry          | So       | Оc       | W.C.f  | Sf           | k        |
|-------------|----------|---------------|--------|-------------|-------------|--------------|----------|----------|--------|--------------|----------|
| Tested      | No.      | Label         | %      | Plastic     | Gravity     |              |          | tsf      | %      | %            | cm/s     |
|             |          |               |        | Limit       |             | 7,1          |          |          |        |              |          |
|             |          |               |        |             |             |              |          |          |        |              |          |
| 09/08/01    | 1        | MW-65R        | 17.0   | N.T         | 2.74        | 114.7        | 94.7     | 0.72     | 17.9   | 99.7         | 4.90     |
|             |          | (10.0'-12.0') |        |             |             |              |          |          |        |              |          |
| 09/08/01    | 2        | MW-65R        | 10.2   | N.T         | 2.74        | 133.5        | 99.3     | 0.72     | 10.3   | 100.0        | 4.03     |
|             |          | (16.0-18.0)   |        |             |             |              |          |          |        |              |          |
|             | 3        |               |        |             |             |              |          | <u> </u> |        | L            |          |
|             | 4        | Note          | For MV | /_65R (16   | .0-18.0), f | ound a 2" to | 3" stone | in the K | sample | after tes    | t        |
|             | 5        |               |        |             |             |              |          |          |        |              |          |
|             | 6        |               |        |             |             | i            |          |          |        |              |          |
|             | 7        |               |        |             | <u> </u>    |              |          |          |        |              |          |
|             | 8        |               |        |             |             |              |          |          |        |              |          |
|             | 9        |               |        |             | ļ<br>       |              |          |          |        |              |          |
|             | 10       |               |        |             |             |              |          |          |        |              | <u> </u> |
|             | 11       |               |        |             |             |              |          |          |        |              |          |
|             | 12       |               |        |             |             |              |          |          |        |              |          |
|             | 13       | -             |        |             |             |              |          |          |        |              |          |
|             | 14<br>15 |               |        |             |             |              |          |          |        |              |          |
|             | 16       | <del></del>   |        | <del></del> |             |              |          |          |        |              | 4.       |
|             | 17       |               |        |             |             |              |          |          | !<br>  |              |          |
|             | 18       |               |        |             |             |              |          |          |        |              |          |
| <del></del> | 19       |               |        |             |             |              |          |          |        |              |          |
|             | 20       |               |        |             |             |              |          |          |        |              | <u> </u> |
| ,           | 21       |               |        |             |             |              |          |          |        |              |          |
|             | 22       |               |        |             |             | <del></del>  |          |          | ļ      |              |          |
|             | 23       |               |        |             |             |              |          |          |        |              |          |
|             | 24       |               |        |             |             |              |          |          |        |              |          |
|             | 25       |               |        |             |             |              |          |          |        |              |          |
|             | 26       |               |        |             |             |              |          |          |        |              |          |
|             | 27       |               |        |             |             |              |          |          |        |              |          |
|             | 28       |               |        |             |             |              |          |          |        |              |          |
|             | 29       |               |        |             |             |              |          |          |        |              |          |
|             | 30       |               |        |             |             |              |          |          | _      |              |          |
|             | 31       |               |        |             |             |              |          |          |        |              |          |
| <del></del> | 32       | <del>-</del>  |        |             | ·           |              |          |          |        | <del>}</del> |          |

Where:

W.C= Initial or Final Water Content

Yt= Initial Total Density

Yd= Initial Dry Density

Note: 1.Initial Hydraulic Gradient Used = 2

S = Initial or Final Degree of Saturation

Oc Effective Consolidation Pressure
K= Coeff.Of Permeability at 20 c

N.T- Not Tested



# PHASE II RCRA FACILITY INVESTIGATION REPORT

# Prepared for:

# REFINED METALS CORPORATION Beech Grove, Indiana

Prepared by:

ADVANCED GEOSERVICES CORP. Chadds Ford, Pennsylvania

Project No. 98-478-03 May 3, 2002



# TABLE OF CONTENTS

|     |                                 | PAGE NO.                                                                                                                             |
|-----|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| 1.0 | Introduct                       | on                                                                                                                                   |
|     | 1.1<br>1.2<br>1.3               | General                                                                                                                              |
| 2.0 | Facility E                      | ackground4                                                                                                                           |
|     | 2.1<br>2.2<br>2.3               | Facility Location                                                                                                                    |
|     |                                 | 2.3.1 Smelting       5         2.3.2 Refining       6         2.3.3 Wastewater Treatment       6         2.3.4 Storage Tanks       6 |
|     | 2.4                             | Regulatory History                                                                                                                   |
|     |                                 | 2.4.1 RCRA                                                                                                                           |
|     | 2.5                             | Nature and Extent of Contamination                                                                                                   |
|     |                                 | 2.5.1 Behavior Of Lead                                                                                                               |
| 3.0 | Site Setti                      | ng11                                                                                                                                 |
|     | 3.1<br>3.2<br>3.3<br>3.4<br>3.5 | Physical Setting11Regional Geology11Regional Hydrogeology12Site Specific Geology14Site Specific Hydrogeology14                       |
| 4.0 | Methods                         | and Procedures                                                                                                                       |
|     | 4.1<br>4.2                      | Introduction                                                                                                                         |



# TABLE OF CONTENTS (Continued)

| PAGE NO                                                                                                                            |                                  |          |
|------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|----------|
| Introduction1Drilling Methods1Well Construction1Well Development1                                                                  | 4.2.1<br>4.2.2<br>4.2.3<br>4.2.4 |          |
| dwater Sampling1                                                                                                                   | 4.3 Groun                        | 4        |
| Well Evacuation                                                                                                                    | 4.3.1<br>4.3.2                   |          |
| umpling                                                                                                                            | 4.4 Soil S                       | 4        |
| Phase I RFI and Closure Investigation Soil Sampling                                                                                | 4.4.1                            |          |
| 4.4.1.1 On-Site Soil Sampling                                                                                                      |                                  |          |
| Phase II RFI Soil and Sediment Sampling                                                                                            | 4.4.2                            |          |
| 4.4.2.1 On-Site Soil Sampling24.4.2.2 On-Site Sediment Sampling24.4.2.3 Off-Site Soil Sampling24.4.2.4 Off-Site Sediment Sampling2 |                                  |          |
| mental Survey                                                                                                                      | 4.5 Suppl                        | 4        |
|                                                                                                                                    | esults                           | 5.0 Resu |
| geologic Investigation                                                                                                             | 5.1 Introd<br>5.2 Hydro          | _        |
| Phase II RFI Well Installation                                                                                                     | 5.2.1<br>5.2.2                   |          |
| 5.2.2.1 September 2001 Sampling Event                                                                                              |                                  |          |
| Permeability Analysis                                                                                                              | 5.2.3                            |          |



# TABLE OF CONTENTS (Continued)

|                                   |                                                                                                                                                          | <u>PA</u>                                                   | <u>GE NO.</u> |  |  |  |  |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|---------------|--|--|--|--|
|                                   | 5.3                                                                                                                                                      | Soil Investigation                                          | 28            |  |  |  |  |
|                                   |                                                                                                                                                          | 5.3.1 On-Site Soil Results                                  | 28            |  |  |  |  |
| 6.0 Site Characterization Summary |                                                                                                                                                          |                                                             |               |  |  |  |  |
|                                   | 6.1<br>6.2                                                                                                                                               | Groundwater                                                 |               |  |  |  |  |
|                                   |                                                                                                                                                          | 6.2.1 On-Site Soil6.2.2 Off-Site Soil6.2.3 On-Site Sediment | 34            |  |  |  |  |
| 7.0                               | Conclusi                                                                                                                                                 | ons                                                         | 35            |  |  |  |  |
| 8.0 Interim Measures              |                                                                                                                                                          |                                                             |               |  |  |  |  |
|                                   |                                                                                                                                                          | <u>LIST OF TABLES</u>                                       |               |  |  |  |  |
| TAB                               | <u>sle</u>                                                                                                                                               |                                                             |               |  |  |  |  |
| 2-1<br>4-1<br>5-1<br>5-2<br>5-3   | Principle Materials Used On-Site Monitoring Well Construction Details Groundwater Analytical Results Soil Analytical Results Sediment Analytical Results |                                                             |               |  |  |  |  |



## **LIST OF FIGURES**

# **FIGURE**

- 2-1 Site Location Map
- 2-2 Site Plan
- 4-1 Site Monitoring Well Locations
- 4-2 **Sediment Sample Locations**
- 4-3 Soil Sample Location
- 5-1 Potentiometric Surface Map for Shallow Groundwater September 2001
- 5-2 Potentiometric Surface Map for Shallow Groundwater December 2001

# **LIST OF APPENDICES**

# **APPENDIX**

- Α **Boring Logs**
- В Data Validation Report of Soil Samples Collected August 21-27, 2001
- C Data Validation Report of Groundwater and Soil Samples Collected on September 22 and 24, 2001
- D Data Validation Report of Groundwater and Soil Samples Collected on December 10-14, 2001
- E Background Calculations and Soil Summary Analysis
- F Permeability and Grain Size Analysis Report



#### 1.0 INTRODUCTION

#### 1.1 GENERAL

The Refined Metals Corporation (RMC) facility was the location of secondary lead smelting operations from 1968 through 1995. RMC was involved in the reclamation of lead from used automotive and industrial batteries and other lead bearing materials. The Site ceased smelting operations on December 31, 1995.

During its operational life, the facility handled materials that were classified as hazardous materials or hazardous wastes under the Resource Conservation and Recovery Act (RCRA). At this time, the Site is idle except for the wastewater treatment system which remains in operation. The wastewater treatment system remains in place to collect and treat stormwater runoff from the lined lagoon and other site areas.

## 1.2 <u>PURPOSE</u>

On July 14, 1998, RMC entered into a Consent Decree with the United States Environmental Protection Agency (USEPA) and the Indiana Department of Environmental Management (IDEM). Under this Consent Decree, a RCRA Facility Investigation (RFI) is to be performed to evaluate and determine the full nature and extent of releases and to collect information necessary to support human health and ecological risk assessments so that a Corrective Measures Study may be implemented. Pursuant to Section VI, Paragraph 42 of the Consent Decree (Compliance Requirements for Corrective Action), Advanced GeoServices Corp. (AGC) has performed the RFI in accordance with the approved RFI work plans on behalf of RMC. The preparation and implementation of the RFI work plans were enacted in accordance with Exhibit B of the Consent Decree and the EPA's RCRA Facility Investigation Guidance Document (EPA 530/SW-89-031). The RFI was conducted in multiple phases. The results from the initial phase of sampling were presented in the Phase I RFI Report dated August 31, 2000. Based on the results of the Phase I RFI



and as required by the EPA after the Phase I RFI Report was submitted, a Phase II RFI Work Plan was submitted to the EPA on December 20, 2000. In response to comments on the Phase II RFI Work Plan issued by the EPA on April 3, 2001, revisions to the Phase II RFI Work Plan were submitted to the EPA on June 27, 2001. The EPA approved the Phase II RFI Work Plan on July 13, 2001. Additional site sampling was conducted during a closure investigation to address three former RCRA-regulated solid waste managements units (SWMUs). The results of the SWMU closure investigation were presented by AGC in the Closure Investigation Report dated June 1, 2001.

This Phase II RFI Report presents a summary of pertinent Phase I RFI activities and details the results of the Phase II investigation conducted from July 2001 through April 2002. The information contained in this report cites the findings of the RFI regarding the presence, magnitude, extent and mobility of hazardous waste and hazardous constituents on and beneath the former site area and adjacent off-site areas that may have originated from the RCRA permitted hazardous waste or solid waste management units at the Site.

In conjunction with the Phase II RFI, additional sampling was conducted as a part of the SWMU Closure Investigation. The results of this sampling are presented under separate cover.

# 1.3 ORGANIZATION

This document contains a description of the field activities associated with the implementation of the Phase II RFI work plan and the results of the laboratory analysis of the samples collected during the Phase II RFI. This document is organized as follows:

- Section 1.0 General introduction provided above;
- Section 2.0 Facility Background, including ownership and operational history as well as a discussion of the nature of contamination;



- Section 3.0 Site Setting, provides a physical description of the Site including geologic and hydrogeologic characteristics;
- Section 4.0 Methods and Procedures, details the scope of work conducted as part of the Phase II RFI;
- Section 5.0 Results, presents the analytical results of the samples collected during the Phase II RFI field activities;
- Section 6.0 Site Characterization Summary, summarizes the characteristics of site groundwater, soil and sediment with respect to the constituents addressed by the RFI;
- Section 7.0 Presents the Conclusions that may be drawn from the findings of the RFI; and
- Section 8.0 Interim Measures.



#### 2.0 FACILITY BACKGROUND

A detailed description of facility background was provided in the Phase I RFI Report. A brief summary is provided herein for those readers not familiar with that report.

#### 2.1 FACILITY LOCATION

The RMC facility is located at 3700 South Arlington Avenue in Marion County, Beech Grove, Indiana, approximately four miles south-southeast of downtown Indianapolis (Figure 2-1). The Site occupies approximately 24 acres, of which approximately 10 acres represented the active manufacturing area (including paved areas and buildings). The remaining 14 acres includes grassed and wooded site areas. The configuration of the Site is triangular, bounded by Arlington Avenue (oriented in a north to south direction representing the hypotenuse), Big Four Road (along the base), and the common property line with a natural gas company forming the third side. The northwest end of the triangle is truncated by a railroad right-of-way (Figure 2-2).

The Site is relatively flat with less than 10 feet of total relief. Natural site drainage is toward the north and east. The former manufacturing area is characterized by nearly 80,000 square feet (sf) of structures. The site plan is illustrated in Figure 2-2.

The ground surface surrounding the buildings is currently paved (primarily with concrete). Older facility photographs indicate that areas northwest and northeast of the main facility structure were unpaved except for a concrete driveway, which encircled the facility. Stormwater runoff is conveyed to the wastewater treatment plant for processing.

## 2.2 OWNERSHIP HISTORY

The Site was reportedly undeveloped woodlands until 1968. In 1968, the property was developed as a secondary lead smelter by National Lead. National Lead operated the facility from 1968 through



1980, when it was sold to Exide Corporation. In 1985, the Site was purchased from Exide Corporation by RMC. RMC continued to operate the facility until the cessation of operations on December 31, 1995. From April 14, 1995 through December 31, 1995, operations were reduced to enriching and casting lead ingots from off-specification lead products. Since 1996, no production has taken place at the facility except for operation of the wastewater treatment facility, which is still used to treat stormwater runoff from the former manufacturing areas.

# 2.3 OPERATIONAL HISTORY

# 2.3.1 Smelting

The facility was constructed as a secondary lead smelter to recycle lead-acid batteries and other lead-bearing wastes. Prior to 1984, battery crushing was performed off-site at other commercial facilities. In 1984, the battery breaker was constructed on-site. One blast furnace and one dust furnace were used at the facility. During operation, the blast furnace used coke and oxygen-enriched air for heating.

Prior to 1984, storage piles were located outdoors with minimal spill and runoff control. The majority of stormwater runoff from the piles and other work areas flowed and/or was pumped to the stormwater lagoon where it was allowed to evaporate. However, when the lagoon was full, it overflowed to a drainage ditch that flowed off-site toward the east. A small portion of the drainage from the active manufacturing area flowed uncontrolled toward the wooded area to the north, and then along an intermittent stream to the north. During 1984, the material storage building was constructed and the waste piles were moved inside. Reportedly, material was occasionally stored outside after 1984 when the material storage building was full.



## 2.3.2 Refining

Molten lead from the blast furnace was tapped from the bottom of the furnace to kettles in the adjacent refining and casting area. In the kettles, the molten lead was tested to determine its quality. Antimony and tin were either added or removed to create the required lead type and quality. A list of principle materials used on-site is provided on Table 2-1.

#### 2.3.3 Wastewater Treatment

With the installation of the battery crusher in 1984, waste sulfuric acid, and acidic and lead-bearing wastewater was actively collected for treatment through a batch neutralization process. During 1988, the Site was also re-graded and stormwater drainage modified to allow the collection and treatment of all stormwater runoff from the active manufacturing areas. Wastewater effluent is discharged to the Municipal Sanitary Sewer system which conveys the wastewater for treatment at the City of Indianapolis PQTW.

# 2.3.4 Storage Tanks

Reportedly, underground storage tanks (USTs) were never used at the Site. Three above ground storage tanks (ASTs) - two 10,000-gallon ASTs and one 20,000-gallon AST - were used to store diesel fuel for company trucks. The tanks were reportedly cleaned out in 1985 and have since been out of service. The three ASTs are located at the northeast end of the former manufacturing area as shown on Figure 2-2.

A leak in a valve of one of the now out-of-service diesel tanks occurred around 1983, resulting in a spill of unknown volume outside of the containment wall. A portion of the spill flowed along the drainage ditch located north of the refining area. The contaminated soil was excavated and the tanks were emptied. Although documentation of the spill and subsequent response action is not available, the soil clean-up was reportedly conducted under state supervision.



## 2.4 <u>REGULATORY HISTORY</u>

#### 2.4.1 RCRA

As stated above, following the promulgation of RCRA, the facility submitted a Part A RCRA permit application. On November 19, 1980 the facility was granted Interim Status as a hazardous waste treatment, storage and disposal facility. The RCRA Subtitle C units included indoor and outdoor waste piles (used to store batteries and lead-bearing wastes), and the 750,000-gallon concrete lined lagoon. A Part B application was submitted during the mid-1980s, although full RCRA permitted status was never granted. The EPA maintains that interim status was lost on November 8, 1985 as a result of RMC's alleged failure to comply with Section 3005(e)(2) of RCRA, 42 U.S.C. 6925(e)(2); RMC did not agree with this allegation.

RMC submitted a revised Part A application on October 26, 1988 requesting an increase in the storage volume for spent batteries from 200 cubic yards (cy) to 400 cy. The request was granted on September 20, 1989. A subsequent revised Part A application was submitted to IDEM on December 7, 1990 for increasing the storage volume of spent batteries from 400 cy to 500 cy. IDEM denied the increase. RMC filed for a stay and was granted interim status to store 400 cy, however, IDEM approved the revised Part A application on June 3, 1991 with the provision that it did not grant interim status under RCRA. The Part B application was not resubmitted. In 1994, the facility withdrew its Part A and Part B permit applications.

The following enforcement actions were identified for the facility:

- Notice of Violation April 13, 1982;
- Notice of Violation July 30, 1982;
- Complaint Order (N-283) December 13, 1985;
- Notice of Violation (V-442) February 16, 1987; and
- Letter of Warning March 26, 1987.



EPA filed a complaint in Federal Court against the RMC facility on November 21, 1990. The complaint requested the court to order RMC to cease its operations as a hazardous waste treatment, storage, and disposal facility, to submit a closure plan, prepare and implement a plan to investigate the nature and extent of hazardous waste constituents released from the facility and the effects on groundwater, to prepare a plan for remediation of contamination in and around the facility, and to pay a fine for each violation. The complaint indicates that the EPA had issued a "Determination of Release of Hazardous Waste into the Environment from a RCRA Interim Status Facility" on or about May 5, 1989. Negotiations ensued between RMC and the EPA concerning the deficiencies. A draft Consent Decree was also being negotiated between RMC and the USEPA which was ultimately lodged on July 14, 1998 (Civil Action #IP902077C). This Phase II RFI Report is being submitted under the requirements of that Consent Decree.

#### 2.4.2 CERCLA

A site inspection was performed under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) in 1980. In 1985, a preliminary assessment was performed under CERCLA. No further action was planned under CERCLA at that time.

# 2.5 NATURE AND EXTENT OF CONTAMINATION

#### 2.5.1 Behavior Of Lead

A number of the materials formerly used at the facility have toxic characteristics; however; the principal material of concern is lead. Lead is a common metal and can be found at an average concentration in excess of 30 ppm in natural soils and 1-10 µg/l in surface water. Most lead salts are fairly insoluble in water; however, the solubility depends on the pH, with solubility increasing in more acidic conditions. Movement of lead in soils depends on its adsorption, chelation with organic matter, and the precipitation of the less soluble salts. In general, lead reacts with soil anions or clays to form insoluble complexes, inhibiting its mobility. Lead can be ingested or absorbed by



inhalation. Poisoning from acute exposure to lead is uncommon. The primary toxic effects from chronic exposure are on the blood and the nervous system.

## 2.5.2 Discussion Of Source Areas

Facility inspection reports identified poor housekeeping, storage of materials on unpaved surfaces, spillage in a baghouse, and runoff/runon control for the outdoor waste piles as situations which could aid migration from the paved site area.

Based on the documented operating history and an understanding of the character of lead mobility and transport, the most significant potential sources of contamination at the facility during its operating history were erosion and transport of lead-bearing solids from outdoor waste piles and other areas by stormwater runoff (prior to re-engineering of site drainage to contain all runoff from the manufacturing area), fugitive dust emissions from traffic and production areas, unpaved outdoor waste pile areas (north and west of the material storage building), and stack emissions. Based on original facility grading, transport and deposition of lead-bearing sediment from the facility could have occurred in areas northeast and east of the Battery Breaker building prior to containment of site stormwater runoff. The lined stormwater lagoon and the channels that received lagoon overflow represent potential source areas. In addition, those areas that were either unpaved or not covered by a building within the active manufacturing areas could represent an area where lead contaminated sediment or materials could have accumulated and were subsequently covered with pavement or a structure. The fugitive dust and stack emissions could have resulted in the deposition of lead on the ground surface within and beyond the manufacturing area.

During the preparation of the Phase I RFI Work Plan, AGC performed a review of RMC files to identify previous sampling activities. The file review indicated that previous sampling of environmental media at the facility was limited to an investigation of soils and building interiors performed by Entact, Inc. during April 1996 and quarterly groundwater sampling performed by RMC since June 1991. The groundwater samples were not collected using the low flow sampling



techniques, and potential discrepancies exist between the total and dissolved analytical results (some dissolved concentrations are higher than the total concentrations). Therefore, the data provided by these samples proved to be insufficient in performing an evaluation of the RMC facility. Information and results for the soil samples collected by USEPA, as referenced in the Consent Decree, could not be located.

Floor dust sample results for the warehouse and refining building, collected by Entact, indicated the highest concentration of lead was 129,707 parts per million (ppm). Lead in floor dust samples ranged from 51,702 to 129,707 ppm. Soil samples collected at varying depths beneath the floor slab in the warehouse, refining, and furnace room building had results ranging from non-detect to 2,950 ppm. Floor dust sample results collected from the furnace room, the battery breaker building, and the material storage building indicated lead concentrations ranging from 10,073 to 115,736 ppm. Soil samples collected from varying depths beneath the slab in the material storage building and battery breaker building had lead concentrations ranging from non-detect to 75,373 mg/kg. Surface soil samples collected from outside of the buildings indicated lead concentrations from 43 mg/kg to 70,406 mg/kg. Subsurface samples of varying depths ranged from non-detect to 22,793 mg/kg. The highest lead concentrations were located within the former active manufacturing areas of the Site.

In addition to the Entact samples, soil samples were reportedly collected and analyzed by the EPA. The samples reportedly failed EP Toxicity tests for lead and cadmium. The date of the sampling and the locations where the soil samples were collected from could not be determined.



#### 3.0 SITE SETTING

#### 3.1 PHYSICAL SETTING

The Site is located in the White River Drainage Basin. The Site is situated on a minor local topographic high with a surface elevation of approximately 845 feet above mean sea level (msl). The surface elevation slopes gently to the southeast toward Sloan Ditch, and the northwestern perimeter of the Site slopes to the northwest toward the intermittent headwaters of Beech Creek. Surface water at the Site is collected in the stormwater management basin and is treated and discharged to the municipal sewer system.

Prior to construction of the present-day stormwater collection and control system, surface water from the northern portion of the facility flowed to the intermittent stream that flows northwest to the headwaters of Beech Creek. Surface water from other areas on the Site historically flowed to the same location as the present-day (geomembrane lined) stormwater basin, which was reportedly concrete lined. Water collected in this impoundment either evaporated, or when full, overflowed the banks to a drainage ditch that flowed off-site to the east (Figure 2-2) and then to the south, eventually discharging to Sloan Ditch. Sloan Ditch flows 0.6 mile west-southwest to Churchman Creek, which flows to the west 0.9 mile and discharges to Beech Creek. Beech Creek flows 1.2 miles to the southwest to Lick Creek, which then flows 7 miles to the White River.

#### 3.2 <u>REGIONAL GEOLOGY</u>

The surficial geology of Marion County is glacial till (Tipton Till Plain) consisting of yellowish-gray, bluish-gray, or gray sand or silt with some clay and pebbles and scattered cobbles and boulders. The drift cover in Marion County is believed to be composed of three drift sheets resulting from the Kansan, Illinoian, and Wisconsin glaciations. Till thicknesses range from less than 15 feet to greater than 400 feet. The Site is underlain by approximately 200 feet of unconsolidated material.



Bedrock is encountered at an elevation of approximately 640 feet mean sea level (on the order of 200 feet bgs), and consists of middle Devonian-aged dolomitic limestones. The limestones consist primarily of the Geneva Dolomite and the Jefferson Limestone. The Geneva Dolomite is a light gray to tan and buff to chocolate brown dolomite that contains white crystalline calcite masses. The Jeffersonville Limestone is a pure limestone in the upper portion of the formation, and is laminated with organic material in the lower portion. The organic laminae are more argillaceous than the coralline zone (Harrison, 1963). Meyer, 1975 indicates that shale is present beneath the glacial till and overlying the limestones. Additional detail on the shale unit is not provided by Meyer. The regional dip is to the southwest so that progressively younger formations are encountered below the till plain to the southwest.

# 3.3 <u>REGIONAL HYDROGEOLOGY</u>

In Marion County, groundwater is encountered in un-named sand and gravel beds overlying the bedrock, the Jefferson Limestone and Geneva Dolomite, and the Niagaran Limestones (Harrison, 1963). The sand and gravel glacial outwash that coincides with the courses of the White River and Fall Creek is the aquifer of greatest economic importance in Marion County. The location of this aquifer generally coincides with the glacial melt water and outwash deposits along the major streams. Fall Creek enters White River upstream of the Site. The White River sand and gravel aquifer is located approximately 5.3 miles west of the Site. The sand and gravel aquifer is unconfined and flows toward and discharges to the surface water bodies. The hydraulic conductivity was determined for sand, sand and gravel, and gravel by Meyer, 1975 and are as follows:



Sand

40 ft/day

Sand and Gravel

240 ft/day

Gravel

415 ft/day

The hydraulic conductivity of the silt and clay was determined to be too low for reporting purposes by Meyer. Specific capacity and lithologic information used in Meyer's hydraulic conductivity calculations of the sand and gravel glacial outwash deposits were obtained from drillers' records.

It is noted by Meyer that three thin, areally discontinuous, sheet-like deposits of sand and gravel in the till-plain area are separated by beds of silt and clay that cause the groundwater in these deposits to be semi-confined. Meyer also notes that large areas of silt and clay often separate one area of an aquifer from another. The elevation of the uppermost semi-confined aquifer beneath the Site was estimated to be approximately 720 ft msl (approximately 120 feet bgs) and is overlain by deposits of varying thickness of silt and clay. Groundwater flow in the uppermost regional semi-confined aquifer is to the northwest. The middle regional semi-confined aquifer is not mapped beneath the Site because an aquitard (clay unit) is mapped in the area. The elevation of the lower regional semi-confined aquifer beneath the Site is approximately 660 ft msl (180 ft bgs) and flow is to the southeast.

The average daily industrial and municipal groundwater pumpage for Marion County is 28.95 million gallons per day (mgpd). Less than 20 percent of the industrial/municipal pumpage is from the bedrock. Also, less than 20 percent of the total pumpage is obtained outside the unconfined glacial-outwash aquifer which occurs only along the White River and Fall Creek and is located at least 5.3 miles west of the Site. The major centers of groundwater pumpage occurred within approximately one mile of a major stream. The estimated total domestic groundwater pumpage is 9.0 to 11.0 mgpd (Meyer 1975).



#### 3.4 SITE SPECIFIC GEOLOGY

Based on results of the RFI activities, the surficial geology at the Site is consistent with the regional geology described in Section 3.2. Four deep borings identified as MW-1D, MW-2D, MW-3D and MW-6D were advanced on-site to depths ranging from 110 feet to 130 feet bgs during the Phase I RFI to characterize subsurface conditions. Borings MW-2D and MW-6D were subsequently converted into monitoring wells as discussed in Section 3.5. From these four borings it was determined that a substantial thickness of unconsolidated silt, clay and fine sands exist beneath the Site. The logs for these four deep borings were included in Appendix A of the Phase I RFI Report. The thickness of the till plain beneath the Site is at least 130 feet as bedrock was not encountered in any of the deep borings.

Various portions of the Site have been altered due to plant operation activities. Several topographic high mounds in the wooded area northeast of the manufacturing area and adjacent to the intermittent stream are believed to be fill material from on-site construction activities. Similarly, paved areas and areas below the structures on-site have been filled with gravel of thicknesses ranging from 6 to 12 inches.

#### 3.5 SITE SPECIFIC HYDROGEOLOGY

Shallow groundwater encountered at the Site is believed to represent a local perched zone of saturation in sand layers within the glacial till. AGC reviewed the logs of the four deep borings advanced during the RFI and the five shallow boring logs advanced prior to installation of site monitoring wells MW-1 through MW-5 in 1991 (see Appendix A). The boring logs indicate that this sand layer varies in thickness and elevation throughout the Site. The potentiometric surface for the groundwater on-site is approximately 10 feet bgs, and flow in the shallow on-site wells appears to be to the southeast. Boring logs for the deep borings on-site indicate that a substantial thickness of silt and clay is deposited below the shallow zone of saturation and overlies the regional uppermost semi-confined water bearing zone. The regional uppermost semi-confined aquifer was not



encountered in any of the deep borings. Two of the deep borings were terminated at a depth of 130 feet bgs, as specified in the Phase I RFI Work Plan.

The deep wells completed on-site for the Phase I RFI (MW-2D and MW-6D) were set in a middle perched zone located 75 to 85 feet below grade. It should be noted that these borings were advanced to 110 and 123 feet below grade, respectively, and did not encounter the regional upper-most semi-confined aquifer. Groundwater sampling results for the middle aquifer indicated a total lead concentration below the EPA Action Level of 15 µg/l in the samples collected during the Phase I RFI. Arsenic was encountered in both wells during both rounds of sampling. Similar to the elevated levels of arsenic in soil in the region, it is believed that the concentrations encountered are representative of regional background levels and not impacts from former facility operations. This middle perched zone was not encountered throughout the entire site and is laterally discontinuous.

Due to the substantial layers of silt and clay combined with the areal discontinuity of the regional uppermost semi-confined aquifer it is believed that there is no direct hydraulic connection between the shallow and middle aquifers and the regional uppermost semi-confined aquifer. Sampling results from the two deep wells completed on-site for the Phase I RFI further support this.



### 4.0 METHODS AND PROCEDURES

#### 4.1 INTRODUCTION

The Phase II RFI field investigation was developed to address specific recommendations of the Phase I RFI and USEPA comments. Field activities were completed in an effort to achieve the following:

- Further evaluate ground water flow and quality;
- Characterize the soil metal concentrations to the north, east and west of the Site; and,
- Characterize the sediment metal concentrations of the on-site drainage ditch.

Following EPA approval of the Phase II RFI Work Plan, the field activities were completed during two mobilizations. In August 2001, four (4) additional on-site ground water monitoring wells were installed, 22 sediment samples were collected from the on-site drainage ditch and 83 off-site soil samples were collected from the adjacent properties to the north and west. In December 2001, additional sediment samples were collected from five locations in the on-site drainage ditch and eight off-site soil samples were collected on adjacent properties to the east and west. Sampling activities and drilling supervision were conducted by AGC and laboratory analysis was performed by TriMatrix Laboratories Inc. (TriMatrix) of Grand Rapids, Michigan. In addition to the Phase II RFI activities, soil samples were collected from nine on-site geoprobe borings to supplement previous closure investigation activities. Results of the supplemental closure investigation activities are being provided under separate cover to IDEM.

#### 4.2 WELL INSTALLATION ACTIVITIES

#### 4.2.1 Introduction

The four monitoring wells installed during the Phase II RFI were completed in the unconfined aquifer, bringing the total number of monitoring wells completed in this unit to nine. One of these



wells, MW-6SR, was installed to replace MW-6S, which was installed in conjunction with the RCRA Closure Investigation but did not yield a sufficient volume of water to produce a representative groundwater sample. Monitoring wells MW-7 and MW-8 were installed along the northern site boundary, downgradient of the Battery Breaker and Material Storage Building, respectively. The fourth well, MW-9, was installed near the southwest corner of the Site as a background well. Monitoring wells locations are illustrated in Figure 4-1. The depth and final disposition of borings completed on-site is presented in Table 4-1.

Monitoring well MW-6 was abandoned on August 21, 2001. Well abandonment was completed by Boart Longyear Environmental Division of Greensberg, Indiana and consisted of tremie-grouting the well casing from the total depth to the surface using a 95% Portland cement/5% Bentonite grout.

## 4.2.2 <u>Drilling Methods</u>

The boring were advanced and the wells were installed by Boart Longyear. Borings were advanced using hollow stem auger (HSA) techniques and continuous split spoon samples were collected in accordance with ASTM D 1586.

Continuous sampling for lithology was performed along the entire depth of the borehole. The samples recovered from the advancement of the borings were logged by an AGC geologist. Copies of the logs are provided in Appendix A.

Soil samples were collected during well installation to determine vertical permeability of the aquifer. As described in the Work Plan, the analysis was to have been performed on undisturbed samples collected in Shelby tubes. Two Shelby tube samples were collected from MW-6SR at 10-12 feet bgs and 16-18 feet bgs. No Shelby tube samples were collected from the other three wells because of the formation density. Instead, soil samples were collected from MW-7 (at 26-28 feet) and MW-9 (at 22-24 feet and 24-26 feet). The Shelby tubes and soil samples were submitted to GeoSystems



Consultants Inc. for sieve analysis with hydrometers (all samples), and Atterberg limits and permeability analysis (Shelby tubes only).

#### 4.2.3 Well Construction

The monitoring wells were constructed using 4-inch ID, flush-threaded, Schedule 40 PVC riser with a 10-foot length of factory-slotted 0.010-inch PVC well screen. A sand pack was placed to 2 feet above the top of the monitoring well screen with No. 1 sand. A minimum 2-foot thick bentonite seal was placed on top of the sand pack. The remaining annulus of each borehole was tremie-grouted to the surface using a 95% Portland cement/5% Bentonite grout.

All monitoring wells were completed with a 6-inch square steel protective casing with a locking cap. The protective casing extends from an approximate depth of 3 feet bgs to approximately 2 feet above ground. A neat cement seal was placed around the protective casing to a depth of 3 feet bgs. A 2 foot square well pad was installed so that the surface slopes away from the well.

# 4.2.4 Well Development

The monitoring wells were developed using the surge-block and pump method. Monitoring wells were first surged using a plunger-type surge block assembly. This provides the necessary turbulence in and near the well screen to remove fine-grained material and to properly develop the well. The wells were then purged and developed using a submersible pump. When the development water in each well was relatively sediment free, exhibited a satisfactory clarity and yield, and pH and specific conductance readings had stabilized as measured in the field, development ceased.



## 4.3 GROUNDWATER SAMPLING

## 4.3.1 Well Evacuation

Groundwater samples were collected from site monitoring wells MW-1, MW-2S, MW-3, MW-4, MW-5, MW-6SR, MW-7, MW-8 and MW-9 during two discrete sampling events conducted in September and December 2001. Samples were collected using the low-flow sampling technique to more accurately determine the potential for site-related constituents to have entered groundwater. The depth to water in each monitoring well was measured and the purge volume calculated from these measurements and well specifications from construction logs. This provided the sampling team with an estimate of when stabilization of purging parameters would occur. Monitoring wells were purged and sampled from the suspected least contaminated well to the most contaminated well to minimize the potential for cross-contamination.

The wells were purged using a stainless steel low-flow bladder pump placed at the midpoint of the screen in each well. The wells were purged at a flow rate ranging from 100 to 300 milliliters per minute mls/min, depending on the yield of the well. A flow-through cell was used to measure pH, temperature, conductivity, redox potential, and dissolved oxygen prior to contact with ambient air at 3 to 5 minute intervals during purging. Turbidity was also measured at the same time interval. The wells were purged until the field parameters stabilized to within 10% over three readings and pH readings varied by less than 0.1 unit.

Purge water was contained in 55-gallon drums until analytical results of groundwater samples were evaluated. Drums were labeled with the location and date of generation (i.e., purge water, MW-1, 5/25/96) and remained on-site until disposal. Based on results of the RFI monitoring well sampling, the collected purge water was processed by the site stormwater runoff system.



# 4.3.2 Sample Collection

Once the field parameters had stabilized, samples were collected directly from the pump discharge line into laboratory-supplied bottles containing the necessary preservatives at a sampling flow rate of 100 to 300 mls/min.

Sample containers were labeled with a unique identifying number, time and date of sample collection, requested analysis, preservative, and the initials of the sample collector. Samples were packed on ice and shipped to TriMatrix Laboratories Inc. for analysis of eight RCRA metals and antimony (SW-846 6010). Samples collected during the September 2001 event were analyzed for total metals content. Samples collected during the December 2001 event, were analyzed for both total and dissolved metals content. Samples for dissolved metals analyses were field filtered through a dedicated disposable Nalgene 0.45 µm membrane filter immediately after collection and prior to preservation. The sample was decanted into the dedicated, Nalgene disposable filtration unit and filtered under vacuum pressure created by a hand-held pump. The sample was then immediately transferred to a laboratory supplied bottleware.

#### 4.4 SOIL SAMPLING

The following decontamination procedures were followed prior to the collection of each soil sample:

- Wash equipment thoroughly with a non-phosphate detergent (Alconox) and water using a brush to remove any particulate matter or surface film;
- Rinse equipment with distilled water;
- Rinse with diluted 10 % nitric acid;
- Triple rinse with distilled water;
- Air dry equipment; and
- Wrap equipment in a clean plastic sleeve or in aluminum foil if not used immediately.



Soil samples were collected using decontaminated hand augers where asphalt or concrete was not present. For sample locations where either concrete or asphalt existed, a Geoprobe was used to penetrate the pavement and collect the samples. Soil was removed from the auger bucket, or the Geoprobe disposable acetate sleeve, using a disposable scoop. The sample was then homogenized in a stainless steel bowl and placed into a laboratory-supplied jar. The samples were labeled, placed on ice and submitted to TriMatrix for analysis.

# 4.4.1 Phase I RFI and Closure Investigation Soil Sampling

## 4.4.1.1 On-Site Soil Sampling

During the Phase I RFI, soil samples were collected at a total of 58 on-site locations designated as RSB-1 through RSB-58. Samples were also collected from below the floor slab at a total of 14 locations in the interior of the battery breaker, material storage building, the furnace room and warehouse using a Geoprobe drill rig (RSB-71 through RSB-85). The Phase I RFI soil samples were submitted for analysis of eight RCRA metals (SW-846 6010).

Soil sampling associated with the Closure Investigation included 50 on-site locations that were identified with a "CSB" prefix. Four on-site sampling locations were selected to provide background metal concentration data and were identified with a "BSB" prefix. Samples were obtained using a hand auger or Geoprobe. The soil from the first two feet was analyzed for eight RCRA metals, pH, and antimony (SW-846 6010 and 7470). Samples from below 2 feet were archived. Samples of floor dust and lagoon sediments were also collected.

# 4.4.1.2 Off-Site Soil Sampling

During the Phase I RFI, eight off-site sampling locations were selected on the adjacent properties to the south (the Wavetech property) and northwest (the Citizens Gas Company property). Samples from the Wavetrech property were designated as RSB-65 through RSB-68 and samples from the



Citizens Gas property were designated as RSB-63, RSB-64, RSB-69 and RSB-70. These samples were collected using a decontaminated hand auger. Additionally, two locations on the Citizen's Gas Company property were sampled at the 24-30 inch interval. Each of the off-site samples was analyzed for eight RCRA metals (SW-846 6010).

# 4.4.2 Phase II RFI Soil and Sediment Sampling

# 4.4.2.1 On-Site Soil Sampling

No on-site soil samples were collected a part of the Phase II RFI activities. However, on-site soil samples were collected to supplement previously completed closure investigation activities pursuant to IDEM comments. These results are provided under separate cover to IDEM.

# 4.4.2.2 On-Site Sediment Sampling

In August 2001, sediment samples were collected from 10 locations (R2SED-1 through R2SED-10) along the center line of the drainage ditch adjacent to Arlington Avenue using a decontaminated hand auger. Although the Phase II RFI Work Plan specified collection of 16 samples from the drainage ditch, when sample locations were laid out as specified in the Work Plan (i.e., every 75 feet), only 12 locations were required to cover the specified sampling area. Of these, two locations were not accessible due to construction activities of local Department of Public Works. For reporting purposes samples from the ditch have been designated "sediment." However, physical character of the samples is similar to on-site soils except that they were collected from within a defined drainage ditch. The drainage ditch actually consists of a gently sloping area vegetated with grass that is routinely mowed as a part of the yard area of the facility. Sampling locations are shown on Figure 4-2. Two samples per location were retained for analysis of lead and arsenic content at depths of 0-6 inches and 6-12 inches. The samples were created by mixing the material recovered in these intervals in a stainless steel bowl with a disposable scoop and placing a representative portion into



a laboratory-provided jar. Each jar was labeled and placed on ice in a cooler until delivered for analysis.

Because the analytical results indicated impact by metals in the deeper interval, additional samples were collected from every other boring (five borings) advanced in the drainage ditch during December 2001. These locations were placed immediately adjacent to R2SED-1, R2SED-3, R2SED-5, R2SED-7 and R2SED-9. Samples were collected as previously described from depths 12-18 inches and 18-24 inches bgs intervals at each location for analysis of lead and arsenic.

# 4.4.2.3 Off-Site Soil Sampling

During August, soil samples were collected from 45 sampling locations on the Citizens Gas, Americold, Howard and Lyon properties located west and north of the Site. Samples were collected based on a grid pattern with a 200 foot node spacing. The location were identified as R2SB-1 through R2SB-50 with samples collected at depths of 0-3 inches and 3-10 inches for analysis of arsenic and lead. Sample location are shown on Figure 4-3. The samples were created by homogenizing the material recovered from each interval in a stainless steel bowl with a disposable scoop and placing a representative portion into a laboratory-provided jar. Each jar was labeled and place on ice in a cooler until delivered for analysis. No sample was collected from location R2SB-31, which was on a Global Properties parcel where access was denied.

Four additional sampling locations were selected along the western boundary of the Citizens Gas property to establish naturally occurring background concentrations of arsenic. These locations were identified as R2BG-1 through R2BG-4 and are considered to be outside the area affected by the Refined Metals operation. Samples were collected from depths of 0-3 inches (the uppermost soil horizon) and 3-10 inches (the next soil horizon) for analysis as previously described.

Based on analytical results of samples collected in August and background concentrations calculated from those results, five former and two new locations were sampled on the Citizens Gas property,



and one location was sample on the Schumanger Machinery property (adjacent to east of the Site across Arlington Avenue) in December. These samples were intended to further arsenic and lead impacts. Samples were collected and handled as previously described. Sampling locations are shown on Figure 4-3. The locations resampled on the Citizens Gas property included R2SB-1, R2SB-2, R2SB-3, R2SB-4 and R2SB-13. Samples were collected at depths of 0-3 inches, 6-9 inches, 12-15 inches and 24-27 inches from boring advanced immediately adjacent to the prior locations and identified as R2SB-1A, R2SB-2A, etc. The new locations on the Citizens Gas property were located approximately 200 feet west of R2SB-20 and R2SB-4 and were identified as R2SB-52 and R2SB-53, respectively. The boring on the Schumanger property was designated as R2SB-51.

# 4.4.2.4 Off-Site Sediment Sampling

The Phase II RFI Work Plan proposed the collection of sediment samples from six locations within a drainage near the northern property line. The drainage ditch is situated within a right-of-way that formerly belonged to Conrail, which has since been sold to CSX Transportation. AGC attempted to gain access to the right-of-way on multiple occasions, without success. As a result, no sediment samples were collected from these off-site locations.

#### 4.5 SUPPLEMENTAL SURVEY

The Schneider Corporation, an Indiana licensed surveyor, located all soil and sediment sampling locations for the purpose of accurately representing the horizontal datum of the sampling locations in the state-plane coordinate system. In addition, both the existing and the newly installed monitoring wells were surveyed for vertical and horizontal datum in the state-plane coordinate system.



#### 5.0 RESULTS

#### 5.1 INTRODUCTION

Soil lead concentrations are being delineated to the EPA Region IX preliminary remediation goals (PRGs). As specified in the Phase II RFI Work Plan, arsenic in soil concentrations are being delineated to background concentrations. The calculated background arsenic in soil concentrations are 10.53 mg/kg for surface soil (0-3 inch) and 7.91 mg/kg (>3 inches) for subsurface soils. As stated earlier, samples collected from the drainage ditches have been referred to as "sediment" in this report; however, because of the physical character of the material sampled and geomorphic setting, they are compared to the soil standards discussed above.

As specified in the Phase II RFI Work Plan, groundwater is also being evaluated against a calculated background arsenic level determined using samples collected from MW-9. For arsenic that value is 8.5 µg/l. Background is calculated by the mean arsenic concentration in MW-9 plus one standard of deviation. The current EPA Region IX PRG table does not provide a standard for lead in groundwater; therefore, we are utilizing the EPA Action Level of 15 µg/l. In addition to lead and arsenic Phase II RFI groundwater samples were analyzed for antimony, barium, cadmium, chromium, mercury, selenium and silver, the results of which were compared to the respective EPA Region IX PRGs.

## 5.2 HYDROGEOLOGIC INVESTIGATION

#### 5.2.1 Phase II RFI Well Installation

During the Phase II RFI, four additional shallow groundwater monitoring wells were installed at the Site, bringing the total number of wells screened across the unconfined aquifer to nine. One of these wells, MW-6SR, replaced MW-6S, which was installed during the Phase I RFI but was unable to yield a sufficient volume of water to produce a representative ground water sample. The locations



of the other three wells, MW-7, MW-8, and MW-9, are shown on Figure 4-1. MW-9 is intended to represent background.

## 5.2.2 Phase II RFI Groundwater Quality

Two rounds of ground water samples were collected from the nine shallow monitoring wells during the Phase II RFI for analysis of eight RCRA metals and antimony. Each sampling event was preceded by the collection of static water level measurements from each well. These measurements recorded the depth to water below a surveyed point on the top of each well casing. The wells were purged and sampled using the low-flow sampling technique during September and December, 2001. Samples from the September sampling event were analyzed for total metals concentrations. The samples from the December sampling event were analyzed for both total and dissolved (filtered) concentrations. Analytical results from the sampling events are summarized on Table 5-1.

# 5.2.2.1 September 2001 Sampling Event

The analytical results and Validation Report for samples collected during the September 2001 groundwater sampling event are included in Appendix B. A potentiometric surface map prepared from the September static water level data is presented as Figure 5-1. The water table elevation for MW-6SR appears to be anomalous. This data point was excluded in the preparation of the map.

Total arsenic was found in concentrations ranging from BDL (1.0)  $\mu$ g/l in MW-4 to 33  $\mu$ g/l in MW-1. Arsenic concentrations were detected above the background concentration in MW-1, MW-2, and MW-3 and MW-7 at 33  $\mu$ g/l, 12  $\mu$ g/l, 9.7  $\mu$ g/l, and 25  $\mu$ g/l, respectively. Total lead was detected above the USEPA Action Level value of 15  $\mu$ g/l in MW-2, MW-7 and MW-8 at 49  $\mu$ g/l, 19  $\mu$ g/l, and 21  $\mu$ g/l, respectively. The samples from the other wells were reported to contain lead at concentrations ranging from BDL (<1  $\mu$ g/l) in MW-4 and MW-6 to 5.9  $\mu$ g/l in MW-1. No other targeted analyte was reported above the EPA Region IX PRG value.



### 5.2.2.2 December 2001 Sampling Event

The analytical results and Validation Report for samples collected during the December 2001 groundwater sampling event are included in Appendix C. A potentiometric surface map prepared from the December 2001 static water level data is presented as Figure 5-2. The water table elevation measurement for MW-6SR appears to be anomalous. This data point was excluded in the preparation of the map.

During the December event, two separate sets of samples were collected. One set of samples was field-filtered with a 45 micron filter for analysis of dissolved metals. This was done to determine if total metal concentrations detected during the September 2001 sampling event and those to be detected during the December 2001 sampling event were representative of actual groundwater conditions. Field filtering reduces the possibility of artificially high metals concentrations.

Total arsenic was found at concentrations ranging from BDL ( $1.0 \,\mu\text{g/l}$ ) in MW-4 to 27  $\,\mu\text{g/l}$  in MW-1. Total arsenic concentrations were detected above the background concentration in MW-1, MW-2, MW-3, MW-7, and MW-8 at 27  $\,\mu\text{g/l}$ , 12  $\,\mu\text{g/l}$ , 11  $\,\mu\text{g/l}$ , 26  $\,\mu\text{g/l}$ , and 13  $\,\mu\text{g/l}$ , respectively. Dissolved arsenic was found at concentrations from BDL in MW-4 to 30  $\,\mu\text{g/l}$  in MW-7. Dissolved arsenic concentrations were detected above the background concentration in MW-1, MW-2, MW-7, and MW-8 at 22  $\,\mu\text{g/l}$ , 9.8  $\,\mu\text{g/l}$ , 30  $\,\mu\text{g/l}$ , and 14  $\,\mu\text{g/l}$ , respectively. Total lead was reported at concentrations ranging from BDL (MW-3 and MW-9) to 84  $\,\mu\text{g/l}$  in MW-2. Total lead was detected above the Action Level at concentrations of 84  $\,\mu\text{g/l}$ , 47  $\,\mu\text{g/l}$  and 23  $\,\mu\text{g/l}$  in the samples from MW-2, MW-7, and MW-8, respectively. Dissolved lead was not found above the USEPA Action Level. No other targeted analyte was reported above the EPA Region IX PRG of the collected samples.

# 5.2.3 Permeability Analysis

The laboratory report from GeoSystems is included in Appendix G. The sieve analysis identified all samples as sandy silt or silt with sand (USCS Class ML). The vertical coefficient of permeability



calculated from Triaxial Variable Head Permeability Test was 4.90 x 10<sup>-9</sup> cm/sec from MW-6SR 10-12 feet and 4.03 x 10<sup>-8</sup> cm/sec for MW-6SR 16-18 feet. Undisturbed samples could not be collected from MW-7 and MW-9 because of material characteristics therefore samples were collected for grain size analysis. The grain distribution curves for the samples from MW-7 and MW-9 were very similar to the MW-6SR 16-18 sample and would be expected to have similar permeabilities.

# 5.3 <u>SOIL INVESTIGATION</u>

#### 5.3.1 On-Site Soil Results

The analytical results and Validation Report for the on-site soil samples collected and analyzed to supplement previously completed Closure Investigation activities will be provided under separate cover to IDEM. Results of on-site soil sampling performed as part of the Phase I RFI are provided on Figure 4-3.

#### 5.3.2 On-Site Sediment Results

The analytical results and Validation Report for the sediment samples collected from the ditch along East Arlington Avenue are included in Appendix E. The data are summarized on Table 5-3 and included on Figure 4-2. All samples with an "A" suffix indicate they were collected in the 0-6 inch interval. Concentrations of lead in the 0 to 6 inch horizon ranged from 84 mg/kg at R2SED-10 to 8,430 mg/kg in R2SED-6. Lead exceeded the EPA Region IX PRG for non-residential soils at 9 out of 10 sample locations at this depth. Concentrations of arsenic ranged from 9.4 mg/kg in R2SED-10 to 46 mg/kg in R2SED-5 at this depth. Arsenic exceed background soil concentrations at 7 out of 10 locations.

All samples with an "B" suffix indicate they were collected in the 6-12 inch interval. Concentrations of lead ranged from 25 mg/kg at R2SED-10 to 6,020 mg/kg in R2SED-3 with 7 out of 10 samples from this depth exceeding the EPA Region IX PRG for non-residential soil. Concentrations of



arsenic ranged from 7.2 mg/kg in R2SED-10 to 35 mg/kg in R2SED-6 with 9 out of 10 exceeding the background soil concentration.

All samples with an "C" suffix indicate they were collected in the 12-18 inch interval. Concentrations of lead ranged from 19 mg/kg at R2SED-1 to 622 mg/kg in R2SED-3 and none of the samples from this depth exceeded the EPA Region IX PRG for soil. Concentrations of arsenic ranged from 5.7 mg/kg in R2SED-5 to 13 mg/kg in R2SED-3 and R2SED-7 at this depth and 4 out of 5 samples exceeded the background concentration for arsenic.

All samples with an "D" suffix indicate they were collected in the 18-24 inch interval. Concentrations of lead ranged from 20 mg/kg at R2SED-5 to 691 mg/kg in R2SED-3 and none of the samples from this depth exceeded the EPA Region IX PRG for soil. Concentrations of arsenic ranged from 5.5 mg/kg in R2SED-1 to 12 mg/kg in R2SED-3 at this depth and 3 out of 5 samples exceeded the background concentration for arsenic.

# 5.3.3 Off-Site Soil Results

The analytical results and Validation Report for the off-site soil samples collected and analyzed for lead and arsenic are included in Appendix D. The data are summarized on Table 5-2 and presented on Figure 4-3. Samples with an "A" suffix were collected in the 0-3 inch interval. Samples with an "B" suffix were collected in either the 3-10 inch or 6-9 inch interval as indicated on Table 5-3. Samples with an "C" suffix were collected in the 12-15 inch interval. Samples with an "D" suffix were collected in the 24-27 inch interval and held as archive samples. Based on the results of the "C" interval samples, none of the "D" interval samples were analyzed.

Samples from locations R2BG-1 through R2BG-4 were collected on the Citizens Gas property from the 0-3 inch (surface) and 3-10 inch (subsurface) intervals to determine background arsenic concentrations. Based on the results of these samples, arsenic background concentrations of 10.53



mg/kg for surface soil (0-3 inch) and 7.91 mg/kg for subsurface (>3 inch) soil were calculated. The calculations for these values is included in Appendix F.

Samples collected on the Citizens Gas property included 26 locations for lead and arsenic characterization (R2SB-1 through R2SB-24, R2SB-52 and R2SB-53). Lead concentrations in the 0-3 inch interval ranged from 25 mg/kg in R2SB-10 to 7,390 mg/kg in R2SB-13. Twenty of 26 samples (77%) had lead concentrations below the 1,000 mg/kg USEPA non-residential PRG. The average concentration of these 20 samples was 393 mg/kg. Arsenic concentrations in the 0-3 inch interval ranged from 4.6 mg/kg in R2SB-52 to 141 mg/kg in R2SB-1. Twelve of 26 samples (46%) of the samples from this interval had arsenic concentrations below the calculated background surface concentration of 10.53 mg/kg. The average concentration of these 12 samples was 8.52 mg/kg.

Lead concentrations in the 3-10 inch interval ranged from 5.7 mg/kg in R2SB-52 to 4,120 mg/kg in R2SB-2. Twenty-three of the 26 samples (88%) from this interval had lead concentrations below 1,000 mg/kg. These 23 samples has an average concentration of 150.2 mg/kg. Arsenic concentrations in the 3-10 inch interval ranged from 3.3 mg/kg in R2SB-52 and R2SB-53 to 50 mg/kg in R2SB-1. Eight of the 26 samples (31%) of the samples from this interval had arsenic concentrations below the calculated background subsurface concentration of 7.91 mg/kg. These samples have an average concentration of 5.11 mg/kg. A data summary and calculations are provided in Appendix F.

Samples from the 12-15 inch interval were submitted for analysis from locations R2SB-1 through R2SB-4 and R2SB-13. Lead concentrations in this interval exceeded 1,000 mg/kg in R2SB-1, R2SB-3 and R2SB-4. Arsenic concentrations in the samples from this interval exceeded the subsurface background concentration of 7.91 mg/kg in R2SB-1 ( 8.3 mg/kg) and R2SB-4 (18 mg/kg).



Nineteen locations were sampled on the adjacent properties to the north of the Site for lead and arsenic characterization. Lead concentrations in the 0-3 inch interval ranged from 34 mg/kg in R2SB-46 and R2SB-50 to 422 mg/kg in R2SB-40, with an average concentration of 199.6 mg/kg. None of these samples exceeded 1,000 ppm lead. Arsenic concentrations in this interval ranged from 3.7 mg/kg in R2SB-35 to 9.2 mg/kg in R2SB-37, with an average concentration of 6.8 mg/kg. None of these samples exceeded the background concentration. Lead concentrations in the 3-10 inch interval ranged from 24 mg/kg in R2SB-47 to 509 mg/kg in R2SB-37, with an average concentration of 111.3 mg/kg. None of these samples exceeded 1,000 ppm lead. Arsenic concentrations in this interval ranged from 3.9 mg/kg in R2SB-42 to 9.7 mg/kg, in R2SB-49, with an average concentration of 6.3 mg/kg. Four of these samples slightly exceeded the background concentration.

One location, R2SB-51, was sampled east of the Site, across Arlington Avenue. Samples were analyzed for lead and arsenic from the 0-3 inch and 6-9 inch intervals. Lead concentrations of 285 mg/kg and 199 mg/kg and arsenic concentrations of 6.6 mg/kg and 7 mg/kg, respectively, were detected in these intervals.



#### 6.0 SITE CHARACTERIZATION SUMMARY

### 6.1 **GROUNDWATER**

Groundwater is encountered on-site at approximately 10 feet (shallow groundwater) and 75 feet bgs (middle perched zone). Figures 5-1 and 5-2 display the potentiometric surface for shallow groundwater based upon data collected during the September and December 2001 groundwater sampling events. Groundwater flow in shallow groundwater appears to be to the southeast. Boring logs for the deep borings on-site indicate that a substantial thickness of silt and clay is deposited below the shallow and middle perched zones of saturation and overlies the regional uppermost semiconfined water bearing zone. The regional uppermost semi-confined aquifer was not encountered in any of the deep borings, which were terminated at a depth of 130 feet bgs, as specified in the Phase I RFI Work Plan. As noted by Meyer (1975), the three semi-confined aquifers are not aerially continuous throughout the county and sections of them are often divided by large areas of silt and clay. Consequently, it is noted that in some portions of the County, all of the aquifers may not be encountered.

The hydraulic conductivity in these regional silt and clay deposits is low (less than 1x10-7 centimeters per second makes these deposits semi-pervious. Consequently, the shallow groundwater on the Site is a perched zone that extends aerially across the Site, and the underlying thick layers of clays and silts serve to restrict infiltration to the regional semi-confined water bearing zone, where it is present. The middle perched zone appears to be less continuous across the Site.

During the Phase I RFI, groundwater was collected from both the shallow and deep wells during two separate sampling events. A low yield from MW-6S prevented the collection of a representative sample and the well was replaced by MW-6SR during the Phase II RFI. The analytical results from the Phase I RFI sampling events did not indicate groundwater impact to the deep wells at concentrations above the USEPA Action Level for lead. Arsenic was detected above the background concentration (for the shallow aquifer) in both deep wells. Total lead was detected above the Action



Level of 15  $\mu$ g/l in one of the shallow wells (MW-2). Arsenic was detected above the background concentration in four shallow wells during the Phase I RFI.

During the Phase II RFI, groundwater was collected from the shallow wells on-site during two sampling events in September and December 2001. The current EPA Region IX PRG table does not include a value for lead in groundwater. Therefore the USEPA Action Level of 15  $\mu$ g/l was used as the comparison criteria for groundwater results in the Phase II RFI. Total lead was detected at concentrations above the Action Level in MW-2, MW-7 and MW-8 during both events. During the December event, a second set of samples was collected and field-filtered to evaluate if entrained soil in the unfiltered samples was affecting the analytical results. The results of the field-filtered samples were below the Action Level indicating increasing turbidity measurements recorded during purging is likely causing elevated lead results in the samples collected from these wells. Lead was not detected in the other shallow or deep on-site wells at levels above the Action Level.

Arsenic was detected above the background concentration in MW-1, MW-2, MW-3, and MW-7 during both sampling events, and in MW-8 during the December event. Field filtering during the December event generally lowered the reported concentrations but not below the background concentration, except in MW-3.

#### 6.2 SOIL

#### 6.2.1 On-Site Soil

Samples were collected from 58 locations during the Phase I RFI at depths varying from 0 to 30 inches. Elevated concentrations of lead and arsenic were reported in areas in and around the former manufacturing areas above the applicable PRG and background criteria. Additional on-site sampling was not deemed necessary during the Phase II RFI because sampling to date has adequately defined on-site soil addressed as part of the RFI.



#### 6.2.2 Off-Site Soil

During the Phase I RFI, soil samples were collected from four locations on the Wavetech property located to the south of the Site at 0-3 inch and 3-10 inch intervals. Concentrations of lead above the EPA Region IX PRG were not detected in any of these samples. Arsenic was not reported above the calculated background concentration except in the 3-10 inch sample from RSB-66. The arsenic concentration in this sample was 8.1 mg/kg versus the background value of 7.91.

Soil samples were collected from 19 locations on the properties to the north and east of the Site during the Phase II RFI. Concentrations of lead did not exceed the EPA Region IX PRG in these samples. Arsenic slightly exceeded background concentrations in four of these samples.

Soil samples were collected from 26 locations on the Citizen's Gas property located to the west of the Site at 0-3 inch and 3-10 inch intervals, with five of the locations also sampled at a depth of 12-15 inches. During the Phase II RFI, lead was detected above the EPA Region IX PRG at locations along the western site boundary and adjacent to the drainage swale along the southern boundary of the Citizens Gas property that abuts Big Four Road.

### 6.2.3 On-Site Sediment

Sediment samples collected from the drainage ditch along Arlington Avenue indicate concentrations of lead above the PRG for lead in soil to a depth of 12 inches. Concentrations of arsenic above the calculated subsurface background concentrations were detected in the deepest sample at seven of the ten sediment sampling locations.



#### 7.0 CONCLUSIONS

The following conclusions can be drawn from the findings of the RFI.

#### Groundwater

- Groundwater flow in the shallow zone of saturation on-site appears to be generally toward the southeast.
- The detection of lead at concentrations above the Action Level by the total metals analysis appears to be the result of entrained soil in the sample. Field-filtering prior to sample preservation and analysis of dissolved concentrations yields lead values below the Action Level. Field-filtering did not generally reduce arsenic concentrations to below the background concentration of 8.5 µg/l except in MW-3.
- Arsenic values detected in the groundwater were above the background values calculated from MW-9 but are believed to more representative of regional background than impacts from previous site operations. This conclusion is supported by the low variability in arsenic concentrations reported in the shallow and perched aquifers, as well as the soil permeabilities reported by the Triaxial tests and estimated from the sieve analysis.

#### Soil

- Areas of metals-affected soil have been identified and delineated on the Site. Lead appears to be the primary COC.
- Arsenic and lead affected soil has also been identified and largely delineated to be within the site boundaries to below both applicable PRGs and/or background



concentrations. Some affected soil along the common boundary with Citizens Gas and along Arlington Avenue corresponds to drainage features that may have been caused by overland flow during storm events.



# 8.0 <u>INTERIM MEASURES</u>

The interim measures discussed in the Work Plan submittal with the Phase II RFI Work Plan were implemented during the September 2001 sampling events and remain in place.



# **TABLES**



#### **TABLE 2-1**

## Principle Materials Used On-Site Refined Metals Facility Beech Grove, Indiana

<u>Material</u> <u>Use</u>

Lead batteries and scrap metal Raw material for refining

Coke Furnace fuel

Oxygen Furnace oxidant

Natural gas Furnace fuel

Antimony and tin Alloys added to lead

Sodium hydroxide Removal of antimony and tin in refining kettles

Red phosphorus Removal of copper from refining kettles

Scrap iron Furnace additive to remove sulfur

Magnesium hydroxide Wastewater neutralization and flocculent

Polymers and chelating agents Wastewater treatment

Muriatic (hydrochloric) acid Cleaning wastewater filter press

Lime and sodium bicarbonate Neutralizing spills

# TABLE 4-1 RMC - BEECH GROVE PHASE II RFI Monitoring Well Construction Details

|         |              |                 |                | Outer Casing         | <del></del> |                        |                                  |                 |                |           |
|---------|--------------|-----------------|----------------|----------------------|-------------|------------------------|----------------------------------|-----------------|----------------|-----------|
| 1       | Installation | Installation    | Inner Casing   | Diameter (in.)/Depth | Total Depth | Depth To Water         | Ground Surface                   | TOIC            | Screen         |           |
| Well ID | Date         | Method          | Diameter (in.) | (ft.bgs)             | (ft. bgs)   | (ft. bgs) <sup>1</sup> | Elevation (ft.) <sup>2,3,4</sup> | Elevation (ft.) | Interval (ft.) | Comments  |
| 1       | 10/11/90     | Auger           | 2              | 10/30                | 30.5        | 9.46                   | 845.62                           | 846.99          | 20-30          |           |
| 2       | 10/11/90     | Auger           | 2              | 10/30                | 30.5        | 8.61                   | 845.73                           | 846.9           | 20-30          |           |
| 2D      | 8/12/99      | HSA, Roto-Sonic | 4              | 6/80.0               | 110         | 21.04                  | 845.91                           | N/A             | 70-80          |           |
| 3       | 10/17/90     | Auger           | 2              | 10/21                | 21.5        | 11.42                  | 846.44                           | 848.06          | 11-21          |           |
| 4       | 10/15/90     | Auger           | 2              | 10/22                | 26          | 5.61                   | 837.57                           | 839.02          | 12/22          |           |
| 5       | 10/12/90     | Auger           | _2             | 10/25                | 25.5        | 3.46                   | 839.65                           | 840.84          | 15-25          |           |
| 6S      | 8/12/99      | HAS             | 2              | 6/17.0               | 31          | 10.98                  | 843.73                           | N/A             | 7-17           | Abandoned |
| 6D      | 8/12/99      | HSA, Roto-Sonic | 4              | 6/96.0               | 123         | 11.03                  | 843.82                           | N/A             | 87-97          |           |
| 6SR     | 8/21/01      | HSA             | 4              | 6/20                 | 30          | 19.19                  | 842.833                          | 845.25          | 20-30          |           |
| 7       | 8/22/01      | HSA             | 4              | 6/15                 | 28          | 6.35                   | 845.087                          | 844.61          | 25-15          |           |
| 8       | 8/21/01      | HSA             | 4              | 6/20                 | 30.5        | 8.37                   | 843.805                          | 843.55          | 20-30          |           |
| 9       | 8/22/01      | HSA             | 4              | 6/15                 | 26          | 9.37                   | 844.471                          | 846.87          | 25-15          |           |

#### Notes:

- 1. Depth to Water taken during September 2001, except 6S (Sept 1999).
- 2. MW-1 through 5 Ground Surface Elevations taken from 8/6/99 Schneider survey.
- 3. MW-2D, 4, 6S, 6D GSE taken from 10/7/99 Schneider survey.
- 4. MW-7S, 8S, and 9 GSE taken from 9/18/01 Schneider survey.

ft. bgs - feet below ground surface

HSA - hollow stem auger in - inches

N/A - not available



TABLE 5-1 RMC BEECH GROVE PHASE II RFI Groundwater Analytical Results

| Sample L           | ocation  |        |       | MW  | /-1         |       |     |        |       | MW  | 7-2    |     |     |        |       | MW  | 7-3    |       |      |        |      | ΜV  | V-4    |      |      |        | _     | ΜW  | 7-5    |          |     |
|--------------------|----------|--------|-------|-----|-------------|-------|-----|--------|-------|-----|--------|-----|-----|--------|-------|-----|--------|-------|------|--------|------|-----|--------|------|------|--------|-------|-----|--------|----------|-----|
| Samp               | le Date  | 9/22   | 2/200 | I   | 12/10       | 0/200 | 01  | 9/22   | 2/200 | 1   | 12/10  | /20 | 01  | 9/22   | 2/200 |     | 12/11  | 1/200 | 01   | 9/24   | /200 | 1   | 12/11  | /200 | 01   | 9/24   | /2001 |     | 12/11  | 1/200    | )1  |
| Parameter          | Units    | Result | Q     | RL  | Result      | Q     | RL  | Result | Q     | RL  | Result | Q   | RL  | Result | Q     | RL  | Result | Q     | RL   | Result | Q    | RL  | Result | Q    | RL   | Result | Q     | RL  | Result | Q        | RL  |
| Total Metals       |          | , j.,  |       |     |             |       |     | 机罐料厂   |       |     |        |     |     | 10     |       |     | 1 (18) |       | 1.12 |        |      |     | 144    |      | , P. | 1      |       |     | 10.1   | 1        |     |
| Antimony           | ug/L     |        | U     | 10  |             | U     | 10  |        | U     | 10  |        | U   | 10  |        | U     | 10  | _      | U     | 10   | :      | U    | 10  |        | U    | 10   |        | U     | 10  |        | U        | 10  |
| Arsenic            | ug/L     | 33     |       | 1   | 27          |       | 1   | 12     |       | 1   | 12     |     | 1   | 9.7    |       | 1   | 11     |       | 1    |        | U    | 1   |        | U    | 1    | 7.6    |       | 1   | 5.4    | <u> </u> | 1   |
| Barium             | ug/L     | 101    |       | 10  | 93          |       | 10  | 31     |       | 10  | 48     |     | 10  | 102    |       | 10  | 98     |       | 10   | 197    |      | 10  | 187    |      | 10   | 170    |       | 10  | 150_   |          | 10  |
| Cadmium            | ug/L     | 0.2    |       | 0.2 |             | Ū     | 0.2 | 0.3    |       | 0.2 | 0.4    |     | 0.2 |        | U     | 0.2 |        | U     | 0.2  |        | U    | 0.2 |        | U    | 0.2  |        | U     | 0.2 |        | U        | 0.2 |
| Chromium           | ug/L     | 3.1    |       | 1   | 4           |       | 1   |        | U     | 1   | 4.8    |     | 1   | _      | U     | 1   |        | U     | 1    |        | U    | 1   |        | U    | 1    |        | U     | 1   |        | U        | 1   |
| Lead               | ug/L     | 5.9    |       | 1   | 3.4         |       | 1   | 49     |       | 1   | 84     |     | 1   | 1.3    |       | 1   |        | U     | 1    |        | U    | 1   | 1.5    |      | 1    | 2      |       | 1_  | 2.1    |          | 1   |
| Mercury            | ug/L     | -      | U     | 0.2 |             | U     | 0.2 |        | U     | 0.2 |        | U   | 0.2 |        | U     | 0.2 |        | U     | 0.2  |        | U    | 0.2 |        | U    | 0.2  |        | U     | 0.2 |        | U        | 0.2 |
| Selenium           | ug/L     | 6.1    | J     | 2   | 4           |       | 2   |        | U     | 2   | 3.1    |     | 2   |        | U     | 2   | 3.7    |       | 2    |        | U    | 2   |        | U    | 2    |        | U     | 2   |        | U        | 2   |
| Silver             | ug/L     |        | UJ    | 0.2 |             | U     | 0.2 |        | ŪJ    | 0.2 |        | U   | 0.2 |        | UJ    | 0.2 |        | U     | 0.2  |        | UJ   | 0.2 |        | U    | 0.2  |        | UJ    | 0.2 |        | U        | 0.2 |
| Dissolved Metals - | $AH_{i}$ |        |       |     | (大)<br>(第3) |       |     |        |       |     |        |     |     | 1.8    | 19    |     |        |       |      |        |      |     |        |      | 1.1  |        |       |     |        |          | 13. |
| Antimony           | ug/L     |        | NA    |     |             | U     | 10  |        | NA    |     |        | U   | 10  |        | NA    |     |        | U     | 10   |        | NA   |     |        | U    | 10   |        | NA    |     |        | U        | 10  |
| Arsenic            | ug/L     |        | NA    |     | 22          | J     | 1   |        | NA    |     | 9.8    | J   | 1   |        | NA    |     | 8.4    | J     | 1    |        | NA   |     |        | UJ   | 1    |        | NA    |     | 3.7    | J        | 1   |
| Barium             | ug/L     |        | NA    |     | 85          |       | 10  |        | ΝA    |     | 25     |     | 10  | ·      | NA    |     | 113    |       | 10   |        | NA   |     | 203    |      | 10   |        | NA    |     | 170    | <u> </u> | 10  |
| Cadmium            | ug/L     |        | NA    |     |             | U     | 0.2 |        | NA    |     |        | U   | 0.2 |        | NA    |     |        | U     | 0.2  |        | NA   |     |        | U    | 0.2  |        | NA    |     |        | U        | 0.2 |
| Chromium           | ug/L     |        | NA    |     | 8.9         | J     | 1   |        | NA    |     | 6.8    | J   | 1   |        | NA    |     | 6.6    | J     | 1    |        | NA   |     | 3.4    | J    | 1    |        | NA    |     | 4      | J        | 1   |
| Lead               | ug/L     |        | NA    |     |             | U     | 1   | ,      | NA    |     | 6.2    |     | 1   |        | NA    |     |        | U     | 1    |        | NA   |     |        | U    | 1    |        | NA    |     |        | U        | 1   |
| Selenium           | ug/L     |        | NA    |     | 4.9         | J     | 2   |        | NA    |     | 3.7    | J   | 2   |        | NA    |     | 3.7    | J     | 2    |        | NA   |     |        | UJ   | 2    |        | NA    |     |        | UJ       | 2   |

| Sample L         | ocation     |        |      |     |        | ΜW  | '-7 | •      |       |      |        | ΜV  | V-8 |        |       | MW-9 |                 |      |     |        |        |     |        |       |     |
|------------------|-------------|--------|------|-----|--------|-----|-----|--------|-------|------|--------|-----|-----|--------|-------|------|-----------------|------|-----|--------|--------|-----|--------|-------|-----|
| Samp             | le Date     | 9/24   | /200 | 1   | 12/11  | /20 | 01  | 9/22   | 2/200 | I    | 12/11  | /20 | 01  | 9/22   | 2/200 | 1    | 12/11           | /200 | 01  | 9/22   | 2/2001 | 1   | 12/10  | )/200 | )1  |
| Parameter        | Units       | Result | Q    | RL  | Result | Q   | RL  | Result | Q     | RL   | Result | Q   | RL  | Result | Q     | RL   | Result          | Q    | RL  | Result | Q      | RL  | Result | Q     | RL  |
| Total Metals     | 1. Edit (1) |        |      |     |        |     |     | ALTER. | 1.4   | by n |        |     |     |        |       |      | <b>f</b> 10 - 1 | y in |     | ř.     |        |     | 47 T   |       |     |
| Antimony         | ug/L        |        | U    | 10  |        | U   | 10  |        | U     | 10   |        | U   | 10  | 14     |       | 10   |                 | U    | 10  |        | U      | 10  |        | U     | 10  |
| Arsenic          | ug/L        | 1.9    |      | 1   | 2.2    |     | 1   | 25     |       | 1    | 26     |     | 1   | 5.1    |       | 1    | 13              |      | 1   | 7.7    |        | 1   | 4      |       | 1   |
| Barium           | ug/L        | 92     |      | 10  | 79     |     | 10  | 21     |       | 10   | 25     |     | 10  | 133    |       | 10   | 123             |      | 10  | 137    |        | 10  | 68     |       | 10  |
| Cadmium          | ug/L        |        | U    | 0.2 |        | U   | 0.2 |        | U     | 0.2  | •      | U   | 0.2 | 0.8    |       | 0.2  | 0.4             |      | 0.2 |        | U      | 0.2 |        | U     | 0.2 |
| Chromium         | ug/L        |        | U    | 1   |        | U   | 1   | ·      | U     | 1    | 2.8    |     | 1   | -      | U     | 1    |                 | U    | 1   |        | U      | 1   | 2.2    |       | 1   |
| Lead             | ug/L        |        | U    | 1   | 1.3    |     | 1   | 19     |       | 1    | 47     |     | 1   | 21     |       | 1    | 23              |      | 1   | 1.6    |        | 1   |        | U     | 1_  |
| Mercury          | ug/L        |        | U    | 0.2 |        | U   | 0.2 |        | Ū     | 0.2  |        | U   | 0.2 |        | U     | 0.2  |                 | U    | 0.2 |        | U      | 0.2 |        | U     | 0.2 |
| Selenium         | ug/L        |        | U    | 2   |        | U   | 2   | 3.7    | J     | 2    | 5.7    |     | 2   |        | U     | 2    |                 | U    | 2   |        | U      | 2   |        | U     | 2   |
| Silver           | ug/L        |        | UJ   | 0.2 |        | U   | 0.2 |        | UJ    | 0.2  |        | U   | 0.2 |        | UJ    | 0.2  |                 | U    | 0.2 |        | UJ     | 0.2 |        | U     | 0.2 |
| Dissolved Metals | 4           | 1171   | ŧ i  |     |        |     |     |        |       |      |        |     |     |        |       |      | 17              |      |     |        |        |     | 111    |       |     |
| Antimony         | ug/L        |        | NĀ   |     |        | U   | 10  |        | NA    |      |        | U   | 10  |        | NA    |      |                 | U    | 10  |        | NA     |     |        | U     | 10  |
| Arsenic          | ug/L        |        | NA   |     | 1.4    | J   | 1   |        | NA    |      | 30     | J   | 1   |        | NA    |      | 14              | J    | 1   |        | NA     |     | 3.7    | J     | 1   |
| Barium           | ug/L        |        | NA   |     | 89     |     | 10  |        | NA    |      | 23     |     | 10  |        | NA    |      | 135             |      | 10  |        | NA     |     | 68     |       | 10  |
| Cadmium          | ug/L        |        | NA   |     |        | U   | 0.2 |        | NA    |      |        | U   | 0.2 |        | NA    |      | 0.3             |      | 0.2 |        | NA     |     |        | U     | 0.2 |
| Chromium         | ug/L        |        | NA   |     | 3.8    | J   | 1   |        | NA    |      | 13     | J   | 1   |        | NA    |      | 3.8             | J    | 1   |        | NA     |     | 3.8    | J     | 1   |
| Lead             | ug/L        |        | NA   |     |        | U   | 1   |        | NA    |      | 2.5    |     | 1   |        | NA    |      | 11              |      | 1   |        | NA     |     |        | Ü     | 1   |
| Selenium         | ug/L        |        | NA   |     |        | UJ  | 2   |        | NA    |      | 6.5    | J   | 2   |        | NA    |      | -               | UJ   | 2   |        | NA     |     |        | UJ    | 2   |

## Notes:

Q - Qualifier

RL - Reporting Limit

U - Undetected

J - Estimated

FD - Field Duplicate

NA - Not Analyzed




TABLE 5-2 RMC - BEECH GROVE CLOSURE INVESTIGATION **Soil Analytical Results** 

|                 |          |               |                      |                 |                    |     | ·      |                                         |                 |          | _                  |          |        |                         | <del>// /</del> / |
|-----------------|----------|---------------|----------------------|-----------------|--------------------|-----|--------|-----------------------------------------|-----------------|----------|--------------------|----------|--------|-------------------------|-------------------|
|                 |          |               |                      |                 | mon                |     |        | senio                                   |                 |          | dmiu<br>I <b>Q</b> | ım<br>RL | Result | _ead<br>  Q             | RL                |
| Sample Location |          | Depth         | Sample Date          |                 | iQ-                | RL  | Result | Q                                       | RL              | Result   |                    |          |        |                         | 32                |
| CSB-1A-A        | 295496   | 0-3"          | 12/14/01             | 3.4             | *                  | 1   | 3.2    | P(j) 2                                  | 1               |          |                    | 0.5      | 903    | - C                     |                   |
| CSB-1A-B        | 295497   | 6-9"          | 12/14/01             |                 | TU.                | 1   | 1.5    |                                         | 1               |          |                    | 0.5      | 18     | **                      | 0.6               |
| CSB-1A-C        | 295498   | 12-15"        | 12/14/01             |                 | ¥Ú-                | 1   | 1.5    | 100                                     | 1               |          | Ü                  | 0.5      | 44     | 1100                    | 0.6               |
| CSB-1A-D        | 295499   | 24-27"        | 12/14/01             | 2660            | J                  | 100 | 989    |                                         | 13              | 1000     | J                  | 13       | 249000 |                         | 6250              |
| CSB-1A-E        | 295500   | 36-39"        | 12/14/01             | 16              |                    | 1   | 6.8    | 1 2 2                                   | 1               | 1.7      | #1477<br>2007      | 0.5      | 847    |                         | 13                |
| CSB-1A-F        | 297370   | 48-51"        | 12/14/01             | 1.7             | doje               | 1   | 8.5    | を実                                      | 1               | 2        |                    | 0.5      | 170    |                         | 2.5               |
| CSB-1A-G        | 297371   | 60-63"        | 12/14/01             | 1.6             |                    | 1   | 5.6    |                                         | 1               |          |                    | 0.5      | 65     |                         | 1                 |
| CSB-1A-H        | 297372   | 72-75"        | 12/14/01             | 2               | 1.675<br>1.745     | 1   | 6      | CELAX.                                  | 1               |          |                    | 0.5      | 82     |                         | 1                 |
| CSB-1A-I        | 297373   | 84-87"        | 12/14/01             | 1.4             | <b>在</b> 書         | 1   | 5.7    | 600                                     | 1               |          |                    | 0.5      | 47     | 14.5                    | 0.6               |
| CSB-1A-J        | 297374   | 96-99"        | 12/14/01             | 3.6             | 2                  | 1   | 5.7    | の前間(で<br>) 関連学                          | 1               |          | U                  | 0.5      | 144    | A PAGE                  | 2.5               |
| CSB-10A-A       | 295526   | 0-3"          | 12/14/01             | 5.7             | j"                 | 1   | 4.5    |                                         | 1               | 0.59     |                    | 0.5      | 1780   |                         | 63                |
| CSB-10A-B       | 295527   | 6-9"          | 12/14/01             | 31              | in/U               | 1   | 6.1    | 200                                     | 1               | 1.3      |                    | 0.5      | 1210   |                         | 32                |
| CSB-10A-C       | 295528   | 12-15"        | 12/14/01             | 1720            | 5013               | 50  | 433    | ps; . 7                                 | 6.25            | 132      |                    | 0.625    | 256000 | *" <b>J</b>             | 6250              |
| CSB-10A-D       | 295531   | 24-27"        | 12/14/01             | 4260            |                    | 100 | 2730   | 100                                     | 63              | 527      |                    | 6.3      | 475000 |                         | 12500             |
| CSB-10A-E       | 295532   | 36-39"        | 12/14/01             | 6.7             | 100                | 1   | 7.1    |                                         | 1               | 0.61     | 74G/V              | 0.5      | 253    | 5-2                     | 6.3               |
| CSB-10A-F       | 297375   | 48-51"        | 12/14/01             | 2960            |                    | 50  | 1700   | 727                                     | 50              | 363      |                    | 5        | 288000 |                         | 5000              |
| CSB-10A-G       | 297376   |               | 12/14/01             | 12              | 100                | 1   | 28     |                                         | $-\frac{30}{1}$ | 7.2      |                    | 0.5      | 1090   |                         | 25                |
|                 | 297377   | 72-75"        | 12/14/01             | 1.8             | 080708<br>080070   | 1   | 11     | 7.7                                     | 1               | 5.1      |                    | 0.5      | 101    |                         | 2.5               |
| CSB-10A-H       | <u> </u> | 84-87"        | 12/14/01             | 6.1             | (6) - m            | 1   | 44     | in the second                           | 1               | 20       |                    | 0.5      | 365    |                         | 5                 |
| CSB-10A-I       | 297379   |               |                      |                 | -36                |     |        | (1577) (S                               |                 |          |                    |          | 2300   | 200                     | 63                |
| CSB-13A-A       | 295508   | 0-3"          | 12/14/01             | 80              |                    | 5   | 11     |                                         | 1               | 64       | <b>38</b>          | 1.3      | 1070   | missign                 | 13                |
| CSB-13A-B       | 295509   | 6-9"          | 12/14/01             | 197             |                    | 5   | 22     |                                         | 1               | 29       |                    | 0.5      |        | 200                     |                   |
| CSB-13A-C       | 295510   |               | 12/14/01             | 5               | \$0.50             | 1   | 6.6    |                                         | 1               | 36       | 842.6              | 0.5      | 75     |                         | 1.3               |
| CSB-13A-D       | 295511   | 24-27"        | 12/14/01             | 1.9             |                    | 1   | 5.9    |                                         | 1               | 1.7      |                    | 0.5      | 39     |                         | 0.6               |
| CSB-13A-E       | 295512   | 36-39"        | 12/14/01             | 2.9             | 1                  | 1   | 6      |                                         | 1               | 0.99     |                    | 0.5      | 27     | 200                     | 0.6               |
| CSB-26A-A       | 295489   | 0-3"          | 12/14/01             | 6.4             |                    | 1   | 12     |                                         | 1               | 46       | ***                | 0.5      | 174    | 44                      | 3.2               |
| CSB-26A-B       | 295490   | 6-9"          | 12/14/01             | 1.7             |                    | 1   | 11     | 1                                       | 1               | 40       | 200                | 0.5      | 88     | i ajia?                 | 1.3               |
| CSB-26A-C       | 295491   | 12-15"        | 12/14/01             | 1               |                    | 1   | 6.4    |                                         | 1               |          | U                  | 0.5      | 40     | a f                     | 0.6               |
| CSB-26A-D       | 295492   | 24-27"        | 12/14/01             |                 | Ü                  | 1   | 6.2    |                                         | 1               | 0.54     | (ata)              | 0.5      | 25     |                         | 0.6               |
| CSB-26A-E       | 295493   | 36-39"        | 12/14/01             |                 | U.                 | 1   | 5.8    | ik.                                     | i               |          | 10                 | 0.5      | 23     | <b>71</b>               | 0.6               |
| CSB-28A-A       | 295514   | 0-3"          | 12/14/01             | 5               |                    | 1   | 53     | Will.                                   | 1               | 17       | 標準                 | 0.5      | 30     | May 1                   | 0.6               |
| CSB-28A-B       | 295515   | 6-9"          | 12/14/01             |                 |                    | 1   | 5.1    |                                         | 1               |          | Ü                  | 0.5      | 13     | ¢40                     | 0.6               |
| CSB-28A-C       | 295516   | 12-15"        | 12/14/01             |                 | Ü                  | 1   | 7.9    |                                         | 1               |          | U                  | 0.5      | 27     | T.                      | 0.6.              |
| CSB-28A-D       | 295517   | 24-27"        | 12/14/01             |                 | U                  | 1   | 6.5    |                                         | 1               |          | u                  | 0.5      | 14     | Tally a                 | 0.6               |
| CSB-28A-E       | 295518   | 36-39"        | 12/14/01             |                 | UJ                 | 1   | 9.4    | 17.35.0<br>16.0                         | 1               |          | ĬŪ                 | 0.5      | 16     |                         | 0.6               |
| CSB-30A-A       | 295520   |               | 12/14/01             | 63              |                    | 2.5 | 30     |                                         | 1               | 4.2      | .034.              | 0.5      | 2360   | No.                     | 63                |
| CSB-30A-B       | 295521   | 6-9"          | 12/14/01             | 14              |                    | 1   | 13     | 岃                                       | 1               | 1.3      |                    | 0.5      | 366    | 10                      | 6.3               |
| CSB-30A-C       | 295523   | 12-15"        | 12/14/01             | 7               |                    | 1   | 9.1    | J                                       | 1               | 0.83     |                    | 0.5      | 243    | 7                       | 6.3               |
| CSB-30A-D       | 295524   |               | 12/14/01             | 1.2             |                    | 1   | 6.6    | 1.2.7.                                  | 1               |          | J.J.               | 0.5      | 32     |                         | 0.6               |
| CSB-30A-E       |          | 36-39"        | 12/14/01             |                 | U                  | 1   | 6.6    |                                         | $\frac{1}{1}$   |          | e de la            | 0.5      | 13     |                         | 0.6               |
|                 |          | _             | 12/14/01             |                 | -Ja                | 100 | 394    | No.                                     |                 | 158      |                    |          | 164000 | TO COLUMN               | 6250              |
| CSB-32A-A       | 295533   |               |                      | 1060            |                    | 50  | 199    | 635                                     | 3.2             | 47       | C.E.S.             | 6.3      | 90100  | 43%                     | 3130              |
| CSB-32A-B       | 295534   | <del></del> _ | 12/14/01<br>12/14/01 | 1010            | J                  | 25  |        | 4.0                                     |                 | 38       |                    |          | 64000  | Timber<br>1             | 6250              |
| CSB-32A-C       | 295535   |               |                      |                 | sistema<br>angles. | 1   | 230    |                                         | 3.2             |          | Ü                  | 0.5      | 40     |                         | 0.6               |
| CSB-32A-D       | 295536   | <b></b>       | 12/14/01             | 2.7             | 1000               |     | 8      | 1                                       | 1               |          | U                  |          |        | Ü                       | 0.6               |
| CSB-32A-E       | 295537   |               | 12/14/01             | 1.5             |                    | 1   | 6.5    | J                                       | 1               |          |                    | 0.5      | 20     | E PARA                  |                   |
| CSB-35A-A       | 295478   |               | 12/14/01             |                 |                    | 25  | 154    |                                         | 6.3             | 83       |                    |          | 70400  |                         | 1250              |
| CSB-35A-B       | 295479   |               | 12/14/01             | 5.3             |                    | 1   | 6.1    | - 23                                    | 1               | 0.66     | <b>W</b>           | 0.5      | 279    |                         | 6.3               |
| CSB-35A-C       | 295480   |               | 12/14/01             | 3150            |                    | 100 | 408    | 14/4/11 'n                              | 13              | 144      | 1-32/13            | 13       | 350000 | 12 mm                   | 6250              |
| CSB-35A-D       | 295481   | 24-27"        | 12/14/01             | 4.9             | ille m             | 1   | 6      |                                         | 11              | 0.62     | 4100               | 0.5      | 285    |                         | 6.3               |
| CSB-35A-E       | 295482   |               | 12/14/01             | 3.9             | 202.95             | 1   | 6.3    | 32                                      | 1               | 0.99     | 1.37.70            | 0.5      | 499    |                         | 13                |
| CSB-35A-F       | 295483   |               | 12/14/01             | 1.7             | 1                  | 1   | 6.3    | 100                                     | 1               | <u> </u> | U                  | 0.5      | 69     | 14.44                   | 1.3               |
| CSB-35A-G       | 295484   | <del></del>   | 12/14/01             |                 | -4,011             | 1   | 6.6    |                                         | _ 1             | 0.89     |                    | 0.5      | 156    |                         | 3.2               |
| CSB-35A-H       | 295485   |               | 12/14/01             | 27              | V                  | 1   | 8.1    | 1647/1957<br>367/911<br>311/23/25       | 1               | 1.5      |                    | 0.5      | 1520   | J                       | 32                |
| CSB-35A-I       | 295486   |               | 12/14/01             |                 |                    | 1   | 5.9    | de for                                  | 1               | <u> </u> | U                  | 0.5      | 11     | 190                     | 0.6               |
| CSB-35A-J       | 295487   | 96-99"        | 12/14/01             |                 | "U                 | 1   | 4.1    | Million and                             | 1               |          | U                  | 0.5      | 11     |                         | 0.6               |
| CSB-38A-A       | 295503   | 0-3"          | 12/14/01             | 156             |                    | 2.5 | 67     |                                         | 6.3             | 110      |                    | 6.3      | 6200   | Application of the same | 125               |
| CSB-38A-B       | 295504   |               | 12/14/01             |                 | loj                | 1   | 7.9    | Ž.                                      | 1               | l — —    | Ü                  | 0.5      | 14     | D day                   | 0.6               |
| CSB-38A-C       | 295505   |               | 12/14/01             |                 | UJ                 | 1   | 9.3    |                                         | 1               |          | 10                 | 0.5      | 22     | 100                     | 0.6               |
| CSB-38A-D       | 295506   |               | 12/14/01             | l · · · · · · · |                    | 1   | 2.5    | 100                                     | $\frac{}{1}$    |          |                    | 0.5      | 12     | OF.                     | 0.6               |
| CSB-38A-E       | 295507   | <del>}</del>  | ·}                   | 6.2             | UJ                 | 1   | 8.6    |                                         | 1               | 6.8      | Winds              | 0.5      | 319    | 300 L                   | 6.3               |
| ت               |          |               | 12,1,701             |                 | Agiliple           |     | 5.0    | PER PER PER PER PER PER PER PER PER PER |                 | <u> </u> | Mic                |          |        | (1900)                  | L                 |

Notes:

Q · Qualifier RL · Reporting Limit J · Estimated

FD · Field Duplicate Results reported in mg/kg

## **TABLE 5-2** RMC - BEECHGROVE PHASE II RFI **Soil Analytical Results**



| R2BG-1A       28         R2BG-1B       28         R2BG-2A       28         R2BG-2B       28         R2BG-3A       28         R2BG-3B       28         R2BG-4A       28         R2BG-4B       28         R2BG-4B       28         R2SB-1A       28 | 6626<br>6627<br>6628<br>6629<br>6630<br>6631 | 0-3"<br>3-10"<br>0-3"<br>3-10"         | 8/24/01<br>8/24/01<br>8/24/01<br>8/24/01<br>8/24/01 | 9.8<br>8<br>10<br>7.2 | enic<br>Q                          |     | Result      | ead<br>Q<br>NA   | RL           |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|----------------------------------------|-----------------------------------------------------|-----------------------|------------------------------------|-----|-------------|------------------|--------------|
| R2BG-1A       28         R2BG-1B       28         R2BG-2A       28         R2BG-2B       28         R2BG-3A       28         R2BG-3B       28         R2BG-4A       28         R2BG-4B       28         R2BG-1A       28                          | 6626<br>6627<br>6628<br>6629<br>6630<br>6631 | 0-3"<br>3-10"<br>0-3"<br>3-10"<br>0-3" | 8/24/01<br>8/24/01<br>8/24/01<br>8/24/01            | 9.8<br>8<br>10        | Z                                  | 1   |             | Manatha albini   |              |
| R2BG-1B       28         R2BG-2A       28         R2BG-2B       28         R2BG-3A       28         R2BG-3B       28         R2BG-4A       28         R2BG-4B       28         R2SB-1A       28                                                   | 6627<br>6628<br>6629<br>6630<br>6631         | 3-10"<br>0-3"<br>3-10"<br>0-3"         | 8/24/01<br>8/24/01<br>8/24/01                       | 8<br>10               | ###<br>G400                        |     |             | 54 140 34.70     |              |
| R2BG-2A       28         R2BG-2B       28         R2BG-3A       28         R2BG-3B       28         R2BG-4A       28         R2BG-4B       28         R2SB-1A       28                                                                            | 6628<br>6629<br>6630<br>6631<br>6632         | 0-3"<br>3-10"<br>0-3"                  | 8/24/01<br>8/24/01                                  | 10                    | 440                                | - 1 |             | NA               |              |
| R2BG-2B       28         R2BG-3A       28         R2BG-3B       28         R2BG-4A       28         R2BG-4B       28         R2SB-1A       28                                                                                                     | 6629<br>6630<br>6631<br>6632                 | 3-10"<br>0-3"                          | 8/24/01                                             |                       | 100                                | 1   | _           | NA               |              |
| R2BG-3A       28         R2BG-3B       28         R2BG-4A       28         R2BG-4B       28         R2SB-1A       28                                                                                                                              | 6630<br>6631<br>6632                         | 0-3"                                   |                                                     |                       |                                    | 1   |             | NA               |              |
| R2BG-3B       28         R2BG-4A       28         R2BG-4B       28         R2SB-1A       28                                                                                                                                                       | 6631<br>6632                                 |                                        | 0/24/01                                             | 6                     | - A.                               | 1   |             | NX               |              |
| R2BG-4A 28<br>R2BG-4B 28<br>R2SB-1A 28                                                                                                                                                                                                            | 6632                                         | 5-10                                   | 8/24/01                                             | 7.5                   |                                    | 1   | -           | NA               |              |
| R2BG-4B 28<br>R2SB-1A 28                                                                                                                                                                                                                          |                                              | 0-3"                                   | 8/24/01                                             | 3.1                   | Bernaldia<br>in Inter-<br>dip Edia | 1   |             | NA               |              |
| R2SB-1A 28                                                                                                                                                                                                                                        |                                              | 3-10"                                  | 8/24/01                                             | 6.6                   |                                    | 1   | -           | NA.              | <del> </del> |
|                                                                                                                                                                                                                                                   | _                                            |                                        | 8/23/01                                             | 141                   |                                    | 3.2 | 1750        |                  | 25           |
| IDOOD 1A A DOO                                                                                                                                                                                                                                    |                                              | 0-3"                                   |                                                     |                       | 0.00                               |     | 2250        |                  | 32           |
|                                                                                                                                                                                                                                                   | 5461                                         | 6-9"                                   | 12/13/01                                            | 58                    | J                                  | 1   | 609         | 2 . 2            | 6.3          |
|                                                                                                                                                                                                                                                   | 5462                                         |                                        | 12/13/01                                            | 7.6                   |                                    | 1   | 4230        |                  |              |
|                                                                                                                                                                                                                                                   | 5463<br>6576                                 |                                        | 12/13/01<br>8/23/01                                 | 7.8                   |                                    | 1   | 1080        |                  | 32<br>25     |
|                                                                                                                                                                                                                                                   |                                              | 0-3"                                   |                                                     |                       |                                    |     |             |                  |              |
|                                                                                                                                                                                                                                                   | 6624                                         |                                        | 8/23/01                                             | 19                    | 40.00.00                           | 1   | 1290        | ****             | 25           |
|                                                                                                                                                                                                                                                   | 5456                                         | 0-3"<br>6-9"                           | 12/13/01                                            | 16                    | J                                  | 1   | 918         | 310              | 13           |
|                                                                                                                                                                                                                                                   | 5457                                         | <b>.</b>                               | 12/13/01<br>12/13/01                                | 15                    | 100                                | 1   | 4120        |                  | 63           |
|                                                                                                                                                                                                                                                   | 5458<br>6625                                 | 3-10"                                  | 8/23/01                                             | 4.6                   |                                    | 1   | 816<br>2760 | j                | 6.3          |
|                                                                                                                                                                                                                                                   |                                              |                                        |                                                     | 10                    | 27.02.27                           | 1_  |             | AND MICHINE      |              |
|                                                                                                                                                                                                                                                   | 6620                                         | 0-3"                                   | 8/23/01                                             | 38                    | J                                  | 1_  | 991         |                  | 13           |
|                                                                                                                                                                                                                                                   | 5452                                         | 0-3"                                   | 12/13/01                                            | 36                    | 1                                  | 1   | 1620        | S.ESMS-III       | 32           |
|                                                                                                                                                                                                                                                   | 5453                                         |                                        | 12/13/01                                            | 19                    |                                    | 3.1 | 1410        | and the second   | 32           |
|                                                                                                                                                                                                                                                   | 5454                                         |                                        | 12/13/01                                            | 6.3                   | J                                  | 1_  | 1330        |                  | 32           |
|                                                                                                                                                                                                                                                   | 6621                                         | 3-10"                                  | 8/23/01                                             | 10                    | J                                  | 1   | 1760        | J                | 25           |
|                                                                                                                                                                                                                                                   | 6622                                         | 0-3"                                   | 8/23/01                                             | 26                    | 7                                  | 1   | 1980        |                  | 25           |
|                                                                                                                                                                                                                                                   | 5447                                         | 0-3"                                   | 12/13/01                                            | 28                    | J                                  | 1_  | 2490        | 7.2              | 63           |
|                                                                                                                                                                                                                                                   | 5449                                         |                                        | 12/13/01                                            | 13                    | 壓                                  | 1_  | 874         |                  | 13           |
|                                                                                                                                                                                                                                                   | 5451                                         | 12-15"                                 | 12/13/01                                            | 18                    | I                                  | 1   | 1420        |                  | 32           |
|                                                                                                                                                                                                                                                   | 6623                                         | 3-10"                                  | 8/23/01                                             | 12                    | J                                  | 1_  | 1380        | $\mathbf{J}_{i}$ | 25           |
|                                                                                                                                                                                                                                                   | 5472                                         | 0-3"                                   | 12/13/01                                            | 8.4                   |                                    | 1   | 499         |                  | 6.3          |
|                                                                                                                                                                                                                                                   | 5473                                         | 6-9"                                   | 12/13/01                                            | 3.3                   | ig i                               | 1   | 58          | 0.00             | 0.6          |
|                                                                                                                                                                                                                                                   | 6609                                         |                                        | 8/23/01                                             | 10                    |                                    | 1_  | 121         | OWAL A           | 3.2          |
|                                                                                                                                                                                                                                                   | 6610                                         |                                        | 8/23/01                                             | 5.5                   |                                    | 1   | 68          |                  | 1.3          |
|                                                                                                                                                                                                                                                   | 6618                                         | 0-3"                                   | 8/23/01                                             | 12                    | J                                  | 1_  | 587         |                  | 6.3          |
|                                                                                                                                                                                                                                                   | 6619                                         | 3-10"                                  | 8/23/01                                             | 11                    | J                                  | 1_  | 286         | #J               | 3.2          |
|                                                                                                                                                                                                                                                   | 6615                                         |                                        | 8/23/01                                             | 9.6                   | J                                  | 1   | 78          | J.               | 1.3          |
|                                                                                                                                                                                                                                                   | 6616                                         |                                        | 8/23/01                                             | 13                    | j                                  | 1   | 35          | J                | 0.6          |
|                                                                                                                                                                                                                                                   | 6577                                         | 0-3"                                   | 8/23/01                                             | 13                    |                                    | 1   | 197         | W                | 3.2          |
|                                                                                                                                                                                                                                                   | 6578                                         | 3-10"                                  | 8/23/01                                             | 8.4                   |                                    | 1   | 51          |                  | 0.6          |
|                                                                                                                                                                                                                                                   | 6579                                         | 0-3"                                   | 8/23/01                                             | 47                    |                                    | 1   | 3330        | ale Suno         | 63           |
|                                                                                                                                                                                                                                                   | 6580                                         | 3-10"                                  | 8/23/01                                             | 12                    | ***                                | 1_  | 287         |                  | 6.3          |
|                                                                                                                                                                                                                                                   | 6613                                         | 0-3"                                   | 8/23/01                                             | 8.9                   | 势                                  | 1   | 25          |                  | 0.6          |
|                                                                                                                                                                                                                                                   | 6614                                         | 3-10"                                  | 8/23/01                                             | 12                    | . Y Y                              | 1   | 10          | 判                | 0.6          |
|                                                                                                                                                                                                                                                   | 6604                                         | 0-3"                                   | 8/23/01                                             | 14                    |                                    | 1   | 360         |                  | 6.3          |
|                                                                                                                                                                                                                                                   | 6605                                         | 3-10"                                  | 8/23/01                                             | 6.2                   | **                                 | 1   | 83          | 7                | 1.3          |
|                                                                                                                                                                                                                                                   | 6607                                         | 0-3"                                   | 8/23/01                                             | 11                    | ****                               | 1   | 222         | <b>张</b> 崖       | 3.2          |
| R2SB-12B 286                                                                                                                                                                                                                                      | 6608                                         | 3-10"                                  | 8/23/01                                             | 8.6                   |                                    | 1   | 71          |                  | 1.3          |

Notes:

Q - Qualifier

FD - Field Duplicate Results reported in mg/kg

RL - Reporting Limit J - Estimated, NA - Not Analyzed

**TABLE 5-2** RMC - BEECHGROVE PHASE II RFI Soil Analytical Results



|                 |        | 5011   | Analytical Res | Ars | enic              | ,              | T      | ead                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |     |
|-----------------|--------|--------|----------------|-----|-------------------|----------------|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Sample Location | Lab ID | Depth  | Sample Date    |     |                   | RL             | Result |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | RL  |
| R2SB-13A        | 286581 | 0-3"   | 8/23/01        | 53  | 7.0               | 1              | 7390   | ar imperior                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 125 |
| R2SB-13A-A      | 295465 | 0-3"   | 12/13/01       | 14  | ij                | 1              | 2910   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 32  |
| R2SB-13A-B      | 295466 | 6-9"   | 12/13/01       | 2.1 | J                 | 1              | 24     | ews.<br>Personal                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 0.6 |
| R2SB-13A-C      | 295467 | 12-15" | 12/13/01       | 4.5 | J                 | 1              | 11     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0.6 |
| R2SB-13B        | 286582 | 3-10"  | 8/23/01        | 27  | (1)<br>(1)<br>(1) | 1              | 875    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 13  |
| R2SB-14A        | 286611 | 0-3"   | 8/23/01        | 8.6 | o ↓<br>h          | 1              | 89     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 1.3 |
| R2SB-14B        | 286612 | 3-10"  | 8/23/01        | 3.6 | Con               | 1              | 7.3    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0.6 |
| R2SB-15A        | 286602 | 0-3"   | 8/23/01        | 4.8 | fa sufficient     | 1              | 265    | 100.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 3.2 |
| R2SB-15B        | 286603 | 3-10"  | 8/23/01        | 14  | 100               | 1              | 184    | or App.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 3.2 |
| R2SB-16A        | 286600 | 0-3"   | 8/23/01        | 7.7 | A fin             | 1              | 179    | 14 y 20 99 629<br>12 20 20 40 629                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 3.2 |
| R2SB-16B        | 286601 | 3-10"  | 8/23/01        | 9   | 25.7              | 1              | 125    | Up (                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 3.2 |
| R2SB-17A        | 286583 | 0-3"   | 8/23/01        | 25  | 議                 | 1              | 4160   | ्रे ज्यानिकामा<br>सार्वे अस्ति                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 63  |
| R2SB-17B        | 286584 | 3-10"  | 8/23/01        | 11  |                   | 1              | 267    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 3.2 |
| R2SB-18A        | 286598 | 0-3"   | 8/23/01        | 10  |                   | 1              | 669    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 13  |
| R2SB-18B        | 286599 | 3-10"  | 8/23/01        | 6.3 | , T               | 1              | 122    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 3.2 |
| R2SB-19A        | 286596 | 0-3"   | 8/23/01        | 16  |                   | 1              | 796    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 13  |
| R2SB-19B        | 286597 | 3-10"  | 8/23/01        | 14  | 380               | 1              | 250    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 3.2 |
| R2SB-20A        | 286593 | 0-3"   | 8/23/01        | 9.6 | 1                 | 1              | 486    | erator 15                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 6.3 |
| R2SB-20B        | 286594 | 3-10"  | 8/23/01        | 4.4 |                   | 1              | 129    | pt a g                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 3.2 |
| R2SB-52-A       | 295468 | 0-3"   | 12/13/01       | 4.6 | 1                 | 1              | 300    | fig. j. pr                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 3.2 |
| R2SB-52-B       | 295469 | 6-9"   | 12/13/01       | 3.3 | J                 | 1              | 5.7    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0.6 |
| R2SB-21A        | 286591 | 0-3"   | 8/23/01        | 10  | a Ale             | 1              | 296    | rationalism<br>surrangement<br>surrangement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 3.2 |
| R2SB-21B        | 286592 | 3-10"  | 8/23/01        | 7   |                   | 1              | 84     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 1.3 |
| R2SB-22A        | 286589 | 0-3"   | 8/23/01        | 13  | Same and          | 1              | 734    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 13  |
| R2SB-22B        | 286590 | 3-10"  | 8/23/01        | 12  |                   | 1              | 188    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 3.2 |
| R2SB-23A        | 286588 | 0-3"   | 8/23/01        | 10  | 14 m 19 m         | 1              | 463    | ****                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 6.3 |
| R2SB-23B        | 286688 | 3-10"  | 8/23/01        | 13  | 3.4               | 1              | 105    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 1.3 |
| R2SB-24A        | 286586 | 0-3"   | 8/23/01        | 13  |                   | 1              | .779   | 7                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 13  |
| R2SB-24B        | 286587 | 3-10"  | 8/23/01        | 9.1 |                   | 1              | 117    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 3.2 |
| R2SB-32A        | 286659 | 0-3"   | 8/27/01        | 4.9 |                   | 1              | 286    | par par                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 6.3 |
| R2SB-32B        | 286660 |        | 8/27/01        | 4.2 |                   | 1              |        | J.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 1.3 |
| R2SB-33A        | 286661 | 0-3"   | 8/27/01        |     |                   | 1              | 202    | Jac                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 3.2 |
| R2SB-33B        | 286662 | 3-10"  | 8/27/01        | 5.7 |                   | $-\frac{1}{1}$ | 67     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 1.3 |
| R2SB-34A        | 286664 | 0-3"   | 8/27/01        | 7.1 | 选定                | 1              | 170    | #1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 3.2 |
| R2SB-34B        | 286665 | 3-10"  | 8/27/01        | 4.1 | SATA              | 1              | 28     | J                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 0.6 |
| R2SB-35A        | 286655 | 0-3"   | 8/27/01        | 3.7 |                   | 1              | 191    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 3.2 |
| R2SB-35B        | 286656 | 3-10"  | 8/27/01        | 4.7 |                   | 1              | 79     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 1.3 |
| R2SB-36A        | 286650 | 0-3"   | 8/27/01        | 7.8 |                   | 1              | 310    | J                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 6.3 |
| R2SB-36B        | 286651 | 3-10"  | 8/27/01        | 6.1 | 7.7               | 1              | 109    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 3.2 |
| R2SB-37A        | 286638 | 0-3"   | 8/27/01        | 9.2 | inger<br>Park     | 1              | 366    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 6.3 |
| R2SB-37B        | 286639 | 3-10"  | 8/27/01        | 8   |                   | 1              | 509    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 6.3 |
| R2SB-38A        | 286635 | 0-3"   | 8/27/01        | 6.5 |                   | 1              | 282    | 18                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 6.3 |
| R2SB-38B        | 286636 | 3-10"  | 8/27/01        | 5.2 |                   | 1              | 175    | ings free                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 3.2 |
| R2SB-39A        | 286640 | 0-3"   | 8/27/01        | 8.7 |                   | 1              | 383    | -000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 6.3 |
| R2SB-39B        | 286641 | 3-10"  | 8/27/01        | 7.9 |                   | 1              | 144    | Table of the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second sec | 3.2 |
| R2SB-40A        | 286657 | 0-3"   | 8/27/01        | 6.9 |                   | 1              |        | T.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 6.3 |
| R2SB-40B        | 286658 | 3-10"  | 8/27/01        |     |                   | 1              |        | T.J.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0.6 |
| Notes:          | لتتحا  |        | 01             |     | 7.5               |                |        | · TASS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | V10 |

Notes:

Q - Qualifier

RL - Reporting Limit J - Estimated, NA - Not Analyzed

FD - Field Duplicate Results reported in mg/kg

## TABLE 5-2 RMC - BEECHGROVE PHASE II RFI Soil Analytical Results



|                 |        |       |             | Ars    | -        |    | L      | ead         |     |
|-----------------|--------|-------|-------------|--------|----------|----|--------|-------------|-----|
| Sample Location | Lab ID | Depth | Sample Date | Result | Q        | RL | Result | ͺQ          | RL  |
| R2SB-41A        | 286648 | 0-3"  | 8/27/01     | 5.9    |          | 1  | 172    | <b>EJ</b>   | 3.2 |
| R2SB-41B        | 286649 | 3-10" | 8/27/01     | 5.9    |          | 1  | 128    | IJ          | 3.2 |
| R2SB-42A        | 286653 | 0-3"  | 8/27/01     | 4.2    | <b>9</b> | 1  | 165    | W)          | 3.2 |
| R2SB-42B        | 286654 | 3-10" | 8/27/01     | 3.9    |          | 1  | 77     |             | 1.3 |
| R2SB-43A        | 286644 | 0-3"  | 8/27/01     | 7.4    |          | 1  | 250    | T.          | 3.2 |
| R2SB-43B        | 286645 | 3-10" | 8/27/01     | 7.4    |          | 1  | 201    | J           | 3.2 |
| R2SB-44A        | 286642 | 0-3"  | 8/27/01     | 7.8    |          | 1  | 252    |             | 3.2 |
| R2SB-44B        | 286643 | 3-10" | 8/27/01     | 8.5    | 7,00     | 1  | 108    |             | 3.2 |
| R2SB-45A        | 286646 | 0-3"  | 8/27/01     | 7.3    |          | 1  | 140    | J           | 3.2 |
| R2SB-45B        | 286647 | 3-10" | 8/27/01     | 6.2    | <b>拉</b> | 1  | 85     | 打           | 1.3 |
| R2SB-46-A       | 288689 | 0-3"  | 9/24/01     | 6.9    | J        | 1  | 34     |             | 0.6 |
| R2SB-46-B       | 288690 | 3-10" | 9/24/01     | 6.5    | J        | 1  | 41     |             | 0.6 |
| R2SB-47-A       | 288692 | 0-3"  | 9/24/01     | 6.7    | J        | 1  | 45     |             | 0.6 |
| R2SB-47-B       | 288693 | 3-10" | 9/24/01     | 9      | J        | 1  | 24     |             | 0.6 |
| R2SB-48-A       | 288694 | 0-3"  | 9/24/01     | 6.5    | Jě       | 1  | 41     |             | 0.6 |
| R2SB-48-B       | 288695 | 3-10" | 9/24/01     | 6.7    | J        | 1  | 45     | Supple 2 in | 0.6 |
| R2SB-49-A       | 288696 | 0-3"  | 9/24/01     | 8      | 7        | 1  | 47     |             | 0.6 |
| R2SB-49-B       | 288697 | 3-10" | 9/24/01     | 9.7    | a)       | 1  | 117    |             | 3.2 |
| R2SB-50-A       | 288698 | 0-3"  | 9/24/01     | 6.9    |          | 1  | 34     |             | 0.6 |
| R2SB-50-B       | 288699 | 3-10" | 9/24/01     | 7      | J        | 1  | 36     |             | 0.6 |
| R2SB-51-A       | 295111 | 0-3"  | 12/12/01    | 6.6    |          | 1  | 285    |             | 6.3 |
| R2SB-51-B       | 295112 | 6-9"  | 12/12/01    | 7      | 14       | 1  | 199    |             | 6.3 |

Notes:

Q - Qualifier

FD - Field Duplicate

RL - Reporting Limit

Results reported in mg/kg

J - Estimated, NA - Not Analyzed

# TABLE 5-3 RMC - BEECH GROVE PHASE II RFI Sediment Analytical Results



|                 |        |        |             | Lead    |          |     | Arso    | enic                       |               |
|-----------------|--------|--------|-------------|---------|----------|-----|---------|----------------------------|---------------|
| Sample Location | Lab ID | Depth  | Sample Date | Results | Q        | RL  | Results | 10000 miles                | $\mathbf{RL}$ |
| R2SED-1A        | 286553 | 0-6"   | 8/21/01     | 1210    |          | 25  | 10      |                            | 1             |
| R2SED-1B        | 286554 | 6-12"  | 8/21/01     | 1550    |          | 25  | 14      |                            | 1             |
| R2SED-1C        | 295099 | 12-18" | 12/12/01    | 19      | J        | 0.6 | 10      | 19                         | 1             |
| R2SED-1D        | 295100 | 18-24" | 12/12/01    | 62      | J        | 0.6 | . 5.5   | 25 X                       | 1             |
| R2SED-2A        | 286555 | 0-6"   | 8/21/01     | 1230    |          | 25  | 10      | V. F.                      | 1             |
| R2SED-2B        | 286556 | 6-12"  | 8/21/01     | 955     |          | 25  | 11      | 5.4<br>3.                  | 1             |
| R2SED-3A        | 286557 | 0-6"   | 8/21/01     | 1570    |          | 25  | 12      | e ye.<br>Awar              | 1             |
| R2SED-3B        | 286558 | 6-12"  | 8/21/01     | 6020    |          | 125 | 9.3     | - A                        | 1             |
| R2SED-3C        | 295101 | 12-18" | 12/12/01    | 622     |          | 13  | 13      |                            | 1             |
| R2SED-3D        | 295102 | 18-24" | 12/12/01    | 691     | J        | 13  | 12      | 4-2B                       | -1            |
| R2SED-4A        | 286559 | 0-6"   | 8/21/01     | 2480    |          | 63  | 20      | 70.7                       | 1             |
| R2SED-4B        | 286560 | 6-12"  | 8/21/01     | 1570    | <b>建</b> | 25  | 17      |                            | 1             |
| R2SED-5A        | 286561 | 0-6"   | 8/21/01     | 5410    |          | 125 | 46      | 334<br>334                 | 1             |
| R2SED-5B        | 286562 | 6-12"  | 8/21/01     | 1240    |          | 25  | 20      | 954                        | 1             |
| R2SED-5C        | 295103 | 12-18" | 12/12/01    | 73      | 313      | 1.3 | 5.7     | 4 27 .                     | 1             |
| R2SED-5D        | 295104 | 18-24" | 12/12/01    | 20      | Ĵ        | 0.6 | 7.3     | 200                        | 1             |
| R2SED-6A        | 286564 | 0-6"   | 8/21/01     | 8430    | 3/3      | 125 | 44      | 100                        | 1             |
| R2SED-6B        | 286565 | 6-12"  | 8/21/01     | 3840    |          | 63  | 35      | 15.00<br>15.00<br>15.00    | 1             |
| R2SED-7A        | 286566 | 0-6"   | 8/21/01     | 5480    | ing.     | 125 | 39      | 75 W                       | 1             |
| R2SED-7B        | 286567 | 6-12"  | 8/21/01     | 2340    | 198      | 63  | 26      | 14.                        | 1             |
| R2SED-7C        | 295106 | 12-18" | 12/12/01    | 61      | J        | 0.6 | 13      | 35                         | 1             |
| R2SED-7D        | 295107 | 18-24" | 12/12/01    | 27      | J        | 0.6 | 9.2     |                            | 1             |
| R2SED-8A        | 286568 | 0-6"   | 8/21/01     | 8190    |          | 125 | 36      | 4.                         | 1             |
| R2SED-8B        | 286569 | 6-12"  | 8/21/01     | 2610    | , it     | 63  | 23      |                            | 1             |
| R2SED-9A        | 286570 | 0-6"   | 8/21/01     | 3630    | 쀎        | 63  | 29      |                            | 1             |
| R2SED-9B        | 286571 | 6-12"  | 8/21/01     | 471     |          | 6.3 | 11      |                            | 1             |
| R2SED-9C        | 295109 | 12-18" | 12/12/01    | 25      | j-       | 0.6 | 8.9     |                            | 1             |
| R2SED-9D        | 295110 | 18-24" | 12/12/01    | 39      | Ĵ        | 0.6 | 8.2     | 100                        | 1             |
| R2SED-10A       | 286572 | 0-6"   | 8/21/01     | 84      |          | 1.3 | 9.4     | e nagrati al<br>Marije: na | 1             |
| R2SED-10B       | 286573 | 6-12"  | 8/21/01     | 25      | ridy.    | 0.6 | 7.2     | n space                    | 1             |

Notes:

Q - Qualifier

RL - Reporting Limit


J - Estimated

FD - Field Duplicate

Results reported in mg/kg



# **FIGURES**




REF. U.S.G.S. 7 1/2 MINUTE BEECH GROVE, IND QUADRANGLE MAP


# REFINED METALS CORPORATION PHASE II RCRA FACILITY INVESTIGATION


BEECH GROVE, INDIANA


| Date:<br>10/12/98      |                                                                        |
|------------------------|------------------------------------------------------------------------|
| Scale:<br>N.T.S.       | SITE LOCATION MAP                                                      |
| Drawn By:<br>P.S.G.    |                                                                        |
| Checked By:<br>J.S.W.  | Advanced GeoServices Corp.                                             |
| Project Mgr:<br>P.G.S. | Chadds Ford Business Campus, Rts. 202 & 1<br>Brandywine One, Suite 202 |
| Dwg No.<br>98478-01    | Chadds Ford, Pennsylvania 19317                                        |
| MAY: 0 3 2002          | 98-478-05 FIGURE: 2-1                                                  |


J:\REFINED METALS\DRAWNGS\9847803\98478-01
















APPENDIX A
Boring Logs

PAGE 1 OF/ PROJECT NAME: RMC - Beech Grove PROJECT NUMBER: 98-478 - 05 LOCATION: Beech Grove Indigna BORING / WELL NUMBER: MW-65R DATE/TIME: 8/21/01 DIAMETER: 411 WATER DEPTH: DATE STARTED: 8/2//3/ GEOLOGIST: Brendyn O Donnell COMPLETION DEPTH: 30.0-SAMPLING METHOD: HSA/SS DRILLING METHOD: HSA DATE COMPLETED: 8/13/11 DRILLING SUBCONTRACTOR: BOAT Longyear DEVELOPMENT METHOD: Surges Block MELD: WELL CONSTRUCTION REMARKS DESCRIPTION 0.0-5.0 Clay, brown-orange, dry Well Constructing 8,8 with topsoil and sand, Stiff 10,16 NA RISER: SCH. 40 PUL 7,10 7,10 0-20 ]<sub>5,7</sub> Screen: 0.010 5 lot 5.0-10.0 Clay, brown-gray, moist Stiff 11,15 564. 40 PK 5,10 25-30-11/13 SANDPACK: #1 Sand 10/10 10 71412 18-30-10.0-15.0 sandy Silt, brown -gray, stiff Bentonic: 15-18moist to saturated, (ML) 9,4 72/12/ grout : 9590 TYPESE lations 15.0-20.0 Sandy Silt, gray, StiFE 590 Bering 15,15 Saturated, (ML) 0-16 13,14 SHelby Tube 20.0-25.0 sandy Silt, gray med. Stiff 15/18 Collected at: 8,8 10-12 saturatel, ML 7,8 16-18-511 9110 For Sieve & Hydro 10,10 Testing 250-30.5 Sandy Silt, gray, Very Star 10,10 saturated, ML 1616 71,37 100,5 Boring terminated at 305

| · ·                                                                                                                                                                                                                                                                                                                             |              |             |                                                                                                    |                |                       |               | PAGE 1 OF/                                                                                                                                                                    |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-------------|----------------------------------------------------------------------------------------------------|----------------|-----------------------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PROJECT NUMBER: 98-478-0                                                                                                                                                                                                                                                                                                        | PROJECT      | NAME: /     | PMC                                                                                                | - 1.           | Reec                  | 50            | Srove                                                                                                                                                                         |
| BORING / WELL NUMBER: MW-7                                                                                                                                                                                                                                                                                                      |              | 1: Beec     |                                                                                                    |                |                       |               |                                                                                                                                                                               |
| DIAMETER: 4=                                                                                                                                                                                                                                                                                                                    | WATER D      |             | 12.5                                                                                               |                |                       |               | DATE/TIME: 8/22/01                                                                                                                                                            |
| GEOLOGIST: Brendan O-Dannel                                                                                                                                                                                                                                                                                                     | COMPLET      | ION DEPT    | н: 🧳                                                                                               | 15             | _                     |               | DATE STARTED: \$2401                                                                                                                                                          |
| DRILLING METHOD: HSA                                                                                                                                                                                                                                                                                                            | SAMPLIN      | G METHOD    | ): HS                                                                                              | 4/5            | 5                     |               | DATE COMPLETED: 8/23/6                                                                                                                                                        |
| DRILLING SUBCONTRACTOR: Boart Longy Car                                                                                                                                                                                                                                                                                         | DEVELOP      | MENT MET    | гнор:                                                                                              | SUC94          | 23/0                  | cK            | MELD: -                                                                                                                                                                       |
| DESCRIPTION                                                                                                                                                                                                                                                                                                                     | CONSTRUCTION | ОЕРТН (FT.) | PENETRATION<br>BLOWS PER 6 IN.                                                                     | RECOVERY (FT.) | INSTRUMENT<br>READING | SAMPLE NUMBER | REMARKS                                                                                                                                                                       |
| 0.0 - 5.0 Clay, gray to greenish gray                                                                                                                                                                                                                                                                                           | 1            |             | -                                                                                                  |                | NA                    |               | Well Construction                                                                                                                                                             |
| Too-10.0 Clay, brown, dry to moist  10.0-15.0 Sandy Silt, trace gravel brown to dorik brown stiffe moist to saturated, ML  15.0 20.0 sandy Silt, Light brown and gray, saturated, very Stiff, M2  20.0 -25.0 Sandy Silt, Light sray Saturated, Nerry Stiff ML  25.0-28.0 Sandy Silt, Light sray Saturated, very stiff Hard (ML) |              |             | - 9,9 12 10 11 13 12 11 15 61 14 14 15 15 13 15 15 16 16 15 16 16 16 16 16 16 16 16 16 16 16 16 16 |                |                       |               | RISER: SCH. 40 PUL  0 - 15 -  Screen: Odostot  Sch. 40 PUL  Schoolite: 4/ Sand  13 - 25 -  Bentanite: 11-15 -  Stelly tube  Collected at  26 - 28 For  Sieue & Hydro  testing |
| Boring terminated at 28                                                                                                                                                                                                                                                                                                         |              |             |                                                                                                    |                |                       |               |                                                                                                                                                                               |

PAGE 1 OF/

| <u></u>                                | <del></del>          |                                                  |                                        | TAGE T UF/                                                                                                                                                                     |
|----------------------------------------|----------------------|--------------------------------------------------|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PROJECT NUMBER: 98-478-05              | PROJECT NAME         | : RMC-                                           | Beech                                  | Grave                                                                                                                                                                          |
| BORING / WELL NUMBER: MW-8             | LOCATION: 3          |                                                  |                                        |                                                                                                                                                                                |
| DIAMETER: 4°                           | WATER DEPTH:         | 10.5                                             | ,<br>                                  | DATE/TIME: 5/23/01                                                                                                                                                             |
| GEOLOGIST: Brendan O'Dannell           | COMPLETION DE        | EPTH: 30.0                                       |                                        | DATE STARTED 8/2//0/                                                                                                                                                           |
| DRILLING METHOD: HSA                   | SAMPLING MET         | HOD: HSA/                                        | 5 5                                    | DATE COMPLETED 8/21/                                                                                                                                                           |
| DRILLING SUBCONTRACTOR: Boart Longyear | DEVELOPMENT          |                                                  |                                        |                                                                                                                                                                                |
| DESCRIPTION .                          | WELL<br>CONSTRUCTION | PENETRATION<br>BLOWS PER 6 IN.<br>RECOVERY (FT.) | INSTRUMENT<br>READING<br>SAMPLE NUMBER | REMARKS                                                                                                                                                                        |
| Doing terminated of 30"                |                      | 447 200 400 ptp                                  |                                        | Well Construction  Riser: Sch. 40 Puc  5-20  Screen: 0.0105/ot  505 40 Puc  2050  Sund: HI Sand  0-18  Oentaile: 16-18  Gent : 0-16  9590/590  74PETT Portland  Cemen/Bertaile |

PAGE 1 OF / PROJECT NAME: RMC BEECH Ground PROJECT NUMBER: 98-478-05 LOCATION: Beech Grove, Indiana BORING / WELL NUMBER: DATE/TIME: 8/23/01 WATER DEPTH: DIAMETER: 42 DATE STARTED: 8/12/0 COMPLETION DEPTH: 25 GEOLOGIST: Brendan O'Damell SAMPLING METHOD: HSA/SS DATE COMPLETED: 8/23/D DRILLING METHOD: DRILLING SUBCONTRACTOR: Boart Longyear DEVELOPMENT METHOD: SUCKED BY OF YIELD: WELL CONSTRUCTION INSTRUMENT READING (FT.) RECOVERY DEPTH SAMPLE DESCRIPTION REMARKS 0.5-5.0 Sand with Construction Well Construction 15/2 desris, dry, FL -10,10 NA Riser: 564. 42 Puc 77 0-15-7,7 8,8 19,10 5.0-10.0' same as above, FL Screen: 0.0105/6+ 10 -6,8 54nd: #154nd Pack 13-15-10.6-15.0 sandy Silt, Light gray, 5,5 Bentonite: 11-15 518 mediungtiFF, ML 7,50 9,11 Fout: 0'-11 6,6 15.0-20.0 SAIDSIL+, LOHT STAY 7, フ 314 STIFF, ML 9,11 11,13 SHELDY TUDE 13/27 20.0-26 of sandy Silt, Kunigay 4,47 Collected at Hard, Saturated 5463 22-24-901 (ML) 2429 24-26 FOR STEVE and 14/1 Hydro testing buring terminated at 26



APPENDIX B

Data Validation Report of Soil Samples Collected on August 21-27,
2001

# DATA VALIDATION REPORT

OF

SOIL SAMPLES

COLLECTED AUGUST 21-27, 2001

**FOR** 

**INORGANIC ANALYSES** 

Sample Delivery Group No. 35132-30

PREPARED FOR:

Refined Metals Corporation Beech Grove, Indiana

PREPARED BY:

ADVANCED GEOSERVICES CORP. CHADDS FORD, PENNSYLVANIA

November 7, 2001 Project Number 2001-824-00

# DATA VALIDATION REPORT INORGANICS

#### INTRODUCTION

This data validation report addresses the inorganic results from the soil samples collected on August 21 through 27, 2001, as part of the RMC Beech Grove, Indiana, Pre-Remedial Design (RD) sampling event. Soil samples were analyzed by Trimatrix in Grand Rapids, Michigan for lead and arsenic by USEPA SW-846 method 6010. The data were reported by Trimatrix under sample delivery group (SDG) 35132-30.

This review has been performed with guidance from the Indiana Department of Environmental Management's *Guidance to the Performance and Presentation of Analytical Chemistry Data* (July 1998) and the U.S. EPA's *National Functional Guideline for Inorganic Data Review* (Feb. 1994). The findings presented in this report are based upon a review of all data supplied by the laboratory.

#### 1. Timeliness

All samples were prepared and analyzed within holding time limits of 6 months.

## 2. Sample Preparation

All sample preparation procedures were in accordance with the method protocols.

#### 3. Calibration

Soil samples were analyzed for arsenic and lead by ICP-MS. The instruments were standardized according to the analytical method using one blank and a single calibration standard for each element. All calibrations (ICVs) were performed as required and met the criteria for acceptance.

# 4. Reference Control Samples/Calibration Verification

Reference control samples (CCVs) are digested and analyzed along with the samples to verify the efficiency of laboratory procedures. Control limits for the ICP-MS reference sample are 90-110 percent of the certified value. All recoveries met the acceptance criteria for control samples.

#### 5. Blanks

No target analytes were detected in laboratory or field blanks, with the exception of:

| Blank ID  | Parameter | Concentration (µg/L) | Associated Samples                                                                                              |
|-----------|-----------|----------------------|-----------------------------------------------------------------------------------------------------------------|
| EB-1-JLV  | Lead      | 11                   | R2SED-1-A/B, R2SED-2-A/B, R2SED-3-A/B, R2SED-4-A/B                                                              |
| EB-2-JLV  | Lead      | 5.8                  | R2SED-5-A/B/C, R2SED-6-A/B, R2SED-7-A/B, R2SED-8-A/B, R2SED-9-A/B, R2SED-10-A/B/C                               |
| EB-3-JLV  | Lead      | 2.8                  | R2SB-1-A, R2SB-8-A/B, R2SB-9-A/B, R2SB-13-A/B, R2SB-17-A/B/C                                                    |
| ЕВ-4-ЛLV  | Lead      | 2.3                  | R2SB-24-A/B, R2SB-23-A/B, R2SB-22-A/B, R2SB-21-A/B, R2SB-20-A/B/C                                               |
| EB-5-JLV  | Lead      | 1.7                  | R2SB-19-A/B, R2SB-18-A/B, R2SB-16-A/B, R2SB-15-A/B, R2SB-11-A/B/C                                               |
| EB-6-JLV  | Lead      | 1.6                  | R2SB-12-A/B, R2SB-5-A/B, R2SB-14-A/B, R2SB-10-A/B, R2SB-7-A/B/C, R2SB-6-A/B, R2SB-3-A/B, R2SB-4-A/B, R2SB-2-A/B |
| EB-7-JLV  | Lead      | 8.6                  | Samples associated were only analyzed for arsenic                                                               |
| EB-10-JLV | Lead      | 2.9                  | R2SB-42-A/B, R2SB-35-A/B, R2SB-40-A/B, R2SB-32-<br>A/B, R2SB-33-A/B/C, R2SB-34-A/B                              |

Samples were qualified as non-detected (U) due to blank contamination.

# 6. ICP Interference Check Sample

The interference check sample (LCS) is analyzed by ICP-MS to verify interelement and background correction factors. Analysis was performed as required at the beginning and end of each sample analysis run and recoveries were within the specified criteria of 80-120 percent.

# 7. Duplicate Analysis

The relative percent differences (RPDs) were within the control limit of 35 percent for solid samples.

# 8. Field Duplicates

Samples R2BG-4-B/C, R2SB-11-A/C, R2SB-17-A/C, R2SB-20-A/C, R2SB-33-A/C, R2SB-36-A/C, R2SB-38-A/C, and R2SB-7-A/C were field duplicates. Results exhibited reasonable agreement, with the exception of the following:

| Parameter | Sample ID | Sample<br>Conc | Field Duplicate<br>ID | Field Duplicate<br>Conc | Difference/RPD | Criteria |
|-----------|-----------|----------------|-----------------------|-------------------------|----------------|----------|
| Arsenic   | R2SB-11-A | 14             | R2SB-11-C             | 7.5                     | 60.47%         | 40%      |
| Lead      | R2SB-7-A  | 78             | R2SB-7-C              | 49                      | 45.67%         | 40%      |

Sample and field duplicate results or reporting limits were qualified as estimated (J) for the parameter exceeding the criteria.

# 9. Matrix Spike Analysis

The matrix spike (MS) percent recoveries were within the QC limits of 75-125 percent (soil matrices).

## 10. Laboratory Control Sample (LCS)

The laboratory control sample (LCS) percent recoveries were within the QC limits of 80-120 percent.

### 11. ICP Serial Dilution

All concentrations were either less than 50 times the instrument detection limit (IDL) or greater than 50 times the IDL with the percent differences that were  $\pm 10$  percent of the serial dilution result, with the exception of the following:

| Sample ID | Parameter | Original Conc | Diluted Conc | %D IDL |       | IDL * 50 |
|-----------|-----------|---------------|--------------|--------|-------|----------|
| R2SB-34-A | Lead      | 196.07        | 170.04       | 13.27  | 0.029 | 1.45     |
| R2SB-43-A | Lead      | 299.38        | 250.24       | 16.41  | 0.029 | 1.45     |
| R2SB-2-B  | Lead      | 2413.23       | 2821.16      | 16.90  | 0.029 | 1.45     |
| R2SB-10-A | Arsenic   | 8.9           | 7.97         | 10.62  | 0.097 | 4.85     |
| R2SB-10-A | Lead      | 25.49         | 22.84        | 10.41  | 0.029 | 1.45     |

Sample results or reporting limits were qualified as estimated (J/UJ).

# DATA VALIDATION REPORT VALIDATION SUMMARY

#### **SUMMARY**

All the data is useable as qualified.

#### **DATA QUALIFIERS**

The following qualifiers were used to modify the data quality and usefulness of individual analytical results.

| U  | - | The analyte was not detected at the given quantitation limit.                                                                                                                                         |
|----|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| J  | - | The analyte was positively identified and detected; however, the concentration is an estimated value because the result is less than the quantitation limit or quality control criteria were not met. |
| UJ | - | The analyte was not detected; the associated quantitation limit is an estimated value.                                                                                                                |
| D  | - | The value was obtained from a reanalysis of a diluted sample.                                                                                                                                         |
| E  | - | Concentration reported is estimated, the concentration exceeded the instrument's calibration range. The sample should be diluted.                                                                     |

R - The value reported has been rejected.

#### **DATA ASSESSMENT**

Data review was performed by an experienced quality assurance scientist independent of the analytical laboratory and not directly involved in the project.

This is to certify that I have examined the analytical data and based on the information provided to me by the laboratory, in my professional judgement the data are acceptable for use except where qualified with qualifiers which modify the usefulness of those individual values.

uality Assurance Scientist

Quality Assurance Manager

Date

Date

# INORGANIC DATA VALIDATION SUMMARY

| Site Name: Project Number: Sampling Date(s): Compound List: Method:                                                                                                                                                                | TAL  CLP SOW ILMO4.  ates the data validation crit | Priority Po | 6   |         | Appendix IX SW-846 Method | Trimatrix 35132-30  Wother As, Pb  Other |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|-------------|-----|---------|---------------------------|------------------------------------------|
| Data Validation Criteria: Holding Times Initial Calibrations Continuing Calibrations CRDL Standards                                                                                                                                |                                                    | accept      | FYI | qualify | Comments                  |                                          |
| Blank Analysis Results  ICP Interference Check Some Duplicate Results  Field Duplicate Results  Spike Analysis Recoveries  Serial Dilution Results  Laboratory Control Sample  Furnace AA QC Analysis  Quantitation/Detection Line | e Results                                          |             |     |         | N/A                       |                                          |
| Overall Assessment of Da Other: General Comments:                                                                                                                                                                                  | ta.                                                |             |     |         |                           |                                          |
| Accept - No qualification of FYI - For your information Qualify - Qualify as rejected NA - Not applicable.  NR - Not reviewed.                                                                                                     | only, no qualification nec                         | essary.     |     |         |                           |                                          |

QA Scientist \_\_\_

Date \_\_



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 35132-

Location:

Contact:

Jennifer L. Rice

(616) 975-4500 Phone:

CAS No.

R2SED-1A

Data Qualifiers M Units

Q

Lab Sample No:

286553

7440-38-2 7439-92-1

Arsenic, Total

Lead, Total

10 1210 W

MS mg/kg dry MS mg/kg dry

Sampled by: Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush 08/21/01

14:00

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-1B

Data Qualifiers

Units

Q

Lab Sample No:

286554

7440-38-2

Arsenic, Total

MS mg/kg dry

7439-92-1

Lead, Total

1550

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/21/01

14:05

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone: (616) 975-4500

CAS No.

R2SED-2A

Data Qualifiers

Units

C | Q | M

Lab Sample No:

286555

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

10

1230 ₩

MS mg/kg dry

| MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/21/01

14:20

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: Location:

35132- 30

L

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-2B

Data Qualifiers

Units

C Q N

Lab Sample No:

286556

7440-38-2

Arsenic, Total

11

MS mg/kg dry

7439-92-1

Lead, Total

955 U

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/21/01 14:25

08/29/01

08:20

000049



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

M

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-3A

Data Qualifiers

Units

C Q

Lab Sample No:

286557

7440-38-2 7439-92-1 Arsenic, Total Lead, Total 12 1570 MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:
Date Received:

Time Received:

Vennebush

08/21/01

14:35

08/29/01 08:20



Advanced GeoServices Corporation

Subm: August 2001 Samples

Proj: RMC - Beech Grove, IN

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-3B

Data Qualifiers

Units

Q

Lab Sample No:

286558

7440-38-2

Arsenic, Total

9.3

MS mg/kg dry

7439-92-1

Lead, Total

6020 U

Vennebush

08/21/01

mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: 14:40

08/29/01

08:20

000042



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-4A

Data Qualifiers

Units

C Q M

Lab Sample No:

286559

7440-38-2 Arsenic, Total

7439-92-1 Lead, Total 20 2480 U

MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/21/01

14:55

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-4B

Data Qualifiers

Units

C | Q |

Lab Sample No:

286560

7440-38-2

Arsenic, Total

17

MS mg/kg dry

7439-92-1

Lead, Total

1570

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/21/01

15:00

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-5A

Data Qualifiers

Units

C | Q | M

Lab Sample No:

286561

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

46 5410 MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/21/01

15:15

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

Location:

Contact:

Jennifer L. Rice

35132- 30

(616) 975-4500 Phone:

CAS No.

R2SED-5B

Data Qualifiers

Units

С Q

Lab Sample No:

286562

7440-38-2

Arsenic, Total

20

mg/kg dry

7439-92-1

Lead, Total

1240

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received:

15:20 08/29/01

Vennebush

08/21/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-5C

Data Qualifiers

Units

C | Q | M

Lab Sample No:

286563

7440-38-2 7439-92-1 Arsenic, Total Lead, Total 39 5030 MS mg/kg dry
MS mg/kg dry

Sampled by: Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/21/01

15:25

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Location:

Contact:

Submittal Number:

Jennifer L. Rice

35132-

Subm: August 2001 Samples Phone: (616) 975-4500.

CAS No.

R2SED-6A

Data Qualifiers

Units

Q

Lab Sample No:

286564

7440-38-2

Arsenic, Total

44

mg/kg dry MS

7439-92-1

Lead, Total

8430

mg/kg dry MS

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/21/01

15:35

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-6B

Data Qualifiers

Units

C Q M

Lab Sample No:

286565

7440-38-2 7439-92-1

Arsenic, Total Lead, Total

35 3840 | MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received:

Vennebush 08/21/01

15:40 08/29/01

08:20-

000049



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-7A

Data Qualifiers

Units

C | Q | M

Lab Sample No:

286566

7440-38-2

Arsenic, Total

39

MS mg/kg dry

7439-92-1

Lead, Total

5480

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/21/01 15:55

08/29/01

08:20

000050



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-7B

Data Qualifiers

Units

C | Q | M

Lab Sample No:

286567

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

26 2340 MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:
Date Received:

Time Received:

Vennebush

08/21/01

16:00

08/29/01



Advanced GeoServices Corporation

Submittal Number:

35132- 30

Proj: RMC - Beech Grove, IN

Location: Contact:

Jennifer L. Rice

Subm: August 2001 Samples

Phone:

(616) 975-4500

CAS No.

R2SED-8A

Data Qualifiers

Units

MS/MSD

c = 1

Q M

Lab Sample No:

286568

7440-38-2

Arsenic, Total

36

MS mg/kg dry

7439-92-1

Lead, Total

\* 8190

MS mg/kg dry

Sampled by:

Date Sampled:

08/21/01

Time Sampled:

16:15

Vennebush

Date Received:

08/29/01

Time Received:

08:20

5560 Cornorate Exchange Court SF . Grand Rapids MI 49512 . (616) 975-4500 . Fax (616) 942-7463

<sup>\*</sup> See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500 \

CAS No.

R2SED-8B

Data Qualifiers

Units

C | Q | N

Lab Sample No:

286569

7440-38-2 7439-92-1 Arsenic, Total Lead, Total 23 2610 MS mg/kg dry
MS mg/kg dry

Sampled by: Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/21/01

16:20

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-9A

Data Qualifiers

Units

C | Q | |

Lab Sample No:

286570

7440-38-2

Arsenic, Total

29

MS mg/kg dry

7439-92-1

Lead, Total

3630

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/21/01

16:35

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-9B

Data Qualifiers

Units

C | Q M

Lab Sample No:

286571

7440-38-2 7439-92-1

Arsenic, Total Lead, Total

11 471

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/21/01

16:40

08/29/01



Advanced GeoServices Corporation

\_\_\_\_

Submittal Number:

35132- 30

Proj: RMC - Beech Grove, IN

Location: Contact:

Jennifer L. Rice

Subm: August 2001 Samples Phone:

(616) 975-4500

CAS No.

R2SED-10A

Data Qualifiers

Units

C | Q | M

Lab Sample No:

286572

7440-38-2

Arsenic, Total

9.4

MS mg/kg dry

7439-92-1

Lead, Total

84

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received:

. a. Vennebush

08/21/01

16:50

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-10B

Data Qualifiers

Units

C | Q | M

Lab Sample No:

286573

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

7.2 25 MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/21/01

16:55

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-10C

Data Qualifiers Q

Units

CI

Lab Sample No:

286574

7440-38-2

Arsenic, Total

10

mg/kg dry MS

7439-92-1

Lead, Total

84

mg/kg dry MS

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: 08/21/01

Vennebush

17:00

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone: (616) 975-4500

CAS No.

R2SB-1A

Data Qualifiers

Units

Q

Lab Sample No:

286575

7440-38-2 7439-92-1 Arsenic, Total Lead, Total

141 1750

mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

08:45

0.8/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-1B

Data Qualifiers

Units

Q

Lab Sample No:

286576

7440-38-2

Arsenic, Total

50

MS mg/kg dry

7439-92-1

Lead, Total

1080

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

08:50

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-8A

Data Qualifiers

Units

C | Q | N

Lab Sample No:

286577

7440-38-2 7439-92-1 Arsenic, Total Lead, Total 13 197 MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:
Date Received:

Time Received:

08/29/01

08/23/01 09:10

Vennebush



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-8B

Data Qualifiers Q M

Lab Sample No:

286578

7440-38-2

Arsenic, Total

7439-92-1 Lead, Total 8.4

MS mg/kg dry mg/kg dry MS

51

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush 08/23/01

09:15

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-9A

Data Qualifiers

Units

C | Q | M

Lab Sample No:

286579

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

47 3330 MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled: Date Received:

Time Received:

Vennebush

08/23/01

09:30

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: Location:

35132-

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-9B

Data Qualifiers

Units

Q

Lab Sample No:

286580

7440-38-2

Arsenic, Total

12

mg/kg dry MS

7439-92-1

Lead, Total

287

mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

09:35

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples.

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

:(616) 975-4500

CAS No.

R2SB-13A

Data Qualifiers

Units

C Q M

Lab Sample No:

286581

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

53 7390 MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

09:50

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-13B

Data Qualifiers

Units

Q

Lab Sample No:

286582

7440-38-2

Arsenic, Total

27

MS mg/kg dry

7439-92-1

Lead, Total

875

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: Vennebush

08/23/01 09:55

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-17A

Data Qualifiers

Units

C | Q

Lab Sample No:

286583

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

25 4160 MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

10:15

08/29/01



Advanced GeoServices Corporation

Submittal Number:

35132-

Proj: RMC - Beech Grove, IN

Location: Contact:

Subm: August 2001 Samples

Phone:

Jennifer L. Rice (616) 975-4500

CAS No.

R2SB-17B

Data Qualifiers

Units

Q

Lab Sample No:

286584

7440-38-2

Arsenic, Total

11

MS mg/kg dry

7439-92-1

Lead, Total

267

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: Vennebush 08/23/01

10:20

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-17C

Data Qualifiers

Units

Q

Lab Sample No:

286585

7440-38-2

Arsenic, Total

31

MS mg/kg dry

7439-92-1

Lead, Total

3950

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

10:25

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-24A

Data Qualifiers

Q M C

Lab Sample No:

286586

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

13 779

mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01 10:50

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

Q M

CAS No.

R2SB-24B

Data Qualifiers

Units

C

Lab Sample No:

286587

7440-38-2

Arsenic, Total

9.1

MS mg/kg dry

7439-92-1

Lead, Total

117

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

10:55

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-23A

Data Qualifiers

Units

: | Q |

Lab Sample No:

286588

7440-38-2

Arsenic, Total

10

MS mg/kg dry

7439-92-1

Lead, Total

463

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

11:10

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-22A

Data Qualifiers

Units

C | Q | M

Lab Sample No:

286589

7440-38-2 7439-92-1 Arsenic, Total Lead, Total 13 734 MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

11:35

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

35132-

Location:

Submittal Number:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-22B

Data Qualifiers

Units

Q

Lab Sample No:

286590

7440-38-2 7439-92-1

Arsenic, Total

Lead, Total

12 188

mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

11:40

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-21A

Data Qualifiers

Units

MS/MSD

C |

Q |

Lab Sample No:

286591

7440-38-2

Arsenic, Total

10

MS mg/kg dry

7439-92-1

Lead, Total

\* 296

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush 08/23/01

11:55

08/29/01

<sup>\*</sup> See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Location:

35132- 30

Contact:

Submittal Number:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-21B

Data Qualifiers

Units

Q

Lab Sample No:

286592

7440-38-2

Arsenic, Total

7.0

MS mg/kg dry

7439-92-1

Lead, Total

84

| MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush 08/23/01

12:00

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-20A

Data Qualifiers Q

Units

Lab Sample No:

286593

7440-38-2

Arsenic, Total

7439-92-1 Lead, Total 9.6

mg/kg dry MS mg/kg dry

486

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

12:15

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500.

CAS No.

R2SB-20B

Data Qualifiers

nits

C Q M

Lab Sample No:

286594

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

4.4

MS mg/kg dry
MS mg/kg dry

129

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

12:20

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-20C

Data Qualifiers

Units

M Q

Lab Sample No:

286595

7440-38-2 7439-92-1

Arsenic, Total Lead, Total

6.4 447

mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled: Date Received:

Time Received:

Vennebush

08/23/01 12:25

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-19A

Data Qualifiers

Q

Units

Lab Sample No:

286596

7440-38-2

Arsenic, Total

16

MS mg/kg dry

7439-92-1

Lead, Total

796

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

12:42

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-19B

Data Qualifiers

Units

CQ

Lab Sample No:

286597

7440-38-2

Arsenic, Total

7439-92-1 Lead

Lead, Total

14 250 MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

12:45

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-18A

Data Qualifiers

Q M

Lab Sample No:

286598

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

10 669

mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush 08/23/01

12:52

08/29/01 08:20

Court SE . Crand Rapide MI 49517 . (616) 975.4500 . Facilità 942 7462



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: Location:

35132-

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-18B

Data Qualifiers

Units

Q M

Lab Sample No:

286599

7440-38-2

Arsenic, Total

6.3

MS mg/kg dry

7439-92-1

Lead, Total

122

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled;

Date Received:

Time Received:

Vennebush

08/23/01

12:55

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

C

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-16A

Data Qualifiers Q

Units

Lab Sample No:

286600

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

7.7

179

mg/kg dry mg/kg dry MS

Sampled by:

Date Sampled:

Time Sampled:

Time Received:

Date Received:

Vennebush

08/23/01 14:45

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-16B

Data Qualifiers

Units

C | Q | M

Lab Sample No:

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

9.0

286601

MS mg/kg dry
MS mg/kg dry

125

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

14:50

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Contact:

Location:

Submittal Number:

Jennifer L. Rice

35132-

Phone:

(616) 975-4500

CAS No.

R2SB-15A

Data Qualifiers

Units

30

c | Q

Lab Sample No:

286602

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

4.8 265 MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush 08/23/01

15:05

13:03

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-15B

Data Qualifiers

Units

C | Q | M

Lab Sample No:

286603

7440-38-2

Arsenic, Total

7439-92-1 Lead, Total

14

MS mg/kg dry
MS mg/kg dry

184

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

15:10

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

35132-

Location:

Submittal Number:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-11A

Data Qualifiers

Units

c | Q

Lab Sample No:

286604

7440-38-2

Arsenic, Total

14

mg/kg dry MS

7439-92-1

Lead, Total

360

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush 08/23/01

15:30

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-11B

Data Qualifiers

Units

c | Q

Lab Sample No:

286605

7440-38-2

Arsenic, Total

7439-92-1 Lead, Total

6.2 83 MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

15:35

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Location: Contact:

Submittal Number:

35132-

Subm: August 2001 Samples

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-11C

Data Qualifiers Units

Q

Lab Sample No:

286606

7440-38-2

Arsenic, Total

7.5

15

MS mg/kg dry

7439-92-1

Lead, Total

323

mg/kg dry MS

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

15:40

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 3

35132- 30

Location:

Contact:

Jennifer L. Rice

M

Phone:

(616) 975-4500

CAS No.

R2SB-12A

Data Qualifiers

Q

Units

c |

Lab Sample No:

286607

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

11 222 MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

15:50

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

M

CAS No.

R2SB-12B

Data Qualifiers Q

Units

Lab Sample No:

286608

7440-38-2

Arsenic, Total

8.6

MS mg/kg dry

7439-92-1

Lead, Total

71

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled: Date Received:

Time Received:

Vennebush 08/23/01

15:55

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 35132- 30

Location:

Contact: Phone: Jennifer L. Rice

(616) 975-4500

CAS No.

R2SB-5A

Data Qualifiers

Units

C | Q | 1

Lab Sample No:

286609

7440-38-2 7439-92-1 Arsenic, Total Lead, Total

Total

10 121 MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: Vennebush 08/23/01 16:10 08/29/01

08:20

000093



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-5B

Data Qualifiers

Units

C | Q | N

Lab Sample No:

286610

7440-38-2

Arsenic, Total

5.5

MS mg/kg dry

7439-92-1

Lead, Total

68

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Time Sampled: Date Received:

Time Received:

Vennebush

08/23/01

16:15

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-14A

Data Qualifiers

Units

C | Q | M

Lab Sample No:

286611

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

8.6

MS mg/kg dry
MS mg/kg dry

89

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

16:30

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

M

Phone:

(616) 975-4500

CAS No.

R2SB-14B

Data Qualifiers Q

Units

Lab Sample No:

286612

7440-38-2

Arsenic, Total

3.6

mg/kg dry MS

7439-92-1

Lead, Total

7.3

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

16:35

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-10A

Data Qualifiers

Units

MS/MSD

C | Q | M

Lab Sample No:

286613

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

8.9 25 MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

16:45

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 35132- 30

Location:

Contact: Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-10B

Data Qualifiers

Units

Lab Sample No:

286614

7440-38-2

Time Sampled:

Date Received: Time Received:

Arsenic, Total

Lead, Total 7439-92-1

12

MS mg/kg dry mg/kg dry

10

Vennebush Sampled by: 08/23/01 Date Sampled:

16:50

08/29/01

08:20

000098



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-7A

Data Qualifiers

Units

C | Q | M

Lab Sample No:

286615

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

9.6 78

15

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush 08/23/01

10/23/0

17:10

08/29/01



Advanced GeoServices Corporation

Submittal Number:

35132- 30

Proj: RMC - Beech Grove, IN

Location: Contact:

Jennifer L. Rice

Subm: August 2001 Samples

Phone:

(616) 975-4500

CAS No.

R2SB-7B

Data Qualifiers

Units

CQN

Lab Sample No:

286616

7440-38-2

Arsenic, Total

13

MS mg/kg dry

7439-92-1

Lead, Total

35

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

17:15 08/29/01

08/23/01

Vennebush

Date Received: Time Received:



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 35132-

Location:

Contact:

Jennifer L. Rice

Phone: (

(616) 975-4500

CAS No.

R2SB-7C

Data Qualifiers
Q | M

Units

Lab Sample No:

286617

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

8.4 49

1

| MS mg/kg dry

| MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

17:20

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-6A

Data Qualifiers Q

Units

M

Lab Sample No:

286618

7440-38-2

Arsenic, Total

12

mg/kg dry

7439-92-1

Lead, Total

587

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush 08/23/01

17:35

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

M

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-6B

Data Qualifiers

Units

C | Q

Lab Sample No:

286619

7440-38-2

Arsenic, Total

7439-92-1 Lead, Total

11 286 MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

17:40

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-3A

Data Qualifiers

Units

c | Q

Lab Sample No:

286620

7440-38-2 7439~92-1 Arsenic, Total

Lead, Total

38 991 mg/kg dry

mg/kg dry MS

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: Vennebush 08/23/01

17:43

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-3B

Data Qualifiers

Units

C Q M

Lab Sample No:

286621

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

10 1760 MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

17:55

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Location: Contact:

Jennifer L. Rice

35132-

Subm: August 2001 Samples

Phone:

(616) 975-4500

CAS No.

R2SB-4A

Data Qualifiers

Units

C

Submittal Number:

Q M

Lab Sample No:

286622

7440-38-2

Arsenic, Total

26

MS mg/kg dry

7439-92-1

Lead, Total

1980

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

17:50

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-4B

Data Qualifiers

Units

C | Q | M

Lab Sample No:

7440-38-2 7439-92-1 Arsenic, Total Lead, Total 12 1380

286623

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:
Date Received:

Time Received:

Vennebush

08/23/01

17:55 08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

35132-

Location:

Submittal Number:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-2A

Data Qualifiers

Units

Q | M

Lab Sample No:

286624

7440-38-2

Arsenic, Total

19

MS mg/kg dry

7439-92-1

Lead, Total

1290

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

18:05

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-2B

Data Qualifiers

Units

C Q M

Lab Sample No:

286625

7440-38-2

Arsenic, Total

10

MS mg/kg dry

7439-92-1

Lead, Total

2760

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

18:10

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 3 Location:

35132- 30

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2BG-1A

Data Qualifiers

Units

Lab Sample No:

286626

7440-38-2

Arsenic, Total

9.8

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: Vennebush

08/24/01

08:45

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2BG-1B

Data Qualifiers

Units

C | Q |

Lab Sample No:

286627

7440-38-2

Arsenic, Total

8.0

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/24/01

09:15

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

•

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2BG-2A

Data Qualifiers

Units

C | Q

Lab Sample No:

286628

7440-38-2

Arsenic, Total

10

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/24/01

10:05

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2BG-2B

Data Qualifiers

Units

C | Q |

Lab Sample No:

286629

7440-38-2

Arsenic, Total

7.2

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/24/01

10:20

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 35132-

Location:

Contact: Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2BG-3A

Data Qualifiers

Units

C | Q | M

Lab Sample No:

286630

7440-38-2

Arsenic, Total

6.0

| MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/24/01

11:10

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2BG-3B

Data Qualifiers

Units

C | Q | N

Lab Sample No:

286631

7440-38-2

Arsenic, Total

7.5

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: Vennebush

08/24/01

11:30

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location: Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2BG-4A

Data Qualifiers

Units

MS/MSD

C

Q

Lab Sample No:

286632

7440-38-2

Arsenic, Total

3.1

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/24/01

12:05

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2BG-4B

Data Qualifiers

Units

C | Q | M

Lab Sample No:

286633

7440-38-2

Arsenic, Total

6.6

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/24/01

12:20

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

2203. 14.0 200011 020.0, 21.

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2BG-4C

Data Qualifiers

Jnits

C Q M

Lab Sample No:

286634

7440-38-2

Arsenic, Total

4.6

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/24/01

12:30

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-38A

Data Qualifiers

Units

c | Q | 1

Lab Sample No:

286635

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

6.5

MS mg/kg dry

282

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush 08/27/01

08:15

- (- - (- -

08/29/01 08:20



Advanced GeoServices Corporation

. Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Location:

Submittal Number:

35132-

Contact:

Jennifer L. Rice

(616) 975-4500

CAS No.

R2SB-38B

Data Qualifiers

Q M

Lab Sample No:

286636

7440-38-2

Arsenic, Total

5.2

mg/kg dry

7439-92-1

Lead, Total

175

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled: Date Received:

Time Received:

Vennebush

08/27/01

08:20

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-38C

Data Qualifiers

Units

C Q N

Lab Sample No:

286637

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

6.6 271 MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

08:25

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-37A

Data Qualifiers

Units

Q

Lab Sample No:

286638

7440-38-2

Arsenic, Total

7439-92-1 Lead, Total 9.2 366 MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: 08/27/01 08:40

08/29/01

Vennebush



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 35132- 3

Location:

Contact:

Jennifer L. Rice

Phone: (

(616) 975-4500

CAS No.

R2SB-37B

Data Qualifiers

Units

C | Q |

Lab Sample No:

286639

7440-38-2

Arsenic, Total

8.0

MS mg/kg dry
MS mg/kg dry

7439-92-1

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received:

Lead, Total

509

Vennebush 08/27/01

08:45

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-39A

Data Qualifiers

Units

C | Q

Lab Sample No:

286640

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

8.7 383

mg/kg dry MS

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

08:55

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

M

Phone:

(616) 975-4500

CAS No.

R2SB-39B

Data Qualifiers

Units

CQ

Lab Sample No:

286641

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

7.9 144 MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

09:00

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132-

Location: Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-44A

Data Qualifiers

Units

Q

Lab Sample No:

286642

7440-38-2

Arsenic, Total

7.8

mg/kg dry MS

7439-92-1

Lead, Total

252

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

09:15

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-44B

Data Qualifiers

Units

2 | Q | I

Lab Sample No:

286643

7440-38-2

Arsenic, Total

7439-92-1 Lead, Total

8.5

MS mg/kg dry
MS mg/kg dry

108

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

09:20

08/29/01



Advanced GeoServices Corporation

Submittal Number: 35132-

Proj: RMC - Beech Grove, IN

Location:

Subm: August 2001 Samples

Contact: Phone: Jennifer L. Rice (616) 975-4500

CAS No.

R2SB-43A Data Qualifiers

Units

MS/MSD

C |

Q | M

Lab Sample No:

286644

7440-38-2

Arsenic, Total

7.4

MS mg/kg dry

7439-92-1

Lead, Total

\* 250

| MS mg/kg dry

Sampled by: Date Sampled: Time Sampled: Vennebush 08/27/01 09:35

Date Received: Time Received: 08/29/01 08:20

<sup>\*</sup> See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Jennifer L. Rice Contact:

Phone:

(616) 975-4500

CAS No.

R2SB-43B

Data Qualifiers

Lab Sample No:

286645

7440-38-2

Arsenic, Total

7.4

mg/kg dry MS

7439-92-1

Lead, Total

201

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush 08/27/01

09:45

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-45A

Data Qualifiers

Units

Q

Lab Sample No:

286646

7440-38-2

Arsenic, Total

7.3

MS mg/kg dry

7439-92-1

Lead, Total

140

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled: Date Received:

Time Received:

Vennebush

08/27/01

10:25

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-45B

Data Qualifiers

Units

C Q M

Lab Sample No:

286647

7440-38-2 7439-92-1 Arsenic, Total Lead, Total 6.2

MS mg/kg dry
MS mg/kg dry

85

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: Vennebush

08/27/01

10:30

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-41A

Data Qualifiers

Units

C | Q | M

Lab Sample No:

286648

7440-38-2

Arsenic, Total

5.9

MS mg/kg dry

7439-92-1

Lead, Total

172

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

11:05

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-41B

Data Qualifiers

Units

Lab Sample No:

286649

7440-38-2

Arsenic, Total

5.9

MS mg/kg dry

7439-92-1

Lead, Total

128

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

11:10

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

110, 1000 1000 01000, 110

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-36A

Data Qualifiers

Units

C | Q |

Lab Sample No:

286650

7440-38-2

Arsenic, Total

7.8

MS mg/kg dry

7439-92-1

Lead, Total

310

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

11:20

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

CAS No.

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

R2SB-36B Data Qualifiers Units

QM

Lab Sample No:

7440-38-2

Arsenic, Total

7439-92-1 Lead, Total

6.1 109

286651

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

11:25

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-36C

Data Qualifiers

Units

: | Q |

Lab Sample No:

286652

7440-38-2

Arsenic, Total

9.0

MS mg/kg dry

7439-92-1

Lead, Total

328

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: 11:30 08/29/01

Vennebush

08/27/01

08:20

000136



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Submittal Number: 35132- 30

Location:

Contact: Subm: August 2001 Samples

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-42A Data Qualifiers

Q M

Lab Sample No:

286653

7440-38-2

Arsenic, Total

4.2

MSmg/kg dry

Units

7439-92-1

Lead, Total

165

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

11:40

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-42B

Data Qualifiers

Units

c | Q | 1

Lab Sample No:

286654

7440-38-2 7439-92-1 Arsenic, Total

3.9

MS mg/kg dry

Lead, Total

77

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:
Date Received:

Time Received:

Vennebush

08/27/01

11:45

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-35A

Data Qualifiers

Units

C Q M

Lab Sample No:

286655

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

3.7 191

mg/kg dry MS MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

11:52

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

LOCAL.

35132- 30

Location:

Submittal Number:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-35B

Data Qualifiers

Units

C |

Q i

Lab Sample No:

286656

7440-38-2

Arsenic, Total

4.7

MS mg/kg dry

7439-92-1

Lead, Total

79

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

11:55

08/29/01 08:20

000140



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-40A

Data Qualifiers

Units

c |

Q [

Lab Sample No:

286657

7440-38-2 7439-92-1 Arsenic, Total Lead, Total 6.9 422 MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

12:50

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

35132-

Location:

Submittal Number:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-40B

Data Qualifiers

Units

Q

Lab Sample No:

286658

7440-38-2

Arsenic, Total

4.0

MS mg/kg dry

7439-92-1

Lead, Total

50

mg/kg dry MS

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

12:55

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-32A

Data Qualifiers

M Q

Lab Sample No:

286659

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

4.9 286

mg/kg dry MS

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

13:05

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-32B

Data Qualifiers

Units

C | Q | M

Lab Sample No:

286660

7440-38-2

Arsenic, Total

4.2

MS mg/kg dry

7439-92-1

Lead, Total

91

MS mg/kg dry

Sampled by:

Date Sampled:

Date Sampled

Time Sampled: Date Received:

Time Received:

Vennebush

08/27/01

13:10

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-33A

Data Qualifiers

Units

C Q N

Lab Sample No:

286661

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

6.3

MS mg/kg dry
MS mg/kg dry

Sampled by: Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

13:20

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Submittal Number:

35132-

Location: Contact:

Subm: August 2001 Samples

Phone:

Jennifer L. Rice (616) 975-4500

CAS No.

R2SB-33B

Data Qualifiers

Units

Q

Lab Sample No:

286662

7440-38-2

Arsenic, Total

5.7

mg/kg dry MS

7439-92-1

Lead, Total

67

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: 08/29/01

Vennebush

08/27/01

08:20



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 35132- 30

Location:

Contact: Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-33C

Data Qualifiers

Units

Lab Sample No:

286663

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

4.5 250 MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

13:25

08/29/01

08:20

000147



Advanced GeoServices Corporation

Submittal Number:

35132- 30

Proj: RMC - Beech Grove, IN

Location: Contact:

Jennifer L. Rice

Subm: August 2001 Samples

Phone:

(616) 975-4500

CAS No.

R2SB-34A

Data Qualifiers

Units

C Q

Lab Sample No:

286664

7440-38-2

Arsenic, Total

7.1

MS mg/kg dry

7439-92-1

Lead, Total

\* 170

MS mg/kg dry

Sampled by:
Date Sampled:
Time Sampled:
Date Received:
Time Received:

Vennebush 08/27/01 13:55 08/29/01

08:20

\* See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-34B

Data Qualifiers Q

M

Lab Sample No:

286665

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

4.1 28

mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/27/01

14:05

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB-1-JLV

Data Qualifiers

Units

С

Lab Sample No:

286666

7440-38-2

Arsenic, Total

<1.0

MS ug/L

7439-92-1

Lead, Total

11

MS ug/L

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/21/01

15:05

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 35132-

Location:

Contact: Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB-2-JLV Data Qualifiers Units

C | Q | M

Lab Sample No:

286667

7440-38-2 Ars 7439-92-1 Lea

Arsenic, Total

Lead, Total

<1.0

| MS ug/L | MS ug/L

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/21/01

17:10

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB-3'-JLV

Data Qualifiers

Units

Lab Sample No:

286668

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

<1.0

MS ug/L

2.8

MS ug/L

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

10:35

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 35132- 30

Location:

Contact:

Jennifer L. Rice

Phone: (616) 975-4500

EB-4-JLV Data Qualifiers Units

C | Q | M

Lab Sample No:

286669

7440-38-2 Arsenic, Total

7439-92-1 Lead, Total

<1.0

MS ug/L MS ug/L

Sampled by: Date Sampled:

CAS No.

Date Sampled: Time Sampled:

Date Received:

Time Received:

Vennebush 08/23/01

10/23/0

12:35

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB-5-JLV

Data Qualifiers

Units

C | Q | M

Lab Sample No:

286670

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

<1.0

MS ug/L

1

MS ug/L

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

15:45

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 35

35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB-6-JLV

Data Qualifiers

Units

C | Q | M

Lab Sample No:

286671

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

<1.0

MS ug/L MS ug/L

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

17:30

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 35132- 30

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB-7-JLV

Data Qualifiers

Units M

Lab Sample No:

286672

7440-38-2

Arsenic, Total

<1.0

MS ug/L

7439-92-1

Lead, Total

8.6

MS ug/L

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: 08/24/01 12:30 08/29/01

Vennebush



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB-8-JLV

Data Qualifiers

Units

Q

Lab Sample No:

286673

7440-38-2

Arsenic, Total

<1.0

ug/L MS

7439-92-1

Lead, Total

<1.0

MS ug/L

Sampled by:

Date Sampled:

Time Sampled: Date Received:

Time Received:

08/27/01

Vennebush

08:35

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact: Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB-9-JLV

Data Qualifiers

Units

| Q | N

Lab Sample No:

286674

7440-38-2

Arsenic, Total

7439-92-1 Lead, Total

<1.0

| MS ug/L | MS ug/L

<1.0

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: 08/29/01

Vennebush

08/27/01

08:20



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number: 35132- 30

Location:

Contact:

Jennifer L. Rice

Phone: (616) 975-4500

CAS No.

EB-10-JLV Data Qualifiers Units

C | Q | M

Lab Sample No:

286675

7440-38-2 Arsenic, Total

7439-92-1 Lead, Total

<1.0

| MS ug/L | MS ug/L

Sampled by:

Date Sampled:

Time Sampled: Date Received:

Time Received:

Vennebush 08/27/01 13:30

08/29/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

Location:

Contact:

Jennifer L. Rice

35132-

Phone:

(616) 975-4500

CAS No.

Field Blank Data Qualifiers

Units

Lab Sample No:

286676

7440-38-2

Arsenic, Total

<1.0

MS ug/L

7439-92-1

Lead, Total

<1.0

MS ug/L

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received:

11:40 08/29/01

Vennebush

08/28/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: August 2001 Samples

Submittal Number:

35132- 30

Location:

Contact: Phone: Jennifer L. Rice

(616) 975-4500

CAS No.

R2SB-23B

Data Qualifiers

Units

CQ

Lab Sample No:

286688

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

13 105 MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

Vennebush

08/23/01

11:15

08/30/01

## SERIAL DILUTIONS

| Analyte | Lab ID Sample ID | Initial Conc | Serial Dilution Conc | % D   | IDL   | IDL*50 |            |
|---------|------------------|--------------|----------------------|-------|-------|--------|------------|
| As      | 286568 R2SED-8-A | 36.1         | 37.95                | 5.22  | 0.097 | 4.85   | Acceptable |
| Pb      | 286568 R2SED-8-A | 8797.24      | 9510.73              | 8.11  | 0.029 | 1.45   | Acceptable |
| As      | 286664 R2SB-34-A | 7.1          | 6.77                 | 4.35  | 0.097 | 4.85   | Acceptable |
| Pb      | 286664 R2SB-34-A | 196.07       | 170.04               | 13.27 | 0.029 | 1.45   | Qualify    |
| As      | 286644 R2SB-43-A | 7.4          | 7.47                 | 1.11  | 0.097 | 4.85   | Acceptable |
| Pb      | 286644 R2SB-43-A | 299.38       | 250.24               | 16.41 | 0.029 | 1.45   | Qualify    |
| As      | 286632 R2BG-4-A  | 3.1          | 2.79                 | 10.11 | 0.097 | 4.85   | Acceptable |
| Pb      | 286632 R2BG-4-A  | 63.80        | 65.19                | 2.17  | 0.029 | 1.45   | Acceptable |
| $A_S$   | 286625 R2SB-2-B  | 10.4         | 10.38                | 0.39  | 0.097 | 4.85   | Acceptable |
| Pb      | 286625 R2SB-2-B  | 2413.23      | 2821.16              | 16.90 | 0.029 | 1.45   | Qualify    |
| As      | 286613 R2SB-10-A | 8.9          | 7.97                 | 10.62 | 0.097 | 4.85   | Qualify    |
| Pb      | 286613 R2SB-10-A | 25.49        | 22.84                | 10.41 | 0.029 | 1.45   | Qualify    |
| As      | 286591 R2SB-21-A | 10.3         | 10.42                | 1.11  | 0.097 | 4.85   | Acceptable |
| Pb      | 286591 R2SB-21-A | 325.41       | 295.61               | 9.16  | 0.029 | 1.45   | Acceptable |

# Field Duplicates

| Criteria                           | Aqueous<br>± 1.5*EQL | Solid              |
|------------------------------------|----------------------|--------------------|
| Both results < 5*EQL               | $\pm 1.5*EQL$        | ± 2.5*EQL          |
| Both results > 5*EQL               | ± 25%                | ± 40%<br>± 2.5*EQL |
| One result < EQL, one result > EQL | ± 1.5*EQL            | ± 2.5*EQL          |

|         | R2BG-4-B  | R2BG-4-C  | EQL | 5*EQL | 2.5*EQL | Difference | e          |
|---------|-----------|-----------|-----|-------|---------|------------|------------|
| Arsenic | 6.6       | 4.6       | 1   | 5     | 2.5     | 2.00       | Acceptable |
|         | R2SB-11-A | R2SB-11-C | EQL | 5*EQL | 2.5*EQL | RPD        |            |
| Arsenic | 14        | 7.5       | 1   | 5     | 2.5     | 60.47      | Qualify    |
| Lead    | 360       | 323       | 1   | 5     | 2.5     | 10.83      | Acceptable |
|         | R2SB-17-A | R2SB-17-C | EQL | 5*EQL | 2.5*EQL | RPD        |            |
| Arsenic | 25        | 31        | 1   | 5     | 2.5     | 21.43      | Acceptable |
| Lead    | 4160      | 3950      | 1   | 5     | 2.5     | 5.18       | Acceptable |
|         | R2SB-20-A | R2SB-20-C | EQL | 5*EQL | 2.5*EQL | RPD        |            |
| Arsenic | 9.6       | 6.4       | 1   | 5     | 2.5     | 40.00      | Acceptable |
| Lead    | 486       | 447       | 1   | 5     | 2.5     | 8.36       | Acceptable |
|         | R2SB-33-A | R2SB-33-C | EQL | 5*EQL | 2.5*EQL | ference or | RPD        |
| Arsenic | 6.3       | 4.5       | 1   | 5     | 2.5     | 1.80       | Acceptable |
| Lead    | 202       | 250       | 1   | 5     | 2.5     | 21.24      | Acceptable |
|         | R2SB-36-A | R2SB-36-C | EQL | 5*EQL | 2.5*EQL | RPD        |            |
| Arsenic | 7.8       | 9         | 1   | 5     | 2.5     | 14.29      | Acceptable |
| Lead    | 310       | 328       | 1   | 5     | 2.5     | 5.64       | Acceptable |
|         | R2SB-38-A | R2SB-38-C | EQL | 5*EQL | 2.5*EQL | RPD        |            |
| Arsenic | 6.5       | 6.6       | 1   | 5     | 2.5     | 1.53       | Acceptable |
| Lead    | 282       | 271       | 1   | 5     | 2.5     | 3.98       | Acceptable |
|         | R2SB-7-A  | R2SB-7-C  | EQL | 5*EQL | 2.5*EQL | RPD        |            |
| Arsenic | 9.6       | 8.4       | 1   | 5     | 2.5     | 13.33      | Acceptable |
| Lead    | 78        | 49        | 1   | 5     | 2.5     | 45.67      | Qualify    |

# **Equipment Blank Contamination**

| Blank ID  | Parameter | Conc | Units         | Associated Samples | % Solids | Weight | Volume | DF              | BC   | BC * 5 | Sample Conc                            |
|-----------|-----------|------|---------------|--------------------|----------|--------|--------|-----------------|------|--------|----------------------------------------|
| ЕВ-1-ЛLV  | Lead      | 11   | μg/L          | R2SED-1A           | 1        | 0.4002 | 0.05   | 200             | 275  | 1374   | 7 4 1210 + 5H                          |
|           |           | 1    |               | R2SED-1B           | 1        | 0.3997 | 0.05   | 200             | 275  | 1376   | 1550                                   |
|           |           | 1    | i             | R2SED-2A           | 1        | 0.4003 | 0.05   | 200             | 275  | 1374   | * 1230×                                |
|           |           |      |               | R2SED-2B           | 1        | 0.4002 | 0.05   | 200             | 275  | 1374   | ± 1955 °                               |
|           | ł         |      |               | R2SED-3A           | 1        | 0.4005 | 0.05   | 200             | 275  | 1373   | 1570                                   |
|           |           |      |               | R2SED-3B           | 1        | 0.3997 | 0.05   | 1000            | 1376 | 6880   | 6020                                   |
|           |           |      |               | R2SED-4A           | 1        | 0.4003 | 0.05   | 500             | 687  | 3435   | ************************************** |
|           |           |      | [             | R2SED-4B           | 1        | 0.4003 | 0.05   | 200             | 275  | 1374   | 1570                                   |
| EB-2-JLV  | Lead      | 5.8  | μg/L          | R2SED-5A           | 1        | 0.4002 | 0.05   | 1000            | 725  | 3623   | 5410                                   |
|           |           |      |               | R2SED-5B           | 1        | 0.4005 | 0.05   | 200             | 145  | 724    | 1240                                   |
|           |           |      |               | R2SED-5C           | 1        | 0.4004 | 0.05   | 500             | 362  | 1811   | 5030                                   |
|           |           | 1    |               | R2SED-6A           | i        | 0.3995 | 0.05   | 1000            | 726  | 3630   | 8430                                   |
|           |           |      |               | R2SED-6B           | 1        | 0.4082 | 0.05   | 500             | 355  | 1776   | 3840                                   |
|           |           |      |               | R2SED-7A           | i        | 0.3999 | 0.05   | 1000            | 725  | 3626   | 5480                                   |
|           |           |      |               | R2SED-7B           | 1        | 0.4003 | 0.05   | 500             | 362  | 1811   | 2340                                   |
|           |           |      |               | R2SED-8A           | 1        | 0.4002 | 0.05   | 1000            | 725  | 3623   | 8190                                   |
|           | İ         |      |               | R2SED-8B           | 1        | 0.3999 | 0.05   | 500             | 363  | 1813   | 2610                                   |
|           |           |      |               | R2SED-9A           | 1        | 0.4002 | 0.05   | 500             | 362  | 1812   | 3630                                   |
|           |           |      | }             | R2SED-9B           | 1        | 0.4    | 0.05   | 50              | 36   | 181    | 471                                    |
|           |           |      | 1             | R2SED-10A          | 1        | 0.4003 | 0.05   | 10              | 7    | 36     | 84                                     |
|           |           |      |               | R2SED-10B          | 1        | 0.4004 | 0.05   | 5               | 4    | 18     | 25                                     |
|           |           |      | ļ             | R2SED-10C          | 1        | 0.4001 | 0.05   | 10              | 7    | 36     | 84                                     |
| EB-3-JLV  | Lead      | 2.8  | μg/L          | R2SB-1A            | 1        | 0.4002 | 0.05   | 200             | 70   | 350    | 1750                                   |
| • • •     |           |      | r s ==        | R2SB-1B            | 1        | 0.4005 | 0.05   | 200             | 70   | 350    | 1080                                   |
|           |           |      |               | R2SB-8A            | 1        | 0.4005 | 0.05   | 25              | 9    | 44     | 197                                    |
|           |           |      |               | R2SB-8B            | 1        | 0.4002 | 0.05   | 5               | 2    | 9      | 51                                     |
|           |           |      |               | R2SB-9A            | 1        | 0.4004 | 0.05   | 500             | 175  | 874    | 3330                                   |
|           |           |      |               | R2SB-9B            | 1        | 0.4002 | 0.05   | 50              | 17   | 87     | 287                                    |
|           | •         |      |               | R2SB-13A           | 1        | 0.4001 | 0.05   | 1000            | 350  | 1750   | 7390                                   |
|           |           |      |               | R2SB-13B           | 1        | 0.4005 | 0.05   | 1000            | 35   | 175    | 875                                    |
|           |           |      |               | R2SB-17A           | 1        | 0.4003 | 0.05   | 500             | 175  | 874    | 4160                                   |
|           |           |      |               | R2SB-17B           | 1        | 0.3995 | 0.05   | 25              | 9    | 44     | 267                                    |
|           |           |      |               | R2SB-17C           | 1        | 0.4001 | 0.05   | 500             | 175  | 875    | 3950                                   |
| EB-4-JLV  | Lead      | 2.3  | μg/L          | R2SB-24A           | 1        | 0.4005 | 0.05   | 100             | 29   | 144    | 779                                    |
|           | 2000      |      | , FG, Z       | R2SB-24B           | 1        | 0.3997 | 0.05   | 25              | 7    | 36     | 117                                    |
|           |           |      |               | R2SB-23A           | 1        | 0.4004 | 0.05   | 50              | 14   | 72     | 463                                    |
|           |           |      |               | R2SB-23B           | 1        | 0.4005 | 0.05   | 10              | 3    | 14     | 105                                    |
|           |           |      |               | R2SB-22A           | 1        | 0.4003 | 0.05   | 100             | 29   | 144    | 734                                    |
|           |           |      |               | R2SB-22B           | 1        | 0.4005 | 0.05   | 25              | 7    | 36     | 188                                    |
|           |           |      |               | R2SB-21A           | 1        | 0.4005 | 0.05   | 5               | 1    | 7      | 296                                    |
|           |           |      |               | R2SB-21B           | 1        | 0.3995 | 0.05   | 5               | 1    | 7      | 84                                     |
|           |           |      |               | R2SB-20A           | 1        | 0.4005 | 0.05   | 50              | 14   | 72     | 486                                    |
|           | . ]       |      |               | R2SB-20B           | 1        | 0.4005 | 0.05   | 25              | 7    | 36     | 129                                    |
|           | 1         |      |               | R2SB-20C           | 1        | 0.4    | 0.05   | 50              | 14   | 72     | 447                                    |
| EB-5-JLV  | Lead      | 1.7  | 11 <b>0/T</b> | R2SB-19A           | 1        | 0.4003 | 0.05   | 100             | 21   | 106    | 796                                    |
| Y LL-C-LL | 2040      | 1.1  | 75/L          | R2SB-19B           | 1        | 0.4005 | 0.05   | 25              | 5    | 27     | 250                                    |
|           |           |      |               | R2SB-18A           | 1        | 0.4005 | 0.05   | 100             | 21   | 106    | 669                                    |
|           |           |      |               | R2SB-18B           | 1        | 0.4003 | 0.05   | 25              | 5    | 27     | 122                                    |
|           |           |      |               | R2SB-16A           | 1        | 0.4003 | 0.05   | 25              | 5    | 27     | 179                                    |
|           |           |      |               | R2SB-16B           | 1        | 0.4005 | 0.05   | 25              | 5    | 27     | 125                                    |
|           |           |      |               | R2SB-15A           | 1        | 0.4002 | 0.05   | $\frac{25}{25}$ | 5    | 27     | 265                                    |
|           |           | l    |               | 174                |          | 0.1002 | 0.03   |                 |      |        |                                        |

## **Equipment Blank Contamination**

| Blank ID  | Parameter | Conc | Units | Associated Samples | % Solids | Weight | Volume | DF  | BC  | BC * 5 | Sample Conc |
|-----------|-----------|------|-------|--------------------|----------|--------|--------|-----|-----|--------|-------------|
|           | <u> </u>  |      |       | R2SB-15B           | 1        | 0.4005 | 0.05   | 25  | 5   | 27     | 184         |
|           |           |      |       | R2SB-11A           | 1        | 0.4003 | 0.05   | 50  | 11  | 53     | 360         |
|           |           |      |       | R2SB-11B           | 1        | 0.4003 | 0.05   | 10  | 2   | 11     | 83          |
|           |           |      |       | R2SB-11C           | 1        | 0.4005 | 0.05   | 50  | 11  | 53     | 323         |
| EB-6-JLV  | Lead      | 1.6  | μg/L  | R2SB-12A           | 1        | 0.4005 | 0.05   | 25  | 5   | 25     | 222         |
|           |           |      |       | R2SB-12B           | 1        | 0.4004 | 0.05   | 10  | 2   | 10     | 71          |
|           |           |      |       | R2SB-5A            | 1        | 0.4005 | 0.05   | 25  | 5   | 25     | 121         |
|           |           | 1    |       | R2SB-5B            | • 1      | 0.4004 | 0.05   | 10  | 2   | 10     | 68          |
|           |           |      |       | R2SB-14A           | 1        | 0.3999 | 0.05   | 10  | 2   | 10     | 89          |
|           |           |      |       | R2SB-14B           | 1        | 0.4    | 0.05   | 5   | 1   | 5      | 7.3         |
| 1         |           | }    |       | R2SB-10A           | 1        | 0.4002 | 0.05   | 5   | 1   | 5      | 25          |
|           |           |      |       | R2SB-10B           | 1        | 0.4005 | 0.05   | 5   | 1   | 5      | 10          |
|           |           |      |       | R2SB-7A            | 1        | 0.4    | 0.05   | 10  | 2   | 10     | 78          |
| 1         |           |      |       | R2SB-7B            | 1        | 0.4005 | 0.05   | 5   | 1   | 5      | 35          |
| 1         | į         | l    | 1     | R2SB-7C            | 1        | 0.4003 | 0.05   | 5   | 1   | 5      | 49          |
| 1         |           | ļ    |       | R2SB-6A            | 1        | 0.4004 | 0.05   | 50  | 10  | 50     | 587         |
|           |           |      | İ     | R2SB-6B            | 1        | 0.4002 | 0.05   | 25  | 5   | 25     | 286         |
| 1         |           |      |       | R2SB-3A            | 1        | 0.4005 | 0.05   | 100 | 20  | 100    | 991         |
|           |           |      |       | R2SB-3B            | 1        | 0.4001 | 0.05   | 200 | 40  | 200    | 1760        |
| 1         |           |      |       | R2SB-4A            | 1        | 0.4002 | 0.05   | 200 | 40  | 200    | 1980        |
|           |           |      |       | R2SB-4B            | 1        | 0.3995 | 0.05   | 200 | 40  | 200    | 1380        |
|           |           |      |       | R2SB-2A            | 1        | 0.4005 | 0.05   | 200 | 40  | 200    | 1290        |
|           |           |      |       | R2SB-2B            | 1        | 0.4005 | 0.05   | 500 | 100 | 499    | 2760        |
| EB-7-JLV  | Lead      | 8.6  | μg/L  | R2BG-1A            |          |        |        |     |     |        | NA          |
|           |           |      |       | R2BG-1B            |          | ·      |        |     |     |        | NA          |
| 1         |           | 1    |       | R2BG-2A            |          |        |        |     |     |        | NA          |
|           |           | İ    |       | R2BG-2B            |          |        |        |     |     |        | NA          |
|           |           |      |       | R2BB-3A            |          |        |        |     |     |        | NA          |
|           |           |      |       | R2BG-3B            |          |        |        |     |     |        | NA          |
|           |           | İ i  |       | R2BB-4A            |          |        |        |     |     |        | NA          |
|           |           |      |       | R2BG-4B            |          |        |        |     |     |        | NA          |
|           |           |      |       | R2BG-4C            |          |        |        |     | -   |        | NA          |
| EB-10-JLV | Lead      | 2.9  | μg/L  | R2SB-42A           | 1        | 0.4002 | 0.05   | 25  | 9   | 45     | 165         |
|           |           |      |       | R2SB-42B           | 1        | 0.4    | 0.05   | 10  | 4   | 18     | 77          |
|           |           |      |       | R2SB-35A           | 1        | 0.4    | 0.05   | 25  | 9   | 45     | 191         |
| [         |           |      |       | R2SB-35B           | 1        | 0.4002 | 0.05   | 10  | 4   | 18     | 79          |
|           |           |      |       | R2SB-40A           | 11       | 0.4003 | 0.05   | 50  | 18  | 91     | 422         |
|           |           |      |       | R2SB-40B           | 1        | 0.4    | 0.05   | 5   | 2   | 9      | 50          |
|           |           |      |       | R2SB-32A           | 1        | 0.4005 | 0.05   | 50  | 18  | 91     | 286         |
|           |           |      | - t   | R2SB-32B           | 1        | 0.4004 | 0.05   | 10  | 4   | 18     | 91          |
|           |           |      |       | R2SB-33A           | 1        | 0.4005 | 0.05   | 25  | 9   | 45     | 202         |
|           |           |      |       | R2SB-33B           | 1        | 0.4005 | 0.05   | 10  | 4   | 18     | 67          |
| ] [       | ĺ         |      | L     | R2SB-33C           | 1        | 0.4003 | 0.05   | 50  | 18  | 91     | 250         |
| 1         | ļ         |      |       | R2SB-34A           | 1        | 0.4002 | 0.05   | 5   | 2   | 9      | 170         |
|           |           |      |       | R2SB-34B           | 1        | 0.4005 | 0.05   | 5   | 2   | 9      | 28          |



# APPENDIX C Data Validation Report of Groundwater and Soil Samples Collected on September 22 and 24, 2001

## DATA VALIDATION REPORT

OF

# GROUNDWATER AND SOIL SAMPLES COLLECTED ON SEPTEMBER 22 AND 24, 2001

**FOR** 

**INORGANIC ANALYSES** 

Sample Delivery Group No. 35132-31

PREPARED FOR:

Refined Metals Corporation Beech Grove, Indiana

PREPARED BY:

ADVANCED GEOSERVICES CORP. CHADDS FORD, PENNSYLVANIA

November 6, 2001 Project Number 2001-824-00

# DATA VALIDATION REPORT INORGANICS

### **INTRODUCTION**

This data validation report addresses the inorganic results from the groundwater and soil samples collected on September 22 and 24, 2001, as part of the RMC Beech Grove, Indiana, Pre-Remedial Design (RD) sampling event. The soil samples were analyzed by Trimatrix in Grand Rapids, Michigan for lead and arsenic by USEPA SW-846 method 6020. Groundwater samples were analyzed for inorganics (antimony, arsenic, barium, cadmium, chromium, lead, mercury, selenium, silver) by USEPA SW-846 methods 6020 and 7000 series. The data were reported by Trimatrix under sample delivery group (SDG) 35132-31.

This review has been performed with guidance from the Indiana Department of Environmental Management's *Guidance to the Performance and Presentation of Analytical Chemistry Data* (July 1998) and the U.S. EPA's *National Functional Guideline for Inorganic Data Review* (Feb. 1994). The findings presented in this report are based upon a review of all data supplied by the laboratory.

#### 1. Timeliness

All samples were prepared and analyzed within holding time limits of 6 months (28 days for mercury).

## 2. Sample Preparation

All sample preparation procedures were in accordance with the method protocols.

#### 3. Calibration

Soil samples were analyzed for arsenic and lead by ICP-MS. The groundwater samples were analyzed for antimony, arsenic, barium, cadmium, chromium, lead, mercury, selenium, silver by ICP-MS and CVAA The instruments were standardized according to the analytical method using one blank and a single calibration standard for each element. All calibrations (ICVs) were performed as required and met the criteria for acceptance.

# 4. Reference Control Samples/Calibration Verification

Reference control samples (CCVs) are digested and analyzed along with the samples to verify the efficiency of laboratory procedures. Control limits for the ICP-MS reference sample are 90-110 percent (80-120 percent for mercury) of the certified value. All recoveries met the acceptance criteria for control samples.

### 5. Blanks

No target analytes were detected in laboratory or field blanks.

## 6. ICP Interference Check Sample

The interference check sample (LCS) is analyzed by ICP-MS to verify interelement and background correction factors. Analysis was performed as required at the beginning and end of each sample analysis run and recoveries were within the specified criteria of 80-120 percent.

## 7. Duplicate Analysis

The relative percent differences (RPDs) were within the control limit of 20 percent for aqueous samples and 35 percent for solid samples.

## 8. Field Duplicates

Sample MW-3/MW-3A and R2SB-46-B/R2SB-46-C were field duplicates. Results exhibited reasonable agreement.

## 9. Matrix Spike Analysis

The matrix spike (MS) percent recoveries were within the QC limits of 75-125 percent (soil matrices) and 80-120 percent (aqueous matrices), with the exception of the following:

| Matrix | MS or MSD | Parameter | Spike Added | Sample Conc | Spiked Conc | %R   |
|--------|-----------|-----------|-------------|-------------|-------------|------|
| GW     | MS        | Silver    | 50          | 0.2 U       | 18.1        | 36%  |
| GW     | MSD       | Silver    | 50          | 0.2 U       | 17.3        | 35%  |
| GW     | MS        | Selenium  | 50          | 3.7         | 69.5        | 132% |
| GW     | MSD       | Selenium  | 50          | 3.7         | 67.3        | 127% |
| Soil   | MSD       | Arsenic   | 31.2        | 9.0         | 31.0        | 71%  |

The associated sample results and reporting limits were qualified as estimated (J/UJ).

## 10. Laboratory Control Sample (LCS)

The laboratory control sample (LCS) percent recoveries were within the QC limits of 80-120 percent.

#### 11. ICP Serial Dilution

All concentrations were either less than 50 times the instrument detection limit (IDL) or greater than 50 times the IDL with the percent differences that were  $\pm 10$  percent of the serial dilution result.

# DATA VALIDATION REPORT VALIDATION SUMMARY

## **SUMMARY**

All the data is useable as qualified.

## **DATA QUALIFIERS**

The following qualifiers were used to modify the data quality and usefulness of individual analytical results.

| $\mathbf{U}$ | - | The analyte was not detected at the given quantitation limit.                                                                                                                                         |
|--------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| J            | - | The analyte was positively identified and detected; however, the concentration is an estimated value because the result is less than the quantitation limit or quality control criteria were not met. |
| UJ           | - | The analyte was not detected; the associated quantitation limit is an estimated value.                                                                                                                |
| D            | • | The value was obtained from a reanalysis of a diluted sample.                                                                                                                                         |
| E            | - | Concentration reported is estimated, the concentration exceeded the instrument's calibration range. The sample should be diluted.                                                                     |
| R            | - | The value reported has been rejected.                                                                                                                                                                 |

## **DATA ASSESSMENT**

Data review was performed by an experienced quality assurance scientist independent of the analytical laboratory and not directly involved in the project.

This is to certify that I have examined the analytical data and based on the information provided to me by the laboratory, in my professional judgement the data are acceptable for use except where qualified with qualifiers which modify the usefulness of those individual values.

Quality Assurance Scientist

uality Assurance Manager

11/6/01 Date 11/6/2001

Date

## INORGANIC DATA VALIDATION SUMMARY

| Site Name: Project Number: Sampling Date(s):               | RMC Bearlyn                   | ove_                                  |             | Labora<br>Case /C | tory:<br>Order No.:       | Trimetrix<br>35132-31 |
|------------------------------------------------------------|-------------------------------|---------------------------------------|-------------|-------------------|---------------------------|-----------------------|
| Compound List: Method:                                     | TAL  CLP SOW ILMO4.           | Priority F                            |             |                   | Appendix IX SW-846 Method | Other Pb, As          |
| The following table indicate                               | ates the data validation crit | eria examin                           | ed, any     | problems i        | identified, and the       | QA action applied.    |
| Data Validation Criteria:                                  |                               | accept                                | FYI         | qualify           | Comments                  |                       |
| Holding Times Initial Calibrations Continuing Calibrations |                               | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ |             |                   |                           |                       |
| CRDL Standards                                             |                               | <b>/</b>                              |             |                   |                           |                       |
| Blank Analysis Results ICP Interference Check S            | ample Recoveries              | \<br>\<br>\                           |             |                   |                           |                       |
| Duplicate Results Field Duplicate Results                  |                               |                                       |             |                   |                           |                       |
| Spike Analysis Recoveries  Serial Dilution Results         | S                             | Ø.                                    |             | V                 |                           |                       |
| Laboratory Control Samp Furnace AA QC Analysis             |                               |                                       |             |                   |                           |                       |
| Quantitation/Detection Lin<br>Overall Assessment of Da     |                               |                                       |             |                   |                           |                       |
| Other:                                                     |                               |                                       |             |                   |                           |                       |
| General Comments:                                          | <del></del>                   |                                       | <del></del> |                   | <del> </del>              |                       |
|                                                            |                               |                                       |             |                   |                           |                       |
|                                                            |                               |                                       |             |                   |                           |                       |
|                                                            |                               |                                       |             |                   |                           |                       |

Accept - No qualification required.

FYI - For your information only, no qualification necessary.

Qualify - Qualify as rejected, estimated or biased

NA - Not applicable.

NR - Not reviewed.

QA Scientist Date U/G/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number:

35132- 31

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

MW-9

Data Qualifiers

Units

ug/L

ug/L

c | Q

Lab Sample No:

288677

2000//

7440-36-0 Antimony, Total
7440-38-2 Arsenic, Total
7440-39-3 Barium, Total
7440-43-9 Cadmium, Total
7440-47-3 Chromium, Total
7439-92-1 Lead, Total
7439-97-6 Mercury, Total

7782-49-2 Selenium, Total 7440-22-4 Silver, Total <10 7.7 137 <0.2

<1.0 1.6 <0.2 <2.0

<0.2 UJ

| | | U : | MS ug/L | MS ug/L | MS ug/L | MS ug/L

MS

MS

MS ug/L MS ug/L MS ug/L

Sampled by:

Date Sampled: Time Sampled:

Date Received:

Time Received:

BMG/SM

09/22/01

09:40

09/25/01



### ANALYTICAL REPORT USEPA CLP FORM 1 .

Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number:

35132- 31

Section of the second

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

| CAS No.   |                 | MW-1         | Data Qualif<br>C   Q | iers Units<br>  M |
|-----------|-----------------|--------------|----------------------|-------------------|
|           | Lab Sample No:  | 288678       |                      |                   |
|           | •               |              |                      |                   |
| 7440-36-0 | Antimony, Total | <10          | 1                    | MS ug/L           |
| 7440-38-2 | Arsenic, Total  | 33           | !                    | MS ug/L           |
| 7440-39-3 | Barium, Total   | 101          | 1                    | MS ug/L           |
| 7440-43-9 | Cadmium, Total  | 0.2          | j                    | MS ug/L           |
| 7440-47-3 | Chromium, Total | 3.1          | į                    | MS ug/L           |
| 7439-92-1 | Lead, Total     | 5.9          | j                    | MS ug/L           |
| 7439-97-6 | Mercury, Total  | <0.2         | İ                    | CV ug/L           |
| 7782-49-2 | Selenium, Total | <b>№</b> 6.1 | J                    | MS ug/L           |
| 7440-22-4 | Silver, Total   | <0.2         | I UJ                 | MS ug/L           |

| Sampled by:    | BMG/SM   |  |  |  |  |  |
|----------------|----------|--|--|--|--|--|
| Date Sampled:  | 09/22/01 |  |  |  |  |  |
| Time Sampled:  | 11:19    |  |  |  |  |  |
| Date Received: | 09/25/01 |  |  |  |  |  |
| Time Received: | 08:30    |  |  |  |  |  |
|                |          |  |  |  |  |  |

<sup>\*</sup> See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Location:

: Jennifer L. Rice

Submittal Number:

35132- 31

Contact: Phone:

(616) 975-4500

CAS No.

MW-2

Data Qualifiers

Units

Lab Sample No:

288679

|           | ·               |      |     |    |      |
|-----------|-----------------|------|-----|----|------|
| 7440-36-0 | Antimony, Total | <10  | 1   | MS | ug/L |
| 7440-38-2 | Arsenic, Total  | 12   | j   | MS | ug/L |
| 7440-39-3 | Barium, Total   | 31   | j   | MS | ug/L |
| 7440-43-9 | Cadmium, Total  | 0.3  | İ   | MS | ug/L |
| 7440-47-3 | Chromium, Total | <1.0 | Ì   | MS | ug/L |
| 7439-92-1 | Lead, Total     | 49   | Ì   | MS | ug/L |
| 7439-97-6 | Mercury, Total  | <0.2 | 1   | CV | ug/L |
| 7782-49-2 | Selenium, Total | <2.0 | 1   | MS | ug/L |
| 7440-22-4 | Silver, Total   | <0.2 | 145 | MS | ug/L |

Sampled by:

Date Sampled:

Time Sampled: Date Received:

Time Received:

BMG/SM

09/22/01

12:36

09/25/01



CAS No.

# ANALYTICAL REPORT USEPA CLP FORM 1 .

Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number:

35132- 31

Units

Location:

Contact:

Jennifer L. Rice

Phone:

MW-7

(616) 975-4500

Data Qualifiers

|           |                 | MS/MSD       | С |    | Q | М  |      |
|-----------|-----------------|--------------|---|----|---|----|------|
|           | Lab Sample No:  | 288680       |   |    |   |    |      |
|           | •               |              |   |    |   |    |      |
| 7440-36-0 | Antimony, Total | <10          |   | 1  |   | MS | ug/L |
| 7440-38-2 | Arsenic, Total  | 25           |   | 1  |   | MS | ug/L |
| 7440-39-3 | Barium, Total   | 21           |   | l  |   | MS | ug/L |
| 7440-43-9 | Cadmium, Total  | <0.2         |   | 1  |   | MS | ug/L |
| 7440-47-3 | Chromium, Total | <1.0         |   | 1  |   | MS | ug/L |
| 7439-92-1 | Lead, Total     | 19           |   |    |   | MS | ug/L |
| 7439-97-6 | Mercury, Total  | <0.2         |   | 1  |   | CV | ug/L |
| 7782-49-2 | Selenium, Total | <b>≯</b> 3.7 |   | J  |   | MS | ug/L |
| 7440-22-4 | Silver, Total   | *<0.2        |   | UJ |   | MS | ug/L |

Sampled by:
Date Sampled:
Time Sampled:
Date Received:
Time Received:

BMG/SM 09/22/01 13:38 09/25/01 08:30

<sup>\*</sup> See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number: 35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

| CAS No.   |                 | 8 <b>-</b> WM | Data Qual |    | Units |
|-----------|-----------------|---------------|-----------|----|-------|
|           | Lab Sample No:  | 288681        |           |    |       |
|           | •               |               |           |    |       |
| 7440-36-0 | Antimony, Total | 14            | 1         | MS | ug/L  |
| 7440-38-2 | Arsenic, Total  | 5.1           |           | MS | ug/L  |
| 7440-39-3 | Barium, Total   | 133           | İ         | MS | ug/L  |
| 7440-43-9 | Cadmium, Total  | 8.0           | į         | MS | ug/L  |
| 7440-47-3 | Chromium, Total | <1.0          | j         | MS | ug/L  |
| 7439-92-1 | Lead, Total     | 21            | j         | MS | ug/L  |
| 7439-97-6 | Mercury, Total  | <0.2          | į         | CV | ug/L  |
| 7782-49-2 | Selenium, Total | <2.0          | į         | MS | ug/L  |
| 7440-22-4 | Silver, Total   | <0.2          | Lu        | MS | ug/L  |

Sampled by: Date Sampled: Time Sampled: Date Received: Time Received: BMG/SM 09/22/01 16:31 09/25/01 08:30



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number:

35132- 31

Location:

Contact:

Jennifer L. Rice

M

Phone:

(616) 975-4500

CAS No.

MW-3

Data Qualifiers Q

Units

and the second and addition about the

Lab Sample No:

288682

<10

9.7

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total Barium, Total 7440-39-3 7440-43-9 Cadmium, Total 7440-47-3 Chromium, Total 7439-92-1 Lead, Total 7439-97-6 Mercury, Total

7782-49-2 Selenium, Total 7440-22-4 Silver, Total

102 <0.2 <1.0 1.3 <0.2 <2.0 <0.2

UJ

MS ug/L MS ug/L MS ug/L

MS ug/L MS ug/L MS ug/L CV ug/L MS ug/L

ug/L

MS

Sampled by:

Date Sampled:

Time Sampled: Date Received:

Time Received:

BMG/SM

09/22/01

16:31

09/25/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number: 35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

Q M

CAS No.

MW-3A

Data Qualifiers

Units

31

Lab Sample No:

288683

|           | •               |              |    |      |      |
|-----------|-----------------|--------------|----|------|------|
| 7440-36-0 | Antimony, Total | <10          |    | MS   | ug/L |
| 7440-38-2 | Arsenic, Total  | 9.8          |    | MS   | ug/L |
| 7440-39-3 | Barium, Total   | 101          |    | MS   | ug/L |
| 7440-43-9 | Cadmium, Total  | <0.2         |    | MS   | ug/L |
| 7440-47-3 | Chromium, Total | <1.0         |    | MS   | ug/L |
| 7439-92-1 | Lead, Total     | 1.4          |    | ∤ MS | ug/L |
| 7439-97-6 | Mercury, Total  | <0.2         |    | CA   | ug/L |
| 7782-49-2 | Selenium, Total | <b>k</b> 4.7 | J  | MS   | ug/L |
| 7440-22-4 | Silver, Total   | <0.2         | NJ | MS   | ug/L |

| Sampl | led by:   | BMG/SM   |
|-------|-----------|----------|
| Date  | Sampled:  | 09/22/01 |
| Time  | Sampled:  | 16:51    |
| Date  | Received: | 09/25/01 |
| Time  | Received: | 08:30    |

<sup>\*</sup> See attached Statement of Data Qualifications.

HLH HLH



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number:

35132- 31

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB1-092201 Data Qualifiers

Q

Units

Lab Sample No:

288684

| 7440-36-0 | Antimony, Total | <10  | }   | MS | ug/L |
|-----------|-----------------|------|-----|----|------|
| 7440-38-2 | Arsenic, Total  | <1.0 |     | MS | ug/L |
| 7440-39-3 | Barium, Total   | <10  | 1   | MS | ug/L |
| 7440-43-9 | Cadmium, Total  | <0.2 | 1   | MS | ug/L |
| 7440-47-3 | Chromium, Total | <1.0 |     | MS | ug/L |
| 7439-92-1 | Lead, Total     | <1.0 | -   | MS | ug/L |
| 7439-97-6 | Mercury, Total  | <0.2 | -   | CV | ug/L |
| 7782-49-2 | Selenium, Total | <2.0 |     | MS | ug/L |
| 7440-22-4 | Silver, Total   | <0.2 | 105 | MS | ug/L |
|           |                 |      |     |    |      |

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/SM

09/22/01

17:00

09/25/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number:

35132- 31

.0 200011 01000, 111

Location: Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

MW-5

Data Qualifiers

Units

Lab Sample No:

288685

| 7440-36-0 | Antimony, Total | <10  | Į.  | MS | ug/L |
|-----------|-----------------|------|-----|----|------|
| 7440-38-2 | Arsenic, Total  | 7.6  | j   | MS | ug/L |
| 7440-39-3 | Barium, Total   | 170  | } . | MS | ug/L |
| 7440-43-9 | Cadmium, Total  | <0.2 | j   | MS | ug/L |
| 7440-47-3 | Chromium, Total | <1.0 | İ   | MS | ug/L |
| 7439-92-1 | Lead, Total     | 2.0  |     | MS | ug/L |
| 7439-97-6 | Mercury, Total  | <0.2 | İ   | CV | ug/L |
| 7782-49-2 | Selenium, Total | <2.0 |     | MS | ug/L |
| 7440-22-4 | Silver, Total   | <0.2 | レエ  | MS | ug/L |

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/SM

09/24/01

10:26

09/25/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number: 35132- 31

Location:

Contact:

Jennifer L. Rice

(616) 975-4500 Phone:

CAS No.

MW-4

Data Qualifiers Q

Units

Lab Sample No:

288686

|           | •               |      |    |    |      |
|-----------|-----------------|------|----|----|------|
| 7440-36-0 | Antimony, Total | <10  | 1  | MS | ug/L |
| 7440-38-2 | Arsenic, Total  | <1.0 | ļ  | MS | ug/L |
| 7440-39-3 | Barium, Total   | 197  | }  | MS | ug/L |
| 7440-43-9 | Cadmium, Total  | <0.2 | 1  | MS | ug/L |
| 7440-47-3 | Chromium, Total | <1.0 | İ  | MS | ug/L |
| 7439-92-1 | Lead, Total     | <1.0 | Ì  | MS | ug/L |
| 7439-97-6 | Mercury, Total  | <0.2 | 1  | CV | ug/L |
| 7782-49-2 | Selenium, Total | <2.0 | j  | MS | ug/L |
| 7440-22-4 | Silver, Total   | <0.2 | UJ | MS | ug/L |

Sampled by:

Date Sampled:

Date Received:

Time Received:

Time Sampled:

09/24/01 11:29

BMG/SM

09/25/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Location:

Submittal Number:

35132-31

Contact:

Jennifer L. Rice

M

Subm: 9/22-24/01 Samples Phone: (616) 975-4500

CAS No.

MW-6

Data Qualifiers . Q

Units

Lab Sample No:

288687

| 7440-36-0 | Antimony, Total | <10  | ]  | MS | ug/L |
|-----------|-----------------|------|----|----|------|
| 7440-38-2 | Arsenic, Total  | 1.9  | 1  | MS | ug/L |
| 7440-39-3 | Barium, Total   | 92   | j  | MS | ug/L |
| 7440-43-9 | Cadmium, Total  | <0.2 | İ  | MS | ug/L |
| 7440-47-3 | Chromium, Total | <1.0 | j  | MS | ug/L |
| 7439-92-1 | Lead, Total     | <1.0 | j  | MS | ug/L |
| 7439-97-6 | Mercury, Total  | <0.2 | į  | CV | ug/L |
| 7782-49-2 | Selenium, Total | <2.0 | Ì  | MS | ug/L |
| 7440-22-4 | Silver, Total   | <0.2 | UJ | MS | ug/L |

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/SM 09/24/01

12:55

09/25/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number:

35132- 31

Location:

Contact: Phone: Jennifer L. Rice

(616) 975~4500

CAS No.

EB2-092401 Data Qualifiers

Units

C | Q | M

Lab Sample No:

288688

| 7440-36-0 | Antimony, Total | <10  | 1  | MS | ug/L |
|-----------|-----------------|------|----|----|------|
| 7440-38-2 | Arsenic, Total  | <1.0 |    | MS | ug/L |
| 7440-39-3 | Barium, Total   | <10  |    | MS | ug/L |
| 7440-43-9 | Cadmium, Total  | <0.2 | İ  | MS | ug/L |
| 7440-47-3 | Chromium, Total | <1.0 | İ  | MS | ug/L |
| 7439-92-1 | Lead, Total     | <1.0 | Ì  | MS | ug/L |
| 7439-97-6 | Mercury, Total  | <0.2 |    | CV | ug/L |
| 7782-49-2 | Selenium, Total | <2.0 | j  | MS | ug/L |
| 7440-22-4 | Silver. Total   | <0.2 | บร | MS | ug/L |

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/SM

09/24/01

13:30

09/25/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number:

35132- 31

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-46-A

Data Qualifiers

Units

C | Q | 1

Lab Sample No:

288689

7440-38-2 7439-92-1 Arsenic, Total Lead, Total 6.9 34 J

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/SM

09/24/01

14:35

09/25/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number:

35132- 31

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-46-B Data Qualifiers

Units

Q

Lab Sample No:

288690

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

6.5 41

J

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/SM

09/24/01

14:41

09/25/01



Advanced GeoServices Corporation

Submittal Number:

35132-

Proj: RMC - Beech Grove, IN

Location: Contact:

Subm: 9/22-24/01 Samples

Phone:

Jennifer L. Rice (616) 975-4500

Q

CAS No.

R2SB-46-C Data Qualifiers Units

Lab Sample No:

288691

7440-38-2

Arsenic, Total

6.1

mg/kg dry MS

7439-92-1

Lead, Total

38

mg/kg dry MS

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/SM

09/24/01

14:48

09/25/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number:

35132- 31

MS

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-47-A

Data Qualifiers

Units

C | Q | M

Lab Sample No:

288692

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

6.7 45 J

MS mg/kg dry

mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: BMG/SM

09/24/01

14:56

09/25/01

08:30

HLH 11/6/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Location:

Submittal Number:

35132-31

Contact:

Subm: 9/22-24/01 Samples

Phone:

Jennifer L. Rice (616) 975-4500

CAS No.

R2SB-47-B

Data Qualifiers

Units

And the state of the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and the said and t

MS/MSD

Q

Lab Sample No:

288693

7440-38-2

Arsenic, Total

9.0

mg/kg dry MS

7439-92-1

Lead, Total

24

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/SM

09/24/01

15:01

09/25/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number:

С

35132- 31

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-48-A

Data Qualifiers Q

Units

Lab Sample No:

288694

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

6.5 41

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/SM

09/24/01

15:09

09/25/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Location:

35132-

Subm: 9/22-24/01 Samples

Contact:

Submittal Number:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-48-B

Data Qualifiers

Lab Sample No:

288695

7440-38-2 7439-92-1 Arsenic, Total

6.7

mg/kg dry MS

Lead, Total

45

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/SM

09/24/01

15:14

09/25/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number:

35132- 31

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-49-A

Data Qualifiers

Q

Units

Lab Sample No:

288696

7440-38-2

Arsenic, Total

7439-92-1 Le

Lead, Total

8.0 47 J

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/SM

09/24/01

15:21

09/25/01

08:30

11/6/6/



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number:

35132- 31

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-49-B

Units

Lab Sample No:

288697

7440-38-2

Arsenic, Total

7439-92-1 Lead, Total

9.7

J

MS mg/kg dry
MS mg/kg dry

117

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/SM

09/24/01

15:25

09/25/01

08:30

ALI+ 14401



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number:

35132- 31

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-50-A

Data Qualifiers

Units

C | Q | M

Lab Sample No:

288698

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

6.9 34 J

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/SM


09/24/01

15:33

09/25/01

08:30

HLH 4/6/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number:

С

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-50-B

Data Qualifiers Q

Lab Sample No:

288699

7440-38-2

Arsenic, Total

7.0

mg/kg dry MS

7439-92-1

Lead, Total

36

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/SM

09/24/01

15:38

09/25/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 9/22-24/01 Samples

Submittal Number: 35132- 31

Location:

Contact:

Jennifer L. Rice

Phone: (6

(616) 975-4500

CAS No.

EB3-092401 Data Qualifiers Units

C Q M

Lab Sample No:

288700

7440-38-2 Arsenic, Total

7439-92-1 Lead, Total

<1.0 <1.0 J

| MS ug/L | MS ug/L

Sampled by:

Date Sampled: Time Sampled:

Date Received:

Time Received:

BMG/SM

09/24/01 15:55

09/25/01



#### QUALITY CONTROL REPORT SPIKE SAMPLE RECOVERY USEPA CLP FORM 5A

| SDG No. 35      | 132 -31            |          | Matrix<br>Lab Sample | -              | ATER       |      |
|-----------------|--------------------|----------|----------------------|----------------|------------|------|
| Sample ID. MW   | -7MS/MSD           |          | Units                |                | ıg/L       |      |
| Analyte         | Control<br>Limit % | •        | Sample<br>Result     | Spike<br>Added | <b>%</b> R | М    |
| Antimony, Total | . 70 - 1           | 38 52.2  | <10                  | 50             | 104        | MS   |
| Antimony, Total | 70 - 1             | 38 49.2  | <10                  | 50             | 98         | MS   |
| Arsenic, Total  | 59 - 1             | 64 83.2  | 25                   | 50             | 116        | MS   |
| Arsenic, Total  | 59 - 1             | 64 83.9  | 25                   | 50             | 118        | MS   |
| Barium, Total   | 53 - 1             | 42 74.7  | 21                   | 50             | 107        | MS   |
| Barium, Total   | 53 - 1             | 42 76.8  | 21                   | 50             | 112        | MS   |
| Cadmium, Total  | 74 - 1             | 27 53.6  | <0.2                 | 50             | 107        | MS   |
| Cadmium, Total  | 74 - 1             | 27 54.8  | <0.2                 | 50             | 110        | MS   |
| Lead, Total     | 75 - 1             | 34 72.0  | 19                   | 50             | 106        | MS   |
| Lead, Total     | 75 - 1             | .34 75.7 | 19                   | 50             | 113        | MS   |
| Mercury, Total  | 59 - 1             | .58 2.67 | <0.2                 | 2.5            | 107        | CA   |
| Mercury, Total  | 59 - 1             | .58 2.58 | <0.2                 | 2.5            | 103        | CA   |
| Selenium, Total | 59 - 1             | .55 69.5 | 3.7                  | 50             | (132)      | ) MS |
| Selenium, Total | 59 - 1             | .55 67.3 | 3.7                  | 50             | (127)      | MS   |
| Silver, Total   | 69 - 1             | .28 18.1 | <0.2                 | 50             | 36-        |      |
| Silver, Total   | 69 - 1             | .28 17.3 | <0.2                 | 50             | (35)       | ) MS |



#### QUALITY CONTROL REPORT SPIKE SAMPLE RECOVERY USEPA CLP FORM 5A

| SDG No.       | 35132 -31           |                            | Matrix<br>Lab Sample No. |                | 3693    |    |
|---------------|---------------------|----------------------------|--------------------------|----------------|---------|----|
| Sample ID.    | R2SB-47-BMS/MSD     |                            | Units                    | mg,            | /kg dry |    |
| Analyte       | Control<br>Limit %R | Spiked<br>Sample<br>Result | Sample<br>Result         | Spike<br>Added | %R<br>∙ | M  |
| Arsenic, Tota | 1 60 ~ 141          | 36.0                       | 9.0                      | 31.2           | 87      | MS |
| Arsenic, Tota |                     | 31.0                       | 9.0                      | 31.2           | (71)    | MS |
| Lead, Total   | 74 - 132            | 48.6                       | 24                       | 31.2           | 79      | MS |
| Lead, Total   | 74 - 132            | 47.9                       | 24                       | 31.2           | 77      | MS |

# Field Duplicates

| Criteria                                     |           | Solid     |
|----------------------------------------------|-----------|-----------|
| Both results < 5*EQL                         | ± 1.5*EQL | ± 2.5*EQL |
| Both results $> 5*EQL$                       | ± 25%     | ± 40%     |
| One result $\leq$ EQL, one result $\geq$ EQL | ± 1.5*EQL | ± 2.5*EQL |

|         | R2SB-46-B | R2SB-46-C | EQL | 5*EQL | 2.5*EQL | RPD  |            |
|---------|-----------|-----------|-----|-------|---------|------|------------|
| Arsenic | 6.5       | 6.1       | 1   | 5     | 2.5     | 6.35 | Acceptable |
| Lead    | 41        | 38        | 1   | 5     | 2.5     | 7.59 | Acceptable |

HUH 11/6/01

# Field Duplicates

| Criteria                               | Aqueous   | Solid     |
|----------------------------------------|-----------|-----------|
| Both results < 5*EQL                   | ± 1.5*EQL | ± 2.5*EQL |
| Both results > 5*EQL                   | ± 25%     | ± 40%     |
| One result $<$ EQL, one result $>$ EQL | ± 1.5*EQL | ± 2.5*EQL |

| Antimony | MW-3<br>U | MW-3A<br>U | EQL | 5*EQL | 1.5*EQL | RPD/Difference |            |
|----------|-----------|------------|-----|-------|---------|----------------|------------|
| Arsenic  | 9.7       | 9.8        | 1   | 5     | 1.5     | 1.03           | Acceptable |
| Barium   | 102       | 101        | 10  | 50    | 15      | 0.99           | Acceptable |
| Cadmium  | U         | U          |     |       |         |                | •          |
| Chromium | U         | U          |     |       |         |                |            |
| Lead     | 1.3       | 1.4        | 1   | 5     | 1.5     | 0.1            | Acceptable |
| Mercury  | Ŭ         | U          |     |       |         |                | •          |
| Selenium | U         | 4.7        | 2   | 10    | 3       | NC             |            |
| Silver   | U         | U          |     |       |         |                |            |

NC - not calculable

## SERIAL DILUTIONS

| Analyte | Lab ID | Sample ID | Initial Conc | Serial Dilution Conc | % D   | IDL   | IDL*50 |            |
|---------|--------|-----------|--------------|----------------------|-------|-------|--------|------------|
| Sb      | 288680 | MW-7      | U            |                      |       |       |        | NC         |
| As      | 288680 | MW-7      | 24.7         | 27.00                | 9.29  | 0.105 | 5.25   | Acceptable |
| Se      | 288680 | MW-7      | 6.95         | 9.95                 | 43.12 | 0.191 | 9.55   |            |
| Ag      | 288680 | MW-7      | 0.07         | 0.26                 | 273.9 | 0.012 | 0.6    |            |
| Cd      | 288680 | MW-7      | U            | ,                    |       |       |        | NC         |
| Cr      | 288680 | MW-7      | U            |                      |       |       |        | NC         |
| Ba      | 288680 | MW-7      | 21.29        | 22.69                | 6.59  | 0.2   | 10     | Acceptable |
| Pb      | 288680 | MW-7      | 19.29        | 19.47                | 0.93  | 0.022 | 1.1    | Acceptable |



35132-31sd.xls 11/06/2001

# SERIAL DILUTIONS

| Analyte | Lab ID Sample ID | Initial Conc | Serial Dilution Conc | % D  | IDL   | IDL*50 |            |
|---------|------------------|--------------|----------------------|------|-------|--------|------------|
| As      | 288693 R2SB-47-B | 9.0          | 9.02                 | 0.32 | 0.105 | 5.25   | Acceptable |
| Pb      | 288693 R2SB-47-B | 23.86        | 24.42                | 2.32 | 0.022 | 1.1    | Acceptable |

11/401

# RMC - MEMPHIS Groundwater Sampling, 9/22 - 9/24/2001 Trimatrix# 35132-31 Project# 98-478-00

| Sample Location |       | M۱     | N-9  |     | M\     | W-1    |     | M          | N-2 |        | M\     | N-7    |       | M      | W-8  |       | M      | W-3  |       | MW     | 7-3A |      | EB-1-  | -0922 | 201  |
|-----------------|-------|--------|------|-----|--------|--------|-----|------------|-----|--------|--------|--------|-------|--------|------|-------|--------|------|-------|--------|------|------|--------|-------|------|
| Lab ID          |       | 288    | 677  |     | 288    | 288678 |     | 288679     |     | 288680 |        | 288681 |       | 288    | 3682 |       | 288    | 3683 |       | 288684 |      |      |        |       |      |
| Sample Date     |       | 09/22  | /200 | )1  | 09/22  | /200   | )1  | 09/22/2001 |     | 09/22  | 2/200  | 1      | 09/22 | 2/200  | )1   | 09/22 | /200   | )1   | 09/22 | /200   | )1   | 09/2 | 2/200  | )1    |      |
| Matrix          |       | Groun  | dwa  | ter | Groun  | dwa    | ter | Groun      | dwa | ter    | Groun  | dwa    | ter   | Groun  | dwa  | ter   | Groun  | dwa  | ter   | Groun  | dwa  | ter  | Aq     | ueous | 3    |
| Remarks         |       |        |      |     |        |        |     |            |     |        |        |        |       |        |      |       |        |      |       | FD of  | MW   | 7-3  | Equipm | ent F | lank |
| Parameter       | Units | Result | Q    | DL  | Result | Q      | DL  | Result     | Q   | DL     | Result | Q      | DL    | Result | Q    | DL    | Result | Q    | DL    | Result | Q    | DL   | Result | Q     | DL   |
| Antimony        | ug/L  |        | U    | 10  |        | U      | 10  |            | U   | 10     |        | U      | 10    | 14     |      | 10    |        | U    | 10    |        | U    | 10   |        | U     | 10   |
| Arsenic         | ug/L  | 7.7    |      | 1   | 33_    |        | 1   | 12         |     | 1      | 25     |        | 1     | 5.1    |      | 1     | 9.7    |      | 1     | 9.8    |      | 1    |        | U     | 1    |
| Barium          | ug/L  | 137    |      | 10  | 101    |        | 10  | 31         |     | 10     | 21     |        | 10    | 133    |      | 10    | 102    |      | 10    | 101    |      | 10   |        | U     | 10   |
| Cadmium         | ug/L  |        | U    | 0.2 | 0.2    |        | 0.2 | 0.3        |     | 0.2    |        | U      | 0.2   | 0.8    | l    | 0.2   |        | U    | 0.2   |        | U    | 0.2  |        | U     | 0.2  |
| Chromium        | ug/L  |        | U    | 1   | 3.1    |        | 1   |            | U   | 1      |        | U      | 1     |        | U    | 1     |        | U    | 1     |        | U    | 1    |        | U     | 1    |
| Lead            | ug/L  | 1.6    |      | 1   | 5.9    |        | 1   | 49         |     | 1      | 19     |        | 1     | 21     |      | 1     | 1.3    |      | 1     | 1.4    |      | 1    |        | U     | 1    |
| Mercury         | ug/L  |        | U    | 0.2 |        | U      | 0.2 |            | U   | 0.2    |        | U      | 0.2   |        | U    | 0.2   |        | U    | 0.2   |        | U    | 0.2  |        | U     | 0.2  |
| Selenium        | ug/L  |        | U    | 2   | 6.1    | J      | 2   |            | U   | 2      | 3.7    | J      | 2     |        | U    | 2     |        | U    | 2     | 4.7    | J    | 2    |        | U     | 2    |
| Silver          | ug/L  |        | UJ   | 0.2 |        | UJ     | 0.2 | L          | UJ  | 0.2    |        | UJ     | 0.2   |        | UJ   | 0.2   |        | UJ   | 0.2   |        | UJ   | 0.2  |        | UJ    | 0.2  |

QA Scientist\_

## RMC - MEMPHIS

# Groundwater Sampling, 9/22 - 9/24/2001 Trimatrix# 35132-31 Project# 98-478-00

|                 |       |        |             |     |        | -          |     |        |      |     |            |       |      |
|-----------------|-------|--------|-------------|-----|--------|------------|-----|--------|------|-----|------------|-------|------|
| Sample Location |       | MV     | W-5         |     | MV     | N-4        |     | M\     | N-6  |     | EB-1-      | 0924  | 01   |
| Lab ID          |       | 288    | 685         |     | 288686 |            |     | 288    | 687  |     | 288688     |       |      |
| Sample Date     |       | 09/24  | 09/24/2001  |     |        | 09/24/2001 |     |        | /200 | )1  | 09/24/2001 |       |      |
| Matrix          |       | Groun  | Groundwater |     |        | dwa        | ter | Groun  | dwa  | ter | Aqı        | ieous |      |
| Remarks         |       |        |             |     |        |            |     |        |      |     | Equipm     | ent B | lank |
| Parameter       | Units | Result | Q           | DL  | Result | Q          | DL  | Result | Q    | DL  | Result     | Q     | DL   |
| Antimony        | ug/L  |        | U           | 10  |        | U          | 10  |        | U    | 10  |            | U     | 10   |
| Arsenic         | ug/L  | 7.6    |             | 1   |        | U          | 1   | 1.9    |      | 1   |            | Ü     | 1    |
| Barium          | ug/L  | 170    |             | 10  | 197    |            | 10  | 92     |      | 10  |            | U     | 10   |
| Cadmium         | ug/L  |        | U           | 0.2 |        | U          | 0.2 |        | U    | 0.2 |            | U     | 0.2  |
| Chromium        | ug/L  |        | U           | 1   |        | U          | 1   |        | U    | 1   |            | U     | 1_   |
| Lead            | ug/L  | 2      |             | 1   |        | U          | 1   |        | U    | 1   |            | U     | 1    |
| Мегсигу         | ug/L  |        | U           | 0.2 |        | U          | 0.2 |        | U    | 0.2 |            | U     | 0.2  |
| Selenium        | ug/L  |        | U           | 2   |        | U          | 2   |        | U    | 2   |            | U     | 2    |
| Silver          | ug/L  |        | UJ          | 0.2 |        | UJ         | 0.2 |        | UJ   | 0.2 |            | UJ    | 0.2  |

QA Scientist\_\_\_\_

Date ///6/000/

## RMC - BEECHGROVE

# Soil Sampling, 9/24/2001 Trimatrix# 35132-31 Project# 98-478-04

| Sample Location | Lab ID | Sample Date | Matrix  | Remarks         | Parameter | Units | Result | Q  | DL |
|-----------------|--------|-------------|---------|-----------------|-----------|-------|--------|----|----|
| R2SB-46-A       | 288689 | 09/24/2001  | Soil    |                 | Arsenic   | mg/kg | 6.9    | J  | 1  |
| R2SB-46-B       | 288690 | 09/24/2001  | Soil    |                 | Arsenic   | mg/kg | 6.5    | J  | 1  |
| R2SB-46-C       | 288691 | 09/24/2001  | Soil    | FD of R2SB-46-B | Arsenic   | mg/kg | 6.1    | J  | 1  |
| R2SB-47-A       | 288692 | 09/24/2001  | Soil    |                 | Arsenic   | mg/kg | 6.7    | J  | 1  |
| R2SB-47-B       | 288693 | 09/24/2001  | Soil    |                 | Arsenic   | mg/kg | 9      | J  | 1  |
| R2SB-48-A       | 288694 | 09/24/2001  | Soil    |                 | Arsenic   | mg/kg | 6.5    | J  | 1  |
| R2SB-48-B       | 288695 | 09/24/2001  | Soil    |                 | Arsenic   | mg/kg | 6.7    | J  | 1  |
| R2SB-49-A       | 288696 | 09/24/2001  | Soil    |                 | Arsenic   | mg/kg | 8      | J  | 1  |
| R2SB-49-B       | 288697 | 09/24/2001  | Soil    |                 | Arsenic   | mg/kg | 9.7    | ĵ  | 1  |
| R2SB-50-A       | 288698 | 09/24/2001  | Soil    |                 | Arsenic   | mg/kg | 6.9    | J  | 1  |
| R2SB-50-B       | 288699 | 09/24/2001  | Soil    |                 | Arsenic   | mg/kg | 7      | J  | 1  |
| EB-3-092401     | 288700 | 09/24/2001  | Aqueous | Equipment Blank | Arsenic   | ug/L  |        | UJ | 1  |

QA Scientist

# RMC - BEECHGROVE Soil Sampling, 9/24/2001

# Trimatrix# 35132-31 Project# 98-478-00

| Sample Location | Lab ID | Sample Date | Matrix  | Remarks         | Parameter | Units | Result | Q | DL  |
|-----------------|--------|-------------|---------|-----------------|-----------|-------|--------|---|-----|
| R2SB-46-A       | 288689 | 09/24/2001  | Soil    |                 | Lead      | mg/kg | 34     |   | 0.6 |
| R2SB-46-B       | 288690 | 09/24/2001  | Soil    |                 | Lead      | mg/kg | 41     |   | 0.6 |
| R2SB-46-C       | 288691 | 09/24/2001  | Soil    | FD of R2SB-46-B | Lead      | mg/kg | 38     |   | 0.6 |
| R2SB-47-A       | 288692 | 09/24/2001  | Soil    |                 | Lead      | mg/kg | 45     |   | 0.6 |
| R2SB-47-B       | 288693 | 09/24/2001  | Soil    |                 | Lead      | mg/kg | 24     |   | 0.6 |
| R2SB-48-A       | 288694 | 09/24/2001  | Soil    |                 | Lead      | mg/kg | 41     |   | 0.6 |
| R2SB-48-B       | 288695 | 09/24/2001  | Soil    |                 | Lead      | mg/kg | 45     |   | 0.6 |
| R2SB-49-A       | 288696 | 09/24/2001  | Soil    |                 | Lead      | mg/kg | 47     |   | 0.6 |
| R2SB-49-B       | 288697 | 09/24/2001  | Soil    |                 | Lead      | mg/kg | 117    |   | 3.2 |
| R2SB-50-A       | 288698 | 09/24/2001  | Soil    |                 | Lead      | mg/kg | 34     |   | 0.6 |
| R2SB-50-B       | 288699 | 09/24/2001  | Soil    |                 | Lead      | mg/kg | 36     |   | 0.6 |
| EB-3-092401     | 288700 | 09/24/2001  | Aqueous | Equipment Blank | Lead      | ug/L  |        | U | 1   |

QA Scientist

35132E31 Tables.xlsLead



# APPENDIX D Data Validation Report of Groundwater and Soil Samples Collected on December 10-14, 2001

# DATA VALIDATION REPORT

OF

GROUNDWATER AND SOIL SAMPLES
COLLECTED ON DECEMBER 10 - 14, 2001

**FOR** 

**INORGANIC ANALYSES** 

Sample Delivery Group No. 35132-32/33/34

## PREPARED FOR:

Refined Metals Corporation Beech Grove, Indiana

PREPARED BY:

ADVANCED GEOSERVICES CORP. CHADDS FORD, PENNSYLVANIA

April 24, 2002 Project Number 98-478-00

# DATA VALIDATION REPORT INORGANICS

#### INTRODUCTION

This data validation report addresses the inorganic results from the groundwater, sediment, soil samples collected on December 10-14, 2001, as part of the RMC Beech Grove, Indiana, Pre-Remedial Design (RD) sampling event. The soil and sediment samples were analyzed by Trimatrix in Grand Rapids, Michigan for lead and arsenic by USEPA SW-846 method 6020. Groundwater samples were analyzed for total and dissolved inorganics (antimony, arsenic, barium, cadmium, chromium, lead, selenium, silver) and total mercury by USEPA SW-846 methods 6020 and 7000 series. The data were reported by Trimatrix under sample delivery group (SDG) 35132-32/33/34.

This review has been performed with guidance from the Indiana Department of Environmental Management's Guidance to the Performance and Presentation of Analytical Chemistry Data (July 1998) and the U.S. EPA's National Functional Guideline for Inorganic Data Review (Feb. 1994). The findings presented in this report are based upon a review of all data supplied by the laboratory.

#### 1. Timeliness

All samples were prepared and analyzed within holding time limits of 6 months (28 days for mercury).

# 2. Sample Preparation

All sample preparation procedures were in accordance with the method protocols.

#### 3. Calibration

Soil and sediment samples were analyzed for arsenic and lead by ICP-MS. The groundwater samples were analyzed for total and dissolved (antimony, arsenic, barium, cadmium, chromium, lead, selenium, silver) and total mercury by ICP-MS and CVAA The instruments were standardized according to the analytical method using one blank and a single calibration standard for each element. All calibrations (ICVs) were performed as required and met the criteria for acceptance.

# 4. Reference Control Samples/Calibration Verification

Reference control samples (CCVs) are digested and analyzed along with the samples to verify the efficiency of laboratory procedures. Control limits for the ICP-MS reference sample are 90-

110 percent (80-120 percent for mercury) of the certified value. All recoveries met the acceptance criteria for control samples.

#### 5. Blanks

No target analytes were detected in laboratory or field blanks, with the exception of the following:

| Blank ID              | Parameter | Conc      | Associated Samples                                                                                                                                                                                                            |
|-----------------------|-----------|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Method Blank<br>71626 | Lead      | 2.2 mg/kg | R2SB-53-A, R2SB-53-B, R2SB-53-BD, CSB-30A-A, CSB-30A-B, CSB-30A-C, CSB-30A-D, CSB-30A-E, CSB-30A-CD, CSB-10A-E, CSB-32A-D, CSB-32A-E, CSB-10A-A, CSB-10A-B, CSB-10A-D, CSB-32A-A, CSB-32A-B, CSB-32A-C, CSB-10A-CD, CSB-10A-C |
| EB-6-121301           | Lead      | 2.6 μg/L  | R2SB-52-AD, R2SB-53-A, R2SB-53-B, R2SB-53-BD                                                                                                                                                                                  |
| EB-1-121401           | Lead      | 1.4 μg/L  | CSB-35A-A, CSB-35A-B, CSB-35A-C, CSB-35A-D, CSB-35A-E, CSB-35A-F, CSB-35A-G, CSB-35A-H, CSB-35A-I, CSB-35A-J, CSB-35A-HD, CSB-26A-A, CSB-26A-B, CSB-26A-C, CSB-26A-D, CSB-26A-E                                               |
| EB-2-121401           | Lead      | 2.1 μg/L  | CSB-35A-A, CSB-35A-B, CSB-35A-C, CSB-35A-D, CSB-35A-E, CSB-35A-F, CSB-35A-G, CSB-35A-H, CSB-35A-I, CSB-35A-J, CSB-35A-HD, CSB-26A-A, CSB-26A-B, CSB-26A-C, CSB-26A-D, CSB-26A-E                                               |

Sample results less than five times the blank concentration were qualified as undetected (U) due to blank contamination.

#### 6. ICP Interference Check Sample

The interference check sample (LCS) is analyzed by ICP-MS to verify interelement and background correction factors. Analysis was performed as required at the beginning and end of each sample analysis run and recoveries were within the specified criteria of 80-120 percent.

#### 7. Duplicate Analysis

The relative percent differences (RPDs) were within the control limit of 20 percent for aqueous samples and 35 percent for solid samples.

## 8. Field Duplicates

Sample MW-3/MW-3A, R2SED-7/R2SED-7D, R2SB-4A-A/R2SB-4A-AD, R2SB-2A-A/R2SB-2A-AD, R2SB-1A-C/R2SB-1A-CD, R2SB-52-A/R2SB-52-AD, R2SB-53-B/R2SB-53-BD, CSB-35A-H/CSB-35A-HD, CSB-26A-C/CSB-26A-CD, CSB-1A-D/CSB-1A-DD, CSB-28A-C/CSB-28A-CD, CSB-30A-C/CSB-30A-CD, CSB-10A-CD, and CSB-10A-CD

H/CSB-10A-HD were field duplicates. Results exhibited reasonable agreement, with the exception of the following:

| Sample ID               | Parameter | Concentration                  | RPD      |
|-------------------------|-----------|--------------------------------|----------|
| R2SB-2A-A<br>R2SB-2A-AD | Arsenic   | 4.6 mg/kg<br>7.8 mg/kg         | 51.61%   |
| R2SB-52-A<br>R2SB-52-AD | Arsenic   | 4.6 mg/kg<br>9.3 mg/kg         | 67.63 %  |
| CSB-35A-H<br>CSB-35A-HD | Lead      | 1520 mg/kg<br>413 mg/kg        | 114.54 % |
| CSB-35A-H<br>CSB-35A-HD | Antimony  | 27 mg/kg<br>11 mg/kg           | 84.21 %  |
| CSB-35A-H<br>CSB-35A-HD | Cadmium   | 1.5 mg/kg<br>0.75 mg/kg        | 66.67 %  |
| CSB-1A-D<br>CSB-1A-DD   | Antimony  | 2660 mg/kg<br>1650 mg/kg       | 46.87 %  |
| CSB-1A-D<br>CSB-1A-DD   | Cadmium   | 1000 mg/kg<br>346 mg/kg        | 97.18 %  |
| CSB-28A-C<br>CSB-28A-CD | Lead      | 27 mg/kg<br>118 mg/kg          | 125.52 % |
| CSB-30A-C<br>CSB-30A-CD | Antimony  | 7 mg/kg<br>4.6 mg/kg           | 41.38 %  |
| CSB-10A-C<br>CSB-10A-CD | Lead      | 256,000 mg/kg<br>169,000 mg/kg | 40.94 %  |
| CSB-10A-H<br>CSB-10A-HD | Lead      | 101 mg/kg<br>42 mg/kg          | 82.52 %  |

Sample results were qualified as estimated (J).

## 9. Matrix Spike Analysis

The matrix spike (MS) percent recoveries were within the QC limits of 75-125 percent (soil/sediment matrices) and 80-120 percent (aqueous matrices), with the exception of the following:

| Parameter          | %R           | MS or MSD | Associated Samples                                                         |
|--------------------|--------------|-----------|----------------------------------------------------------------------------|
| Dissolved Arsenic  | 129%<br>131% | MS<br>MSD | MW-9, MW-1, MW-2, MW-7S, MW-8S, MW-3, MW-3D, MW-5, MW-4, MW-6, EB1-121001, |
| Dissolved Selenium | 133%<br>131% | MS<br>MSD | EB2-121101                                                                 |

| Parameter      | %R         | MS or MSD | Associated Samples                                                                                                                                                                                                                      |
|----------------|------------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Total Lead     | 71%        | MSD       | R2SED-1C, R2SED-1D, R2SED-5D, R2SED-7C, R2SED-7D, R2SED-3C, R2SED-3D, R2SED-5C, R2SED-7CD, R2SED-9C, R2SED-9D, R2SB-51-A, R2SB-51-B                                                                                                     |
| Total Arsenic  | 40%<br>57% | MS<br>MSD | R2SB-4A-A, R2SB-4A-B, R2SB-4A-AD,<br>R2SB-4A-C, R2SB-3A-A, R2SB-3A-C,<br>R2SB-2A-A, R2SB-2A-B, R2SB-2A-C,<br>R2SB-2A-AD, R2SB-1A-A, R2SB-1A-B,<br>R2SB-1A-C, R2SB-1A-CD, R2SB-13A-A,<br>R2SB-13A-B, R2SB-13A-C, R2SB-52-A,<br>R2SB-52-B |
| Total Antimony | 74%        | MSD       | CSB-1A-D, CSB-1A-E, CSB-1A-DD,<br>CSB-38A-A, CSB-38A-B, CSB-38A-C,<br>CSB-38A-D, CSB-13A-E, CSB-28A-E,<br>CSB-10A-A, CSB-10A-B, CSB-10A-D,<br>CSB-32A-A, CSB-32A-B, CSB-32A-C,<br>CSB-10A-CD                                            |
| Total Antimony | 127%       | MS        | STRW-1                                                                                                                                                                                                                                  |

The associated sample results and reporting limits were qualified as estimated (J/UJ) when the %R was less than the lower QC limit. The associated sample results were qualified as estimated (J) when the %R exceeded the upper QC limit.

## 10. Laboratory Control Sample (LCS)

The laboratory control sample (LCS) percent recoveries were within the QC limits of 80-120 percent.

#### 11. ICP Serial Dilution

All concentrations were either less than 50 times the instrument detection limit (IDL) or greater than 50 times the IDL with the percent differences that were  $\pm 10$  percent of the serial dilution result, with the exception of the following:

| Sample ID | Parameter | Initial Conc | Serial Dilution Conc | IDL  | %D    | Associated Samples                          |
|-----------|-----------|--------------|----------------------|------|-------|---------------------------------------------|
| MW-7S     | Arsenic   | 30.106 mg/kg | 23.304 mg/kg         | 0.11 | 22.59 | MW-1, MW-2,<br>MW-3, MW-3D,                 |
|           | Chromium  | 13.422 mg/kg | 8.362 mg/kg          | 0.14 | 37.7  | MW-4, MW-5,<br>MW-6, MW-7S,<br>MW-8S, MW-9, |
|           | Selenium  | 6.451 mg/kg  | 11.989 mg/kg         | 0.19 | 85.84 | EB-1-121001,<br>EB-2-121101                 |

| Sample ID | Parameter | Initial Conc | Serial Dilution Conc | IDL  | %D    | Associated Samples                                                                                                                                                                                   |
|-----------|-----------|--------------|----------------------|------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| R2SB-3A-C | Arsenic   | 6.339 mg/kg  | 8.23 mg/kg           | 0.1  | 29.83 | R2SB-3A-C,<br>R2SB-2A-A,<br>R2SB-2A-B,<br>R2SB-2A-C,<br>R2SB-2A-AD,<br>R2SB-1A-A,<br>R2SB-1A-B,<br>R2SB-1A-C,<br>R2SB-1A-CD,<br>R2SB-13A-A,<br>R2SB-13A-B,<br>R2SB-13A-C,<br>R2SB-52-A,<br>R2SB-52-B |
| CSB-38A-D | Lead      | 11.586 mg/kg | 16.303 mg/kg         | 0.03 | 40.71 | CSB-38A-D                                                                                                                                                                                            |

Sample results were qualified as estimated (J).

# DATA VALIDATION REPORT VALIDATION SUMMARY

1

#### **SUMMARY**

All the data is useable as qualified.

#### **DATA QUALIFIERS**

The following qualifiers were used to modify the data quality and usefulness of individual analytical results.

| U  | - | The analyte was not detected at the given quantitation limit.                                                                                                                                         |
|----|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| J  |   | The analyte was positively identified and detected; however, the concentration is an estimated value because the result is less than the quantitation limit or quality control criteria were not met. |
| UJ | - | The analyte was not detected; the associated quantitation limit is an estimated value.                                                                                                                |
| D  | - | The value was obtained from a reanalysis of a diluted sample.                                                                                                                                         |
| E  | - | Concentration reported is estimated, the concentration exceeded the instrument's calibration range. The sample should be diluted.                                                                     |
| R  | - | The value reported has been rejected.                                                                                                                                                                 |

# <u>DATA ASSESSMENT</u>

Data review was performed by an experienced quality assurance scientist independent of the analytical laboratory and not directly involved in the project.

This is to certify that I have examined the analytical data and based on the information provided to me by the laboratory, in my professional judgement the data are acceptable for use except where qualified with qualifiers which modify the usefulness of those individual values.

Jennif M Stanless

Quality Assurance Scientist

Date

Jennif M Stanless

Quality Assurance Manager

Date

## RMC BEECHGROVE

## 4th Quarter 2001 Groundwater, 12/10 - 12/11/2001 Trimatrix# 35132-32 Project# 98-478-04

| Sample Location  |       | M      | W-9   |     | MV          | V-1 |       | MV     | <i>N</i> -2 |     | EB-1-1     | 210         | 001        | MW     | 7-7S |             | MV     | V-8S |             | MV     | V-3 | $\neg$ |
|------------------|-------|--------|-------|-----|-------------|-----|-------|--------|-------------|-----|------------|-------------|------------|--------|------|-------------|--------|------|-------------|--------|-----|--------|
| Lab ID           |       | 295    | 087   |     | 295         | 088 |       | 295    | 089         | )   | 295090     |             | 295091     |        |      | 295092      |        |      | 295093      |        |     |        |
| Sample Date      |       | 12/10  | )/200 | )1  | 12/10       | /20 | 01    | 12/10  | 12/10/2001  |     | 12/10/2001 |             | 12/11/2001 |        |      | 12/11/2001  |        |      | 12/11/2001  |        |     |        |
| Matrix           |       | Groun  | dwa   | ter | Groundwater |     | Groun | dwa    | ıtег        | Aqu | eous       | S           | Groun      | dwa    | ter  | Groundwater |        |      | Groundwater |        |     |        |
| Remarks          |       |        |       |     |             |     |       |        |             |     | Equipme    | nt E        | Blank      |        |      |             |        |      |             |        |     |        |
| Parameter        | Units | Result | Q     | RL  | Result      | Q   | RL    | Result | Q           | RL  | Result     | Result Q RL |            | Result | Q    | RL          | Result | Q    | RL          | Result | Q   | RL     |
| Total Metals     | 5.200 |        |       |     |             |     |       |        |             |     |            |             |            |        |      |             |        |      |             |        |     |        |
| Antimony         | ug/L  |        | U     | 10  |             | U   | 10    |        | U           | 10  |            | U           | 10         |        | U    | 10          |        | U    | 10          |        | IJ  | 10     |
| Arsenic          | ug/L  | 4      |       | 1   | 27          |     | 1     | 12     |             | 1   |            | U           | 1          | 26     |      | 1           | 13     |      | 1           | 11     |     | 1      |
| Barium           | ug/L  | 68     |       | 10  | 93          |     | 10    | 48     |             | 10  |            | U           | 10         | 25     |      | 10          | 123    |      | 10          | 98     |     | 10     |
| Cadmium          | ug/L  |        | U     | 0.2 |             | U   | 0.2   | 0.4    |             | 0.2 |            | U           | 0.2        |        | U    | 0.2         | 0.4    |      | 0.2         |        | U   | 0.2    |
| Chromium         | ug/L  | 2.2    |       | 1   | 4           |     | 1     | 4.8    |             | 1   |            | U           | 1          | 2.8    |      | 1           |        | U    | 1           |        | U   | 1      |
| Lead             | ug/L  |        | U     | 1   | 3.4         |     | 1     | 84     |             | 1_  |            | U           | 1          | 47     |      | 1           | 23     |      | 1           |        | U   | 1      |
| Mercury          | ug/L  |        | U     | 0.2 |             | U   | 0.2   |        | U           | 0.2 |            | U           | 0.2        |        | U    | 0.2         |        | Ü    | 0.2         |        | U   | 0.2    |
| Selenium         | ug/L  |        | U     | _ 2 | 4           |     | _2    | 3.1    |             | 2   |            | U           | 2          | 5.7    |      | 2           |        | U    | 2           | 3.7    |     | 2      |
|                  | ug/L  |        | U     | 0.2 |             | U   | 0.2   |        | U.          | 0.2 |            | U           | 0.2        |        | U    | 0.2         |        | U    | 0.2         |        | U   | 0.2    |
| Dissolved Metals |       | \$1.0  |       | 2.7 |             |     |       |        |             |     |            |             | 4.1        |        |      |             |        |      |             |        |     |        |
| Antimony         | ug/L  |        | U     | 10  |             | U   | 10    |        | U           | 10  |            | U           | 10         |        | U    | 10          |        | U    | 10          |        | U   | 10     |
| Arsenic          | ug/L  | 3.7    | J     | _1  | 22          | J   | 1     | 9.8    | J           | 1_  |            | UJ          | 1          | 30     | J    | _1          | 14     | J    | 1           | 8.4    | J   | 1      |
| Barium           | ug/L  | 68     |       | 10  | 85          |     | 10    | _25    |             | 10  |            | U           | 10         | 23_    |      | 10          | 135 `  |      | 10          | 113    |     | 10     |
| Cadmium          | ug/L  |        | U     | 0.2 |             | U   | 0.2   |        | U,          | 0.2 |            | U           | 0.2        |        | U    | 0.2         | 0.3    |      | 0.2         |        | U   | 0.2    |
| Chromium         | ug/L  | 3.8    | J     | 1   | 8.9         | J   | 1     | 6.8    | J           | 1   |            | UJ          | 1          | 13     | J    | 1           | 3.8    | J    | 1           | 6.6    | J   | 1      |
| Lead             | ug/L  |        | U     | 1   |             | U   | 1     | 6.2    |             | 1   |            | U           | 1          | 2.5    |      | 1           | 11     |      | 1           |        | U   | 1      |
| Selenium         | ug/L  |        | UJ    | 2   | 4.9         | J   | 2     | 3.7    | J           | 2   |            | UJ          | 2          | 6.5    | J    | 2           |        | UJ   | _2          | 3.7    | J   | 2      |

QA Scientist - Muse

Date 4/18/2002

## RMC BEECHGROVE

## 4th Quarter 2001 Groundwater, 12/10 - 12/11/2001 Trimatrix# 35132-32 Project# 98-478-04

| Sample Location  |       | MW     | MW-3D                |     |         | W-5         |      | M      | W-4         |     | M       | W-6  |     | EB-2-121101     |     |      |  |
|------------------|-------|--------|----------------------|-----|---------|-------------|------|--------|-------------|-----|---------|------|-----|-----------------|-----|------|--|
| Lab ID           |       | 295    | 094                  |     | 295     | 095         |      | 295    | 096         |     | 295     | 5097 |     | 295             | 098 |      |  |
| Sample Date      |       | 12/11  | /20                  | 01  | 12/11   | 12/11/2001  |      |        | 12/11/2001  |     |         | /200 | )1  | 12/11/2001      |     |      |  |
| Matrix           |       | Groun  | dwa                  | ter | Groun   | Groundwater |      |        | Groundwater |     |         | idwa | ter | Aqueous         |     |      |  |
| Remarks          |       | FD of  | FD of MW-3           |     |         |             |      |        |             |     |         |      |     | Equipment Blank |     |      |  |
| Parameter        | Units | Result | Result   Q   RL   Re |     | Result  | Q           | RL   | Result | Q           | RL  | Result  | Q    | RL  | Result          | Q   | RL   |  |
| Total Metals     |       |        |                      |     | 7       |             | 1.77 |        |             |     |         |      |     |                 |     |      |  |
| Antimony         | ug/L  |        | U                    | 10  |         | U           | 10   |        | U           | 10  |         | U    | 10  |                 | U   | 10   |  |
| Arsenic          | ug/L  | 11     |                      | 1   | 5.4     |             | 1    |        | U           | 1   | 2.2     |      | 1   |                 | U   | 1    |  |
| Barium           | ug/L  | 102    |                      | 10  | 150     |             | 10   | 187    |             | 10  | 79      |      | 10  |                 | U   | 10   |  |
| Cadmium          | ug/L  |        | U                    | 0.2 |         | U           | 0.2  |        | U           | 0.2 |         | U    | 0.2 |                 | U   | 0.2  |  |
| Chromium         | ug/L  |        | U                    | 1   |         | U           | 1    |        | U           | _1  |         | U    | 1   |                 | U   | 1    |  |
| Lead             | ug/L  |        | U                    | 1   | 2.1     |             | 1    | 1.5    |             | 1   | 1.3     |      | 1   |                 | U   | 1    |  |
| Mercury          | ug/L  |        | U                    | 0.2 |         | U           | 0.2  |        | U           | 0.2 |         | U    | 0.2 |                 | U   | 0.2  |  |
| Selenium         | ug/L  | 2.7    |                      | 2   |         | U           | 2    |        | U           | 2   |         | U    | _2  | _               | U   | 2    |  |
| Silver           | ug/L  |        | U                    | 0.2 |         | U           | 0.2  |        | U           | 0.2 |         | U    | 0.2 |                 | U   | 0.2  |  |
| Dissolved Metals |       |        |                      |     |         |             |      |        |             |     | Post in |      |     |                 |     | ŻΚŹ, |  |
| Antimony         | ug/L  |        | U                    | 10  |         | U           | 10   |        | U           | 10  |         | U    | 10  |                 | U   | 10   |  |
| Arsenic          | ug/L  | 8.8    | J                    | 1   | 3.7     | J           | 1    |        | UJ          | 1   | 1.4     | J    | 1   |                 | UJ  | 1    |  |
| Barium           | ug/L  | 123    |                      | 10  | 170     |             | 10   | 203    |             | 10  | 89      |      | 10  |                 | U   | 10   |  |
| Cadmium          | ug/L  |        | U                    | 0.2 | <u></u> | U           | 0.2  |        | U           | 0.2 |         | U    | 0.2 |                 | U   | 0.2  |  |
| Chromium         | ug/L  | 7.1    | J                    | 1   | 4       | J           | 1    | 3.4    | J           | 1   | 3.8     | J    | 1   |                 | UJ  | 1    |  |
| Lead             | ug/L  |        | U                    | 1   |         | U           | 1    |        | U           | 1   |         | U    | 1   |                 | U   | 1    |  |
| Selenium         | ug/L  | 4.5    | J                    | 2   |         | Πl          | 2    |        | UJ          | 2   |         | UJ   | 2   |                 | UJ  | 2    |  |

QA Scientist

Date 1/18/2002

## RMC BEECHGROVE

# Sediment Sampling, 12/12/2001

Trimatrix# 35132-32 Project# 98-478-04

| Sample Location | Lab ID | Sample Date | Matrix   | Remarks         | Parameter | Units | Result | Q | RL             |
|-----------------|--------|-------------|----------|-----------------|-----------|-------|--------|---|----------------|
|                 |        |             |          |                 |           |       |        |   | N. V.          |
| R2SED-1C        | 295099 | 12/12/2001  | Sediment |                 | Arsenic   | mg/kg | 10     |   | 1              |
| R2SED-1D        | 295100 | 12/12/2001  | Sediment |                 | Arsenic   | mg/kg | 5.5    |   | 1              |
| R2SED-3C        | 295101 | 12/12/2001  | Sediment |                 | Arsenic   | mg/kg | 13     |   | 1              |
| R2SED-3D        | 295102 | 12/12/2001  | Sediment |                 | Arsenic   | mg/kg | 12     |   | 1              |
| R2SED-5C        | 295103 | 12/12/2001  | Sediment |                 | Arsenic   | mg/kg | 5.7    |   | 1              |
| R2SED-5D        | 295104 | 12/12/2001  | Sediment |                 | Arsenic   | mg/kg | 7.3    |   | 1              |
| EB-3-121201     | 295105 | 12/12/2001  | Aqueous  | Equipment Blank | Arsenic   | ug/L  |        | U | 1              |
| R2SED-7C        | 295106 | 12/12/2001  | Sediment |                 | Arsenic   | mg/kg | 13     |   | 1              |
| R2SED-7D        | 295107 | 12/12/2001  | Sediment |                 | Arsenic   | mg/kg | 9.2    |   | 1              |
| R2SED-7CD       | 295108 | 12/12/2001  | Sediment | FD of R2SED-7C  | Arsenic   | mg/kg | 10     |   | 1              |
| R2SED-9C        | 295109 | 12/12/2001  | Sediment |                 | Arsenic   | mg/kg | 8.9    |   | 1              |
| R2SED-9D        | 295110 | 12/12/2001  | Sediment | ·               | Arsenic   | mg/kg | 8.2    |   | 1              |
| R2SB-51-A       | 295111 | 12/12/2001  | Sediment |                 | Arsenic   | mg/kg | 6.6    |   | $\overline{1}$ |
| R2SB-51-B       | 295112 | 12/12/2001  | Sediment |                 | Arsenic   | mg/kg | 7      |   | 1              |
| Taga a          |        |             |          |                 |           |       |        |   |                |
| R2SED-1C        | 295099 | 12/12/2001  | Sediment |                 | Lead      | mg/kg | 19     | J | 0.6            |
| R2SED-1D        | 295100 |             | Sediment |                 | Lead      | mg/kg | 62     | J | 0.6            |
| R2SED-3C        | 295101 | 12/12/2001  | Sediment |                 | Lead      | mg/kg | 622    | J | 13             |
| R2SED-3D        | 295102 | 12/12/2001  | Sediment |                 | Lead      | mg/kg | 691    | J | 13             |
| R2SED-5C        | 295103 | 12/12/2001  | Sediment |                 | Lead      | mg/kg | 73     | J | 1.3            |
| R2SED-5D        | 295104 | 12/12/2001  | Sediment |                 | Lead      | mg/kg | 20     | J | 0.6            |
| EB-3-121201     | 295105 | 12/12/2001  | Aqueous  | Equipment Blank | Lead      | ug/L  |        | U | 1              |
| R2SED-7C        | 295106 | 12/12/2001  | Sediment |                 | Lead      | mg/kg | 61     | J | 0.6            |
| R2SED-7D        | 295107 | 12/12/2001  | Sediment |                 | Lead      | mg/kg | 27     | J | 0.6            |
| R2SED-7CD       | 295108 | 12/12/2001  | Sediment | FD of R2SED-7C  | Lead      | mg/kg | 57     | J | 0.6            |
| R2SED-9C        | 295109 | 12/12/2001  | Sediment |                 | Lead      | mg/kg | 25     | J | 0.6            |
| R2SED-9D        | 295110 | 12/12/2001  | Sediment |                 | Lead      | mg/kg | 39     | J | 0.6            |
| R2SB-51-A       | 295111 | 12/12/2001  | Sediment |                 | Lead      | mg/kg | 285    | J | 6.3            |
| R2SB-51-B       | 295112 | 12/12/2001  | Sediment |                 | Lead      | mg/kg | 199    | J | 6.3            |

QA Scientist

Date 4/16/2002

# RMC BEECHGROVE

# Sediment Sampling, 12/13/2001 Trimatrix# 351132-33 Project# 98-478-04

| Sample Location | Lab ID | Sample Date | Matrix   | Remarks         | Parameter | Units | Result | Q | RL  |
|-----------------|--------|-------------|----------|-----------------|-----------|-------|--------|---|-----|
|                 |        |             |          |                 |           |       |        |   |     |
| R2SB-4A-A       | 295447 |             | Sediment |                 | Arsenic   | mg/kg | 28     | J | 1   |
| EB-1-121301     | 295448 | 12/13/2001  | Aqueous  | Equipment Blank | Arsenic   | ug/L  |        | U | 1   |
| R2SB-4A-B       | 295449 | 12/13/2001  | Sediment |                 | Arsenic   | mg/kg | 13     | J | 1   |
| R2SB-4A-AD      | 295450 | 12/13/2001  | Sediment | FD of R2SB-4A-A | Arsenic   | mg/kg | 26     | J | 1   |
| R2SB-4A-C       | 295451 | 12/13/2001  | Sediment |                 | Arsenic   | mg/kg | 18     | J | 1   |
| R2SB-3A-A       | 295452 | 12/13/2001  | Sediment |                 | Arsenic   | mg/kg | 36     | J | 1   |
| R2SB-3A-B       | 295453 | 12/13/2001  | Sediment |                 | Arsenic   | mg/kg | 19     |   | 3.1 |
| R2SB-3A-C       | 295454 | 12/13/2001  | Sediment |                 | Arsenic   | mg/kg | 6.3    | J | 1   |
| EB-2-121301     | 295455 | 12/13/2001  | Aqueous  | Equipment Blank | Arsenic   | ug/L  |        | U | 1   |
| R2SB-2A-A       | 295456 | 12/13/2001  | Sediment |                 | Arsenic   | mg/kg | 16     | J | 1   |
| R2SB-2A-B       | 295457 | 12/13/2001  | Sediment |                 | Arsenic   | mg/kg | 15     | J | 1   |
| R2SB-2A-C       | 295458 | 12/13/2001  | Sediment |                 | Arsenic   | mg/kg | 4.6    | J | 1   |
| R2SB-2A-AD      | 295459 | 12/13/2001  | Sediment | FD of R2SB-2A-A | Arsenic   | mg/kg | 7.8    | J | 1   |
| EB-3-121301     | 295460 | 12/13/2001  | Sediment |                 | Arsenic   | ug/L  |        | U | 1   |
| R2SB-1A-A       | 295461 | 12/13/2001  | Sediment |                 | Arsenic   | mg/kg | 58     | J | 1   |
| R2SB-1A-B       | 295462 | 12/13/2001  | Sediment |                 | Arsenic   | mg/kg | 7.6    | J | 1   |
| R2SB-1A-C       | 295463 |             | Sediment |                 | Arsenic   | mg/kg | 7.8    | J | 1   |
| R2SB-1A-CD      | 295464 | J           |          | FD of R2SB-1A-C | Arsenic   | mg/kg | 8.3    | J | 1   |
| R2SB-13A-A      | 295465 | 12/13/2001  | Sediment |                 | Arsenic   | mg/kg | 14     | J | 1   |
| R2SB-13A-B      | 295466 | 12/13/2001  | Sediment |                 | Arsenic   | mg/kg | 2.1    | J | 1   |
| R2SB-13A-C      | 295467 | 12/13/2001  | Sediment |                 | Arsenic   | mg/kg | 4.5    | J | 1   |
| R2SB-52-A       | 295468 | 12/13/2001  | Sediment |                 | Arsenic   | mg/kg | 4.6    | J | 1   |
| R2SB-52-B       | 295469 | 12/13/2001  | Sediment |                 | Arsenic   | mg/kg | 3.3    | J | 1   |
| EB-5-121301     | 295470 | 12/13/2001  | Aqueous  | Equipment Blank | Arsenic   | ug/L  |        | U | 1   |
| R2SB-52-AD      | 295471 | 12/13/2001  | Sediment | FD of R2SB-52-A | Arsenic   | mg/kg | 9.3    | J | 1   |
| R2SB-53-A       | 295472 | 12/13/2001  | Sediment |                 | Arsenic   | mg/kg | 8.4    | J | 1   |
| R2SB-53-B       | 295473 | 12/13/2001  | Sediment |                 | Arsenic   | mg/kg | 3.3    | J | 1   |
| R2SB-53-BD      | 295474 | 12/13/2001  | Sediment | FD of R2SB-53-B | Arsenic   | mg/kg | 3      | J | 1   |
| EB-6-121301     | 295475 | 12/13/2001  | Aqueous  | Equipment Blank | Arsenic   | ug/L  |        | U | 1   |

QA Scientist\_

# RMC BEECHGROVE

# Sediment Sampling, 12/13/2001 Trimatrix# 351132-33 Project# 98-478-04

| Sample Location | Lab ID | Sample Date | Matrix   | Remarks         | Parameter | Units | Result | Q | RL  |
|-----------------|--------|-------------|----------|-----------------|-----------|-------|--------|---|-----|
|                 | w.7    |             |          | 10              |           |       |        |   |     |
| R2SB-4A-A       | 295447 | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 2,490  |   | 63  |
| EB-1-121301     | 295448 | 12/13/2001  | Aqueous  | Equipment Blank | Lead      | ug/L  |        | U | 1   |
| R2SB-4A-B       | 295449 | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 874    |   | 13  |
| R2SB-4A-AD      | 295450 | 12/13/2001  | Sediment | FD of R2SB-4A-A | Lead      | mg/kg | 2,320  |   | 63  |
| R2SB-4A-C       | 295451 | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 1,420  |   | 32  |
| R2SB-3A-A       | 295452 | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 1,620  |   | 32  |
| R2SB-3A-B       | 295453 | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 1,410  |   | 32  |
| R2SB-3A-C       | 295454 | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 1,330  |   | 32  |
| EB-2-121301     | 295455 | 12/13/2001  | Aqueous  | Equipment Blank | Lead      | ug/L  |        | U | 1   |
| R2SB-2A-A       | 295456 | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 918    |   | 13  |
| R2SB-2A-B       | 295457 | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 4,120  |   | 63  |
| R2SB-2A-C       | 295458 | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 816    |   | 6.3 |
| R2SB-2A-AD      | 295459 | 12/13/2001  | Sediment | FD of R2SB-2A-A | Lead      | mg/kg | 996    |   | 13  |
| EB-3-121301     | 295460 | 12/13/2001  | Sediment |                 | Lead      | ug/L  |        | U | 1   |
| R2SB-1A-A       | 295461 | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 2,250  |   | 32  |
| R2SB-1A-B       | 295462 | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 609    |   | 6.3 |
| R2SB-1A-C       | 295463 | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 4,230  |   | 32  |
| R2SB-1A-CD      | 295464 | 12/13/2001  | Sediment | FD of R2SB-1A-C | Lead      | mg/kg | 5,010  |   | 63  |
| R2SB-13A-A      | 295465 | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 2,910  |   | 32  |
| R2SB-13A-B      | 295466 | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 24     |   | 0.6 |
| R2SB-13A-C      | 295467 | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 11     |   | 0.6 |
| R2SB-52-A       | 295468 | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 300    |   | 3.2 |
| R2SB-52-B       | 295469 | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 5.7    |   | 0.6 |
| EB-5-121301     | 295470 | 12/13/2001  | Aqueous  | Equipment Blank | Lead      | ug/L  |        | U | 1   |
| R2SB-52-AD      | 295471 | 12/13/2001  | Sediment | FD of R2SB-52-A | Lead      | mg/kg | 338    |   | 6.3 |
| R2SB-53-A       | 295472 | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 499    |   | 6.3 |
| R2SB-53-B       | 295473 | 12/13/2001  | Sediment |                 | Lead      | mg/kg | 58     |   | 0.6 |
| R2SB-53-BD      | 295474 |             | Sediment | FD of R2SB-53-B | Lead      | mg/kg | 52     |   | 0.6 |
| EB-6-121301     | 295475 | 12/13/2001  | Aqueous  | Equipment Blank | Lead      | ug/L  | 2.6    |   | 1   |

QA Scientist Sale Grand

Date 4/16/2002

351132-33tables.xlsSED tables

# RMC BEECHGROVE Soil Sampling, 12/14/2001 Trimatrix# 351132-33 Project# 98-478-04

|                 |        |             |         |                 | 1     | Ars    | eni                           | c   | Le      | ead              |       | Anti   | mon  | y   | Cac    | lmiı                                  | ım  |
|-----------------|--------|-------------|---------|-----------------|-------|--------|-------------------------------|-----|---------|------------------|-------|--------|------|-----|--------|---------------------------------------|-----|
| Sample Location | Lab ID | Sample Date | Matrix  | Remarks         | Units | Result | Q                             | RL  | Result  | Q                | RL    | Result | Q    | RL  | Result | lol                                   | RL  |
| EB-1-121401     | 295476 | 12/14/2001  | Aqueous | Equipment Blank | ug/L  |        | U                             | l   | 1.4     |                  | 1     |        | Ü    | 10  |        | Ū                                     | 0.2 |
| EB-2-121401     | 295477 | 12/14/2001  | Aqueous | Equipment Blank | ug/L  |        | Ü                             | 1   | 2.1     |                  | 1     |        | U    | 10  |        | Ü                                     | 0.2 |
| CSB-35A-A       | 295478 | 12/14/2001  | Soil    |                 | mg/kg | 154    |                               | 6.3 | 70,400  |                  | 1,250 | 1,280  |      | 25  | 83     |                                       | 3.2 |
| CSB-35A-B       | 295479 | 12/14/2001  | Soil    |                 | mg/kg | 6.1    |                               | 1   | 279     | *                | 6.3   | 5.3    |      | 1   | 0.66   |                                       | 0.5 |
| CSB-35A-C       | 295480 | 12/14/2001  | Soil    |                 | mg/kg | 408    |                               | 13  | 350,000 |                  | 6,250 | 3,150  |      | 100 | 144    |                                       | 13  |
| CSB-35A-D       | 295481 | 12/14/2001  | Soil    |                 | mg/kg | 6      |                               | 1   | 285     |                  | 6.3   | 4.9    |      | 1   | 0.62   |                                       | 0.5 |
| CSB-35A-E       | 295482 | 12/14/2001  | Soil    |                 | mg/kg | 6.3    |                               | 1   | 499     |                  | 13    | 3.9    |      | 1   | 0.99   |                                       | 0.5 |
| CSB-35A-F       | 295483 | 12/14/2001  | Soil    |                 | mg/kg | 6.3    |                               | 1   |         | £₩.              | 1.3   | 1.7    |      | l   |        | u                                     | 0.5 |
| CSB-35A-G       | 295484 | 12/14/2001  | Soil    |                 | mg/kg | 6.6    | ્યું કુ જેટ<br>કુ કેટક        | 1   |         | ă.               | 3.2   | 6.3    |      | 1   | 0.89   | Ped<br>G                              | 0.5 |
| CSB-35A-H       | 295485 | 12/14/2001  | Soil    |                 | mg/kg | 8.1    |                               | 1   | 1,520   | J                | 32    | 27     | j    | 1   | 1.5    | Ĵ                                     | 0.5 |
| CSB-35A-I       | 295486 | 12/14/2001  | Soil    |                 | mg/kg | 5.9    |                               | 1   | 11      |                  | 0.6   |        | U    | 1   |        | Ū                                     | 0.5 |
| CSB-35A-J       | 295487 | 12/14/2001  | Soil    |                 | mg/kg | 4.1    | 200001<br>200001<br>200001    | 1   | 11      |                  | 0.6   |        | U    | 1   | -      | U                                     | 0.5 |
| CSB-35A-HD      | 295488 | 12/14/2001  | Soil    | FD of CSB-35A-H | mg/kg | 6.5    |                               | 1   | 413     | J                | 13    | 11     | j    | 1   | 0.75   | Ĵ                                     | 0.5 |
| CSB-26A-A       | 295489 | 12/14/2001  | Soil    |                 | mg/kg | 12     |                               | 1   | 174     |                  | 3.2   | 6.4    |      | 1   | 46     |                                       | 0.5 |
| CSB-26A-B       | 295490 | 12/14/2001  | Soil    |                 | mg/kg | 11     |                               | 1   | 88      |                  | 1.3   | 1.7    | 1634 | 1   | 40     | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 0.5 |
| CSB-26A-C       | 295491 | 12/14/2001  | Soil    |                 | mg/kg | 6.4    |                               | 1   | 40      | - K              | 0.6   | 1      |      | 1   |        | U                                     | 0.5 |
| CSB-26A-D       | 295492 | 12/14/2001  | Soil    |                 | mg/kg | 6.2    |                               | 1   | 25      | ¥7.4             | 0.6   |        | U    | 1   | 0.54   |                                       | 0.5 |
| CSB-26A-E       | 295493 | 12/14/2001  | Soil    |                 | mg/kg | 5.8    |                               | 1   | 23      |                  | 0.6   |        | ·U.  | 1   |        | U                                     | 0.5 |
| EB-4-121401     | 295494 | 12/14/2001  | Aqueous | Equipment Blank | ug/L  |        | U                             | 1   | . 3     | Ü                | 1     |        | U    | 10  |        | U                                     | 0.2 |
| CSB-26A-CD      | 295495 | 12/14/2001  | Soil    | FD of CSB-26A-C | mg/kg | 5.5    |                               | 1   | 30      |                  | 0.6   | 1.5    |      | 1   | 0.53   |                                       | 0.5 |
| CSB-1A-A        | 295496 | 1           | Soil    |                 | mg/kg | 3.2    |                               | 1   | 903     | (%e)E,           | 32    | 3.4    |      | 1   |        | U                                     | 0.5 |
| CSB-1A-B        | 295497 | 12/14/2001  | Soil    |                 | mg/kg | 1.5    |                               | 1   | 18      |                  | 0.6   |        | U    | 1   |        | Ŭ                                     | 0.5 |
| CSB-1A-C        | 295498 | 12/14/2001  | Soil    |                 | mg/kg | 1.5    |                               | 1   | 44      |                  | 0.6   |        | U    | 1   |        | U                                     | 0.5 |
| CSB-1A-D        | 295499 | 12/14/2001  | Soil    |                 | mg/kg | 989    |                               | 13  | 249,000 |                  | 6,250 | 2,660  | J    | 100 | 1,000  | Ĵ                                     | 13  |
| CSB-1A-E        | 295500 | 12/14/2001  | Soil    |                 | mg/kg | 6.8    |                               | 1   | 847     |                  | 13    | 16     | 1    | 1   | 1.7    |                                       | 0.5 |
| EB-5-121401     | 295501 | 12/14/2001  | Aqueous | Equipment Blank | ug/L  | ,      | U                             | 1   |         | U                | 1     |        | Ū    | 10  |        | U                                     | 0.2 |
| CSB-1A-DD       | 295502 | 12/14/2001  | Soil    | FD of CSB-1A-D  | mg/kg | 821    |                               | 13  | 185,000 |                  | 6,250 | 1,650  | J.   | 50  | 346    | y                                     | 13  |
| CSB-38A-A       | 295503 | 12/14/2001  | Soil    |                 | mg/kg | 67     |                               | 6.3 | 6,200   |                  | 125   | 156    | ij   | 2.5 | 110    |                                       | 6.3 |
| CSB-38A-B       | 295504 | 12/14/2001  | Soil    |                 | mg/kg | 7.9    |                               | 1   | 14      | 13               | 0.6   |        | UJ   | 1   |        | U                                     | 0.5 |
| CSB-38A-C       | 295505 | 12/14/2001  | Soil    |                 | mg/kg | 9.3    |                               | l   | 22      | (1874)<br>(1886) | 0.6   |        | IJ   | 1   |        | U                                     | 0.5 |
| CSB-38A-D       | 295506 | 12/14/2001  | Soil    |                 | mg/kg | 2.5    | )<br>100<br>140<br>140<br>140 | 1   |         |                  | 0.6   |        | Πī   | l   |        | U                                     | 0.5 |
| CSB-38A-E       | 295507 | 12/14/2001  | Soil    |                 | mg/kg | 8.6    |                               | 1   | 319     |                  | 6.3   | 6.2    |      | 1   | 6.8    |                                       | 0.5 |

QA Scientist The Grand Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of th

Date

# RMC BEECHGROVE

Soil Sampling, 12/14/2001 Trimatrix# 351132-33 Project# 98-478-04

|                 |        |              |         | T               |       | Ar     | seni  | c    |         | ead                                                                |        | Anti          | mon              | y   |        | lmiı   |       |
|-----------------|--------|--------------|---------|-----------------|-------|--------|-------|------|---------|--------------------------------------------------------------------|--------|---------------|------------------|-----|--------|--------|-------|
| Sample Location | Lab ID | Sample Date  | Matrix  | Remarks         | Units | Result | Q     | RL   | Result  | Q                                                                  | RL     | Result        | Q                | RL  | Result | Q      | RL_   |
| CSB-13A-A       | 295508 | 12/14/2001   | Soil    |                 | mg/kg | 11     |       | 1    | 2,300   |                                                                    | 63     | 80            |                  | 5   | 64     |        | 1.3   |
| CSB-13A-B       | 295509 | 12/14/2001   | Soil    |                 | mg/kg | 22     |       | 1    | 1,070   | 1                                                                  | 13     | 197           |                  | 5   | 29     |        | 0.5   |
| CSB-13A-C       | 295510 | 12/14/2001   | Soil    |                 | mg/kg | 6.6    | (A)   | 1    | 75      | 2 12                                                               | 1.3    | 5             | 335              | 1   | 36     | \$10.3 | 0.5   |
| CSB-13A-D       | 295511 | 12/14/2001   | Soil    |                 | mg/kg | 5.9    |       | 1    | 39      |                                                                    | 0.6    | 1.9           | 200              | 1   | 1.7    |        | 0.5   |
| CSB-13A-E       | 295512 | 12/14/2001   | Soil    |                 | mg/kg | 6      |       | 1    | 27      |                                                                    | 0.6    | 2.9           | $J_{i}$          | 1   | 0.99   | i A    | 0.5   |
| EB-7-121401     | 295513 | 12/14/2001   | Aqueous | Equipment Blank | ug/L  |        | Ù     | 1    |         | Ü                                                                  | 1      |               | U                | 10  |        | U      | 0.2   |
| CSB-28A-A       | 295514 | 12/14/2001   | Soil    |                 | mg/kg | -53    | 1 X   | 1    | 30      |                                                                    | 0.6    | 5             |                  | 1   | 17     |        | 0.5   |
| CSB-28A-B       | 295515 | 12/14/2001   | Soil    |                 | mg/kg | 5.1    | ,     | 1    | 13      |                                                                    | 0.6    |               | U                | 1   |        | U.     | 0.5   |
| CSB-28A-C       | 295516 | 12/14/2001   | Soil    |                 | mg/kg | 7.9    |       | 1    | 27      | Ĵ                                                                  | 0.6    |               | U                | 1   |        | U      | 0.5   |
| CSB-28A-D       | 295517 | 12/14/2001   | Soil    |                 | mg/kg | 6.5    |       | 1    | 14      | ar A                                                               | 0.6    | , , , , , , , | U                | 1   |        | U      | 0.5   |
| CSB-28A-E       | 295518 | 12/14/2001   | Soil    |                 | mg/kg | 9.4    | 3. C. | 1    | 16      | 100<br>100<br>100<br>100<br>100<br>100<br>100<br>100<br>100<br>100 | 0.6    |               | ÚJ               | 1   |        | U      | 0.5   |
| CSB-28A-CD      | 295519 | 12/14/2001   | Soil    | FD of CSB-28A-C | mg/kg | 9.1    |       | 1    | 118     | J.                                                                 | 6.3    | 3             | \$ N             | 1   |        | U.     | 0.5   |
| CSB-30A-A       | 295520 | 12/14/2001   | Soil    |                 | mg/kg | 30     | J     | 1    | 2,360   |                                                                    | 63     | 63            |                  | 2.5 | 4.2    |        | 0.5   |
| CSB-30A-B       | 295521 | · 12/14/2001 | Soil    |                 | mg/kg | 13     | Ţ     | 1    | 366     |                                                                    | 6.3    | 14            |                  | 1   | 1.3    |        | 0.5   |
| EB-8-121401     | 295522 | 12/14/2001   | Aqueous | Equipment Blank | ug/L  |        | Ú     | 1    |         | U                                                                  | 1      |               | U                | 10  |        | U      | 0.2   |
| CSB-30A-C       | 295523 | 12/14/2001   | Soil    |                 | mg/kg | 9.1    | J,    | 1    | 243     |                                                                    | 6.3    | 7             | $\mathbf{J}_{s}$ | 1   | 0.83   | . *\*  | 0.5   |
| CSB-30A-D       | 295524 | 12/14/2001   | Soil    |                 | mg/kg | 6.6    | J     | 1    | 32      |                                                                    | 0.6    | 1.2           |                  | 1   |        | U      | 0.5   |
| CSB-30A-E       | 295525 | 12/14/2001   | Soil    |                 | mg/kg | 6.6    | J     | 1    | 13      | U                                                                  | 0.6    |               | Ü                | 1   |        | Ü      | 0.5   |
| CSB-10A-A       | 295526 | 12/14/2001   | Soil    |                 | mg/kg | 4.5    | Ü     | 1    | 1,780   | (Sec.)<br>                                                         | 63     | 5.7           | J                | 1   | 0.59   |        | 0.5   |
| CSB-10A-B       | 295527 | 12/14/2001   | Soil    |                 | mg/kg | 6.1    |       | 1    | 1,210   | Şt.                                                                | 32     | 31            | J                | 1   | 1.3    |        | 0.5   |
| CSB-10A-C       | 295528 | 12/14/2001   | Soil    |                 | mg/kg | 433    |       | 6.25 | 256,000 | J.                                                                 | 6,250  | 1,720         |                  | 50  | 132    |        | 0.625 |
| EB-9-121401     | 295529 | 12/14/2001   | Aqueous | Equipment Blank | ug/L  |        | n     | 1    |         | U                                                                  | 1      |               | U                | 10  |        | U      | 0.2   |
| CSB-30A-CD      | 295530 | 12/14/2001   | Soil    | FD of CSB-30A-C | mg/kg | 9.5    | J     | 1    | 228     |                                                                    | 3.2    | 4.6           | $J_{*}$          | 1   | 0.71   |        | 0.5   |
| CSB-10A-D       | 295531 | 12/14/2001   | Soil    |                 | mg/kg | 2,730  |       | 63   | 475,000 |                                                                    | 12,500 | 4,260         | J                | 100 | 527    |        | 6.3   |
| CSB-10A-E       | 295532 | 12/14/2001   | Soil    |                 | mg/kg | 7.1    | J     | 1    | 253     |                                                                    | 6.3    | 6.7           |                  | 1   | 0.61   |        | 0.5   |
| CSB-32A-A       | 295533 | 12/14/2001   | Soil    |                 | mg/kg | 394    | 1.5   | 6.3  | 164,000 |                                                                    | 6,250  | 2,190         | J                | 100 | 158    | X.     | 6.3   |
| CSB-32A-B       | 295534 | 12/14/2001   | Soil    |                 | mg/kg | 199    |       | 3.2  | 90,100  | 1387.<br>1382                                                      | 3,130  | 1,060         | ${f J}$          | 50  | 47     |        | 3.2   |
| CSB-32A-C       | 295535 | 12/14/2001   | Soil    |                 | mg/kg | 230    |       | 3.2  | 64,000  |                                                                    | 6,250  | 1,010         | . <b>"</b>       | 25  | 38     |        | 3.2   |
| CSB-32A-D       | 295536 | 12/14/2001   | Soil    |                 | mg/kg | 8      | J     | 1    | 40      |                                                                    | 0.6    | 2.7           | New Till         | 1   |        | U      | 0.5   |
| CSB-32A-E       | 295537 | 12/14/2001   | Soil    |                 | mg/kg | 6.5    | J     | 1    | 20      | Ŭ                                                                  | 0.6    | 1.5           |                  | 1   |        | U,     | 0.5   |
| CSB-10A-CD      | 295538 | 12/14/2001   | Soil    | FD of CSB-10A-C | mg/kg | 313    |       | 6.3  | 169,000 | Į.                                                                 | 6,250  | 1,520         | J                | 50  | 112    |        | 6.3   |
| STRW-1-121401   | 295539 | 12/14/2001   | SW      |                 | ug/L  | 4.7    | J.    | - 1  | 811     | 17.0                                                               | 25     | 46            | J                | 10  | 11     | 32     | 0.2   |

QA Scientist feller

Date 4/16/20

# RMC - BEECHGROVE Soil Sampling, 12/14/2002 Trimatrix# 35132-34 Project# 98-478-05

|                 |        |             |        |                 |       | Antimony |      |     | *      |   | ıy | Ars    | enic         |     | Cadn    | niu          | m     | L | ead |  |
|-----------------|--------|-------------|--------|-----------------|-------|----------|------|-----|--------|---|----|--------|--------------|-----|---------|--------------|-------|---|-----|--|
| Sample Location | Lab ID | Sample Date | Matrix | Remarks         | Units | Result   | Q    | RL  | Result | Q | RL | Result | $\mathbf{Q}$ | RL  | Result  | $\mathbf{Q}$ | RL    |   |     |  |
| CSB-1A-F        | 297370 | 12/14/2001  | Soil   |                 | mg/kg | 1.7      |      | 1   | 8.5    |   | 1  | 2,     |              | 0.5 | 170     |              | 2.5   |   |     |  |
| CSB-1A-G        | 297371 | 12/14/2001  | Soil   |                 | mg/kg | 1.6      |      | 1   | 5.6    |   | 1  |        | Ü            | 0.5 | 65      |              | 1     |   |     |  |
| CSB-1A-H        | 297372 | 12/14/2001  | Soil   |                 | mg/kg | 2        |      | 1   | 6      |   | 1  |        | U            | 0.5 | 82      |              | 1     |   |     |  |
| CSB-1A-I        | 297373 | 12/14/2001  | Soil   |                 | mg/kg | 1.4      |      | 1   | 5.7    |   | _1 |        | U            | 0.5 | 47      | -            | 0.6   |   |     |  |
| CSB-1A-J        | 297374 | 12/14/2001  | Soil   |                 | mg/kg | 3.6      |      | 1   | 5.7    |   | 1  |        | U            | 0.5 | 144     |              | 2.5   |   |     |  |
| CSB-10A-F       | 297375 | 12/14/2001  | Soil   |                 | mg/kg | 2,960    |      | 50  | 1,700  |   | 50 | 363    |              | 5   | 288,000 |              | 5,000 |   |     |  |
| CSB-10A-G       | 297376 | 12/14/2001  | Soil   |                 | mg/kg | 12       |      | 1   | 28     |   | 1  | 7.2    |              | 0.5 | 1090    |              | 25    |   |     |  |
| CSB-10A-H       | 297377 | 12/14/2001  | Soil   |                 | mg/kg | 1.8      |      | _ 1 | 11     |   | 1  | 5.1    | 146°         | 0.5 | 101     | J:           | 2.5   |   |     |  |
| CSB-10A-HD      | 297378 | 12/14/2001  | Soil   | FD of CSB-10A-H | mg/kg | 1.6      |      | _ 1 | 14     |   | 1  | 4.7    |              | 0.5 | 42      | J            | 0.6   |   |     |  |
| CSB-10A-I       | 297379 | 12/14/2001  | Soil   |                 | mg/kg | 6.1      | 1.50 | 1   | 44     |   | 1  | 20     | 7            | 0.5 | 365     | 1.0          | 5     |   |     |  |

QA Scientist Music

Date\_3/19/2002

# INORGANIC DATA VALIDATION SUMMARY

| Site Name: Project Number: Sampling Date(s): | RMC Beech<br>98-478-<br>12/10-14/ |                 | Laboratory: Case /Order No.: |            | •                                 | Trimatrix<br>35132-32+33 |
|----------------------------------------------|-----------------------------------|-----------------|------------------------------|------------|-----------------------------------|--------------------------|
| Compound List:                               | TAL                               | Priority I      | ollutant                     |            | Appendix IX                       | Wother varous            |
| Method:                                      | CLP SOW ILMO4.                    | 40 CFR          | 136                          |            | SW-846 Method                     | Other                    |
| The following table indicate                 | cates the data validation         | criteria examin | ied, any                     | problem    | 6010/7000<br>s identified, and th |                          |
| Data Validation Criteria:                    |                                   | accept          | FYI                          | qualify    | / Comments                        |                          |
| Holding Times                                |                                   |                 |                              |            |                                   |                          |
| Initial Calibrations                         |                                   |                 |                              |            |                                   |                          |
| Continuing Calibrations                      |                                   |                 |                              |            |                                   |                          |
| CRDL Standards                               |                                   |                 | <b>A</b> •                   | D          |                                   |                          |
| Blank Analysis Results                       |                                   |                 | X                            |            | Sumple Conc                       | < 10 x Prop Blank Conc.  |
| ICP Interference Check S                     | Sample Recoveries                 |                 |                              |            |                                   |                          |
| Duplicate Results                            |                                   |                 |                              | W          | gms                               |                          |
| Field Duplicate Results                      | (see below)                       |                 |                              |            | MW-3 F                            | 2350-75 R258-4A-A        |
| Spike Analysis Recoverie                     | <del>(</del>                      |                 |                              |            | ا ـ                               | < 4× spike addled        |
| Serial Dilution Results                      |                                   |                 |                              |            |                                   | % and conc >50 xIDL      |
| Laboratory Control Samp                      | ole Results                       |                 |                              |            |                                   |                          |
| Furnace AA QC Analysis                       |                                   |                 |                              |            |                                   |                          |
| Quantitation/Detection L                     |                                   |                 |                              |            |                                   |                          |
| Overall Assessment of Da                     |                                   |                 |                              |            |                                   |                          |
| Other:                                       |                                   |                 |                              |            |                                   |                          |
| General Comments:                            | Field Deplicules                  | continued:      |                              |            |                                   |                          |
| R2SB-2A-A                                    | R25B-IA-C                         | R258-5.         | 2-A                          | R2         | SB - 53-B                         | CSB-35A-N                |
| R25B- 2A-AD                                  | R2SB-1A-CD                        | R258-52         | -AD                          | RO         | SB- 53BD                          | OB-35A-HD                |
| CSB-26A-C                                    | CSB-IA-D                          | C <b>B</b> B-   | 284                          | <b>-</b> C | CSB - 30A                         | -C CSB-10A-C             |
| CSB-26A-CD                                   | CSB-IA-DD                         |                 |                              |            | CSB-30A-                          |                          |
|                                              |                                   |                 |                              |            |                                   |                          |

Accept - No qualification required.

FYI - For your information only, no qualification necessary.

Qualify - Qualify as rejected, estimated or biased

NA - Not applicable.

NR - Not reviewed.

QA Scientist Jenny M. Stanligge
Date 3/28/2002

|              | T         |     |          |                    |               |        |        |            |         | BC * 5 |             |              |
|--------------|-----------|-----|----------|--------------------|---------------|--------|--------|------------|---------|--------|-------------|--------------|
| Blank ID     | Parameter |     |          | Associated Samples | % Solids      | Weight | Volume | DF         | BC      | or *10 | Sample Conc | Q            |
| Method Blank | Lead      | 2.2 | mg/kg    | R2SB-53-A          |               |        |        | <b>_</b>   |         | 22     | 499         |              |
| 71626        | 1         |     | 1        | R2SB-53-B          |               |        |        | <b> </b>   |         | 22     | 58          |              |
|              |           |     |          | R2SB-53-BD         |               | ·      |        | <u> </u>   |         | 22     | 52          |              |
|              | 1         |     |          | CSB-30A-A          |               |        |        | L          |         | 22     | 2360        |              |
|              | 1         |     |          | CSB-30A-B          |               |        |        | <b></b>    |         | 22     | 366         |              |
|              |           |     |          | CSB-30A-C          |               |        |        | ļ <u> </u> |         | 22     | 243         |              |
|              |           |     |          | CSB-30A-D          |               |        |        | <u> </u>   |         | 22     | 32          |              |
|              | 1         |     |          | CSB-30A-E          |               |        |        | <u> </u>   |         | 22     | 13          | *            |
|              |           |     |          | CSB-30A-CD         |               |        |        |            |         | 22     | 228         |              |
|              |           |     | l        | CSB-10A-E          |               |        |        |            |         | 22     | 253         |              |
|              |           |     |          | CSB-32A-D          |               |        |        | <u></u>    |         | 22     | 40          | 7.0          |
|              |           |     | 1        | CSB-32A-E          |               |        |        | <u>L</u>   |         | 22     | 20          | **           |
|              | 1         |     | ļ        | CSB-10A-A          |               |        |        |            |         | 22     | 1780        |              |
|              | 1         |     | ł        | CSB-10A-B          |               |        |        |            |         | 22     | 1210        |              |
|              |           |     | 1        | CSB-10A-D          |               |        |        |            |         | 22     | 475000      |              |
|              | 1         |     | }        | CSB-32A-A          |               |        |        |            |         | 22     | 164000      |              |
|              |           |     |          | CSB-32A-B          |               |        |        | L          |         | 22     | 90100       |              |
|              |           |     |          | CSB-32A-C          |               |        |        |            |         | 22     | 64000       |              |
|              |           |     | 1        | CSB-10A-CD         |               |        |        |            |         | 22     | 169000      |              |
| -            |           |     |          | CSB-10A-C          |               |        |        |            |         | 22     | 256000      |              |
| EB-6-121301  | Lead      | 2.6 | μg/L     | R2SB-52-AD         | 1             | 0.4005 | 0.05   | 50         | 16.2    | 81     | 338         |              |
|              | 1 1       |     | ]        | R2SB-53-A          | 1             | 0.3995 | 0.05   | 50         | 16.3    | 81     | 499         |              |
|              | ]         |     |          | R2SB-53-B          | 1             | 0.4005 | 0.05   | 5          | 1.6     | 8      | 58          |              |
|              | <u> </u>  |     |          | R2SB-53-BD         | 1             | 0.4003 | 0.05   | 5          | 1.6     | 8      | 52          |              |
| EB-1-121401  | Lead      | 1.4 | μg/L     | CSB-35A-A          | 1             | 0.9997 | 0.1    | 10000      | 1400.4  | 7002   | 70,400      |              |
|              |           |     |          | CSB-35A-B          | 1             | 0.9997 | 0.1    | 50         | 7.0     | 35     | 279         |              |
|              |           |     |          | CSB-35A-C          | 1             | 0.9997 | 0.1    | 50000      | 7002.1  | 35011  | 350,000     |              |
|              | 1         |     | l        | CSB-35A-D          | 1             | 1.0001 | 0.1    | 50         | 7.0     | 35     | 285         |              |
|              |           |     |          | CSB-35A-E          | 1             | 0.9998 | 0.1    | 100        | 14.0    | 70     | 499         |              |
|              | 1         |     | <u> </u> | CSB-35A-F          | 1             | 1.0005 | 0.1    | 10         | 1.4     | 7      | 69          | 1            |
|              | 1         |     |          | CSB-35A-G          | 1             | 1.0005 | 0.1    | 25         | 3.5     | 17     | 156         |              |
|              | 1         |     |          | CSB-35A-H          | 1             | 1.0005 | 0.1    | 250        | 35.0    | 175    | 1,520       |              |
|              | 1         |     |          | CSB-35A-I          | 1             | 0.9998 | 0.1    | 5          | 0.7     | 4      | 11          |              |
|              | 1         |     | 1        | CSB-35A-J          | 1             | 1.0003 | 0.1    | 5          | 0.7     | 3      | 11          |              |
|              | }         |     |          | CSB-35A-HD         | i             | 0.9995 | 0.1    | 100        | 14.0    | 70     | 413         | ·            |
|              | )         |     | 1        | CSB-26A-A          | 1             | 1.0005 | 0.1    | 25         | 3.5     | 17     | 174         |              |
|              |           |     |          | CSB-26A-B          | 1             | 1.0005 | 0.1    | 10         | 1.4     | 7      | 88          |              |
|              | i 1       |     |          | CSB-26A-C          | 1             | 1.0005 | 0.1    | 5          | 0.7     | 3      | 40          |              |
|              | ì i       |     | 1        | CSB-26A-D          | 1             | 1.0005 | 0.1    | 5          | 0.7     | 3      | 25          |              |
|              | 1 1       |     |          | CSB-26A-E          | 1             | 1      | 0.1    | 5          | 0.7     | 4      | 23          |              |
| EB-2-121401  | Lead      | 2.1 | μg/L     | CSB-35A-A          |               | 0.9997 | 0.1    | 10000      | 2100.6  | 10503  | 70,400      |              |
|              | 1         |     |          | CSB-35A-B          | 1             | 0.9997 | 0.1    | 50         | 10.5    | 53     | 279         |              |
|              | Į į       |     |          | CSB-35A-C          | 1             | 0.9997 | 0.1    | 50000      | 10503.2 | 52516  | 350,000     |              |
|              |           |     |          | CSB-35A-D          | 1             | 1.0001 | 0.1    | 50         | 10.5    | 52     | 285         | <del>,</del> |
|              |           |     |          | CSB-35A-E          | 1             | 0.9998 | 0.1    | 100        | 21.0    | 105    | 499         |              |
|              | 1 1       |     |          | CSB-35A-F          | I             | 1.0005 | 0.1    | 10         | 2.1     | 10     | 69          |              |
|              |           |     |          | CSB-35A-G          | 1             | 1.0005 | 0.1    | 25         | 5.2     | 26     | 156         | <del> </del> |
|              |           |     |          | CSB-35A-H          | 1             | 1.0005 | 0.1    | 250        | 52.5    | 262    | 1,520       |              |
|              | ] ]       |     |          | CSB-35A-I          | 1             | 0.9998 | 0.1    | 5          | 1.1     | 5      | 11          |              |
|              | }         |     | }        | CSB-35A-J          | 1             | 1.0003 | 0.1    | 5          | 1.0     | 5      | 11          |              |
|              |           |     |          | CSB-35A-HD         | 1             | 0.9995 | 0.1    | 100        | 21.0    | 105    | 413         | <del></del>  |
|              |           |     |          | CSB-26A-A          | 1             | 1.0005 | 0.1    | 25         | 5.2     | 26     | 174         |              |
|              | 1         |     |          | CSB-26A-B          | $\frac{1}{1}$ | 1.0005 | 0.1    | 10         | 2.1     | 10     | 88          |              |
|              |           |     |          | CSB-26A-C          | 1             | 1.0005 | 0.1    | 5          | 1.0     | 5      | 40          |              |
| •            |           |     |          | CSB-26A-D          | 1             | 1.0005 | 0.1    | 5          | 1.0     | 5      | 25          |              |
|              |           |     |          | CSB-26A-E          | 1             |        |        | 5          |         | 5      |             |              |
|              |           |     |          | COD-20A-E          |               | 11     | 0.1    |            | 1.1     |        | 23          |              |

<sup>\* -</sup> Sample concentration less than 5 or 10 times blank concentration, qualified as "U" Undetected.

AwD 4/4/2002



# QUALITY CONTROL REPORT BLANKS USEPA CLP FORM 3

| SDG No.       | 35132 -33 | Parameter | Lead, Total |
|---------------|-----------|-----------|-------------|
| Instrument ID | 114       | Ref. Cit. | USEPA-6020  |

| Batch | Blank QC Type      | Sequence No. | Amount Found |
|-------|--------------------|--------------|--------------|
| 71626 | Method Preparation | 1            | 2.2          |
| 71647 | Method Preparation | 1            | <0.60        |

# Associated Samples

| 2010 S3-A  | CSB-10A-E                | CSB-10A-C |
|------------|--------------------------|-----------|
| R2SB-53-A  | CSB - 32A-D              |           |
| R2SB-53-B  | CSB-32A-E                |           |
| R2SB-53-BD | CSB-10A-A                |           |
| CSB- 30A-A | CBB-10A-B                |           |
| CSB- 30A-B | 000 100                  |           |
| CSB-30A-C  | CSB- 10A-D<br>CSB- 3DA-A |           |
| CSB- 30A-D | CSB-32A-B                |           |
| CSB- 30A-E | CSB-32A-C                |           |
| CSB-30A-CD | CSB-10A-CD               |           |

CM 30275



| SDG No.    | 35132 -32   | Matrix<br>Lab Sample No. | WATER<br>295091 |
|------------|-------------|--------------------------|-----------------|
| Sample ID. | MW-7SMS/MSD | Units                    | ug/L            |

| I   | Analyte             | Control<br>Limit %R | Spiked<br>Sample<br>Result | Sample<br>Result | Spike<br>Added | %R              | М  |   |
|-----|---------------------|---------------------|----------------------------|------------------|----------------|-----------------|----|---|
| 7   | Antimony, Dissolved | 70 - 138            | 287.2                      | <10              | 250            | 115             | MS |   |
|     | Antimony, Dissolved | 70 - 138            | 296.6                      | <10              | 250            | 119             | MS |   |
|     | Antimony, Total     | 70 - 138            | 58.3                       | <10              | 50 ·           | 117             | MS |   |
|     | Antimony, Total     | 70 - 138            | 57.7                       | <10              | 50             | 115             | MS |   |
|     | Arsenic, Dissolved  | 59 - 164            | 353.4                      | 30               | 250            | 129             | MS | 头 |
|     | Arsenic, Dissolved  | 59 - 164            | 357.4                      | 30               | 250            | 131             | MS | * |
|     | Arsenic, Total      | 59 - 164            | 76.6                       | 26               | 50             | 101             | MS |   |
|     | Arsenic, Total      | 59 - 164            | 75.5                       | 26               | 50             | 99              | MS |   |
|     | Barium, Dissolved   | 53 - 142            | 279.2                      | 23               | 250            | 102             | MS |   |
|     | Barium, Dissolved   | 53 - 142            | 276.4                      | 23               | 250            | 101             | MS |   |
| · 1 | Barium, Total       | 53 - 142            | 70.0                       | 25               | 50             | 90              | MS |   |
| I   | Barium, Total       | 53 - 142            | 70.4                       | 25               | 50             | 91              | MS |   |
| (   | Cadmium, Dissolved  | 74 - 127            | 265.5                      | <0.2             | 250            | 106             | MS |   |
| (   | Cadmium, Dissolved  | 74 - 127            | 263.3                      | <0.2             | 250            | 105             | MS |   |
| (   | Cadmium, Total      | 74 - 127            | 48.6                       | <0.2             | 50             | 97              | MS |   |
| (   | Cadmium, Total      | 74 - 127            | 48.0                       | <0.2             | 50             | 96              | MS |   |
| (   | Chromium, Dissolved | 76 - 127            | 283.4                      | 13               | 250            | 108             | MS |   |
| (   | Chromium, Dissolved | 76 - 127            | 276.8                      | 13               | 250            | 106             | MS |   |
| (   | Chromium, Total     | 76 - 127            | 49.3                       | 2.8              | 50             | 93              | MS |   |
| (   | Chromium, Total     | 76 - 127            | 49.3                       | 2.8              | 50             | 93              | MS |   |
| ]   | Lead, Dissolved     | 75 - 134            | 256.6                      | 2.5              | 250            | 102             | MS |   |
| 1   | Lead, Dissolved     | 75 - 134            | 255.3                      | 2.5              | 250            | 101             | MS |   |
| 1   | Lead, Total         | 75 - 134            | 95.3                       | 47               | 50             | 97              | MS |   |
| 1   | Lead, Total         | 75 - 134            | 95.4                       | 47               | 50             | 97              | MS |   |
| ľ   | Mercury, Total      | 59 - 158            | 2.74                       | <0.2             | 2.5            | 110             | CV |   |
| ľ   | Mercury, Total      | 59 - 158            | 2.43                       | <0.2             | 2.5            | 97              | CV |   |
| 5   | Selenium, Dissolved | 59 - 155            | 338.5                      | 6.5              | 250            | $\bigcirc 133)$ |    | × |
| 5   | Selenium, Dissolved | 59 - 155            | 334.6                      | 6.5              | 250            | $\bigcirc 131)$ | MS | X |
| 5   | Selenium, Total     | 59 - 155            | 56.1                       | 5.7              | 50             | 101             | MS |   |
| 5   | Selenium, Total     | 59 - 155            | 55.1                       | 5.7              | 50             | 99              | MS |   |
| 5   | Silver, Total       | 69 - 128            | 43.8                       | <0.2             | 50             | 88              | MS |   |
| 5   | Silver, Total       | 69 - 128            | 43.8                       | <0.2             | 50             | 88              | MS |   |
|     |                     |                     |                            |                  |                |                 |    |   |

\* Associated Samples

MW-9 MW-35 MW-1 MW-35 MW-3D

MW-5 Mw-2

MW-4 EB1-121001

MW-6 MW-73

OB2-121101 MW-85

000286



| SDG No. 35132 -32     |                     |                            | Matrix<br>Lab Sample No. |                | IL<br>5110 |    |
|-----------------------|---------------------|----------------------------|--------------------------|----------------|------------|----|
| Sample ID. R2SED-9DMS | S/MSD               |                            | Units                    | _              | /kg dry    |    |
| Analyte               | Control<br>Limit %R | Spiked<br>Sample<br>Result | Sample<br>Result         | Spike<br>Added | ₹R         | М  |
| Arsenic, Total        | 60 - 141            | 36.9                       | 8.2                      | 31.2           | 92         | MS |
| Arsenic, Total        | 60 - 141            | 35.9                       | 8.2                      | 31.2           | 89         | MS |
| Lead, Total           | 74 - 132            | 64.7                       | 39                       | 31.2           | 82         | MS |
| Lead, Total           | 74 - 132            | 61.1                       | 39                       | 31.2           | (71)       | MS |

| R2SED-IC  | R2SED-5C  |
|-----------|-----------|
| Rased- ID | RISED-7CD |
| RZ-SED-SD | R2500-9C  |
| R2SED-7C  | R25ED-9D  |
| RASED-7D  | R25B-51-A |
| R2SED-3C  | R25B-51-B |
| R2SED-3D  |           |

Charles of



| SDG No.                        |                     |                            |                  | SOIL<br>295454 |          |          |
|--------------------------------|---------------------|----------------------------|------------------|----------------|----------|----------|
| Sample ID.                     | R2SB-3A-CMS/MSD     |                            | Units            | mg             | /kg dry  |          |
| Analyte                        | Control<br>Limit %R | Spiked<br>Sample<br>Result | Sample<br>Result | Spike<br>Added | ¥R       | M        |
| Arsenic, Tota<br>Arsenic, Tota |                     | 18.8<br>24.2               | 6.3              | 31.2<br>31.2   | 40<br>57 | MS<br>MS |

| R25B-4A-A  | R2SB-IA-A  |
|------------|------------|
| R2SB-4A-B  | RASB-IA-B  |
| ROSB-4A-AD | R25B-1A-C  |
| R23B-4A-C  | R25B-1A-CD |
| R2SB-3A-A  | R2SB-13A-A |
| R2SB-3A-C  | R25B-13A-B |
| R2SB-3A-A  | R25B-13A-C |
| R25B- 2A-B | R2SB-52-A  |
| Rasb-2A-C  | R25B-52-B  |
| Rasb-2A-AD |            |

Mystran.



| SDG No.                        | 35132 -33           | Matrix<br>Lab Sample No.   | _                | SOIL<br>295472 |       |          |
|--------------------------------|---------------------|----------------------------|------------------|----------------|-------|----------|
| Sample ID.                     | R2SB-53-AMS/MSD     |                            | Units            | mg/kg dry      |       |          |
| Analyte                        | Control<br>Limit %R | Spiked<br>Sample<br>Result | Sample<br>Result | Spike<br>Added | %R    | М        |
| Arsenic, Tota<br>Arsenic, Tota |                     | 30.4<br>29.1               | 8.4<br>8.4       | 31.2<br>31.2   | 71 66 | MS<br>MS |

| Rass-53-A      | CSB-30A-CD |
|----------------|------------|
| R25B-53-B      | CSB-10A-E  |
| R25B-53-BD     | ESB-32A-D  |
| CSB-39A-A      | CSB-32A-E  |
| CSB - 30A - 13 |            |
| CSB- 30A-C     |            |
| CSB - 30A-D    |            |
| CSB - 30A-E    |            |

C/ 3/28/2027 000290



| SDG No.                                                                               | 35132 -33                                             |                                                              | Matrix<br>Lab Sample No.                           |                                                  | IL<br>5506                                      |                                  |
|---------------------------------------------------------------------------------------|-------------------------------------------------------|--------------------------------------------------------------|----------------------------------------------------|--------------------------------------------------|-------------------------------------------------|----------------------------------|
| Sample ID.                                                                            | CSB-38A-DMS/MSD                                       |                                                              | Units                                              |                                                  | /kg dry                                         |                                  |
| Analyte                                                                               | Control<br>Limit %R                                   | Spiked<br>Sample<br>Result                                   | Sample<br>Result                                   | Spike<br>Added                                   | %R                                              | M                                |
| Antimony, Total Antimony, Total Arsenic, Total Cadmium, Total Lead, Total Lead, Total | al 68 - 126<br>1 60 - 141<br>1 60 - 141<br>1 65 - 134 | 19.3<br>18.4<br>33.7<br>27.4<br>30.0<br>29.1<br>46.2<br>50.3 | <1.0<br><1.0<br>2.5<br>2.5<br><0.50<br><0.50<br>12 | 25<br>25<br>31.2<br>31.2<br>31.2<br>31.2<br>31.2 | 77<br>74<br>100<br>80<br>96<br>93<br>110<br>123 | MS<br>MS<br>MS<br>MS<br>MS<br>MS |

| CSB-IA-D   | CSB-28A-E  |
|------------|------------|
| CSB-IA-E   | CSB-104-A  |
| CSB-IA-DB  | CSB-10A-B  |
| CSB- 38A-A | CSB-10A-D  |
|            | CSB-32A-A  |
| CSB-38A-B  | CSB-33A-B  |
| CB-38A-C   | CBB-30A-C  |
| CSB-38A-D  |            |
| CSB-13A-E  | CSB-10A-CD |

( 3/2 hours



| SDG No.        | 35132 -33   |                     |                            | Matrix                  |                | ATER         |    |
|----------------|-------------|---------------------|----------------------------|-------------------------|----------------|--------------|----|
| Sample ID.     | STRW-112140 | )1                  |                            | Lab Sample No.<br>Units |                | 95539<br>g/L |    |
| Analyte        |             | Control<br>Limit %R | Spiked<br>Sample<br>Result | Sample<br>Result        | Spike<br>Added | %R           | М  |
| Antimony, Tota | al          | 70 - 138            | 109.3                      | 46                      | 50             | 127          | MS |
| Antimony, Tota | al          | 70 ~ 138            | 91.7                       | 46                      | 50             | 91           | MS |
| Arsenic, Total |             | 59 - 164            | 54.3                       | 4.7                     | 50             | 99           | MS |
| Arsenic, Total | Ļ           | 59 - 164            | 54.6                       | 4.7                     | 50             | 100          | MS |
| Cadmium, Total | Ĺ           | 74 - 127            | 60.2                       | 11                      | 50             | 98           | MS |
| Cadmium, Total | L           | 74 - 127            | 58.5                       | 11                      | 50             | 95           | MS |

STRW-1



### QUALITY CONTROL REPORT MATRIX SPIKE DUPLICATE USEPA CLP FORM 6

SDG No.

35132 -33

Matrix

SOIL

Sample ID.

R2SB-3A-CMS/MSD

Lab Sample No. Units

295454 mg/kg dry

Analyte

Control Limit Sample Result Duplicate Spike RPD M

Arsenic, Total

0 - 20

18.8

24.2

Result

25) MS OK < 35

R23B-4A-A

Rasb-4A-B

R25B-4A-AD

R28B-4A-C

R25B-3A-A

RISB-3A-C

225B-2A-A

R2SB-2A-B

Rasb-2A-C

Rasb-2A-AD

RUSB-IA-A

R2SB-1A-B

Rasb-IA-C

R2SB-IA-CD

R2SB-13A-A

R2SB-13A-B

R2SB-13A-C

R28B-52-A

R2SB-52-B



# QUALITY CONTROL REPORT MATRIX SPIKE DUPLICATE USEPA CLP FORM 6

| SDG No.                                                         | 35132 -33       |                   |                      |                              | Matrix<br>Lab Sample No.     | SOIL<br>295506                       |
|-----------------------------------------------------------------|-----------------|-------------------|----------------------|------------------------------|------------------------------|--------------------------------------|
| Sample ID.                                                      | CSB-38A-DMS/MSI | )                 |                      |                              | Units                        | mg/kg dry                            |
| Analyte                                                         |                 | Cont<br>Lim       |                      | Sample<br>Result             | Duplicate<br>Spike<br>Result | RPD M                                |
| Antimony, Tota<br>Arsenic, Tota<br>Cadmium, Tota<br>Lead, Total | 1               | 0 -<br>0 -<br>0 - | 20<br>20<br>20<br>20 | 19.3<br>27.4<br>30.0<br>50.3 | 18.4<br>33.7<br>29.1<br>46.2 | 5 MS<br>21 MS OK 236<br>3 MS<br>8 MS |

| CSB-1A-D               | CSB-28A-E<br>CSB-10A-A |
|------------------------|------------------------|
| CSB-IA-E               | CSB-10A-B              |
| CSB-38A-A<br>CSB-38A-B | CSB-10A-D<br>CSB-32A-A |
| CSB-38A-C              | CSB-32A-B<br>CSB-32A-C |
| CSB-38A-D<br>CSB-13A-E | CSB-10A-CD             |



Lead, Total

### QUALITY CONTROL REPORT MATRIX SPIKE DUPLICATE USEPA CLP FORM 6

| SDG No. Sample ID.                           | 35132 -33<br>CSB-32A-DMS/MSE | )                          |                      | Matrix<br>Lab Sample No.<br>Units | SOIL<br>295536<br>mg/kg dry  |          |
|----------------------------------------------|------------------------------|----------------------------|----------------------|-----------------------------------|------------------------------|----------|
| Analyte                                      |                              | Control<br>Limit           | Sample<br>Result     | Duplicate<br>Spike<br>Result      | RPD M                        |          |
| Antimony, To<br>Arsenic, Tot<br>Cadmium, Tot | al                           | 0 - 20<br>0 - 20<br>0 - 20 | 25.6<br>32.9<br>25.6 | 24.6<br>37.0<br>31.9              | 4 MS<br>12 MS<br>22 MS 0 K 2 | <u> </u> |

65.0

66.8

CSB - 30A - A CSB - 32A - D CSB - 30A - B CSB - 32A - E CSB - 30A - C CSB - 30A - E CSB - 30A - CD CSB - 30A - CD CSB - 30A - CDCSB - 10A - E

000302

Site Name: Project Number: RMC Beech Grove

Field Duplicates

98-478-04

| Field Duplicates | <del></del>        |         | <del>,</del> |             | <del></del>  |
|------------------|--------------------|---------|--------------|-------------|--------------|
| Sample ID        | Analyte            | Units   | Result       | RPD         | Qualifier    |
| MW-3             | Total Arsenic      | μg/L    | 11           |             |              |
| MW-3D            |                    | μg/L    | 11           | 0.00        | ļ            |
| 1                | Total Barium       | μg/L    | 98           | 1           |              |
|                  |                    | μg/L    | 102          | 4.00        | <u> </u>     |
| J                | Total Selenium     | μg/L    | 3.7          |             | ]            |
|                  |                    | μg/L    | 2.7          | 31.25       |              |
|                  | Dissolved Arsenic  | μg/L    | 8.4          | [           | [            |
|                  |                    | μg/L    | 8.8          | 4.65        |              |
|                  | Dissolved Barium   | μg/L    | 113          | ł           | 1            |
|                  |                    | μg/L    | 123          | 8.47        | ļ            |
|                  | Dissolved Chromium | μg/L    | 6.6          |             | 1            |
|                  | <del></del>        | μg/L    | 7.1          | 7.30        | <u> </u>     |
|                  | Dissolved Selenium | μg/L    | 3.7          |             | [            |
|                  |                    | μg/L    | 4.5          | 19.51       |              |
| R2SED-7C         | Arsenic            | mg/kg   | 13           | ſ           | 1            |
| R2SED-7D         |                    | mg/kg   | 10           | 26.09       |              |
|                  | Lead               | mg/kg   | 61           |             |              |
|                  |                    | mg/kg   | 57           | 6.78        | <u> </u>     |
| R2SB-4A-A        | Arsenic            | mg/kg   | 28           |             | 1 1          |
| R2SB-4A-AD       |                    | mg/kg   | 26           | 7.41        |              |
|                  | Lead               | mg/kg   | 2490         |             |              |
|                  |                    | mg/kg   | 2320         | 7.07        |              |
| R2SB-2A-A        | Arsenic            | mg/kg   | 4.6          |             |              |
| R2SB-2A-AD       |                    | mg/kg   | 7.8          | 51.61       | · • _ [      |
|                  | Lead               | mg/kg   | 816          |             |              |
|                  |                    | mg/kg   | 996          | 19.87       | }            |
| R2SB-1A-C        | Arsenic            | mg/kg   | 7.6          |             |              |
| R2SB-1A-CD       |                    | mg/kg   | 7.8          | 2.60        | ]            |
|                  | Lead               | mg/kg   | 4230         |             |              |
|                  | ·                  | mg/kg   | 5010         | 16.88       |              |
| R2SB-52-A        | Arsenic            | mg/kg   | 4.6          |             | 1            |
| R2SB-52-AD       |                    | mg/kg   | 9.3          | 67.63       | *            |
|                  | Lead               | mg/kg   | 3.3          |             |              |
|                  |                    | mg/kg   | 3            | 9.52        | [ [          |
| R2SB-53-B        | Arsenic            | mg/kg   | 300          |             |              |
| R2SB-53-BD       | <del> </del>       | mg/kg   | 338          | 11.91       |              |
|                  | Lead               | mg/kg   | 58           | <del></del> |              |
|                  | <del></del>        | mg/kg   | 52           | 10.91       | j            |
| CSB-35A-H        | Arsenic            | mg/kg   | 8.1          |             |              |
| CSB-35A-HD       | <del></del>        | mg/kg   | 6.5          | 21.92       | 1 1          |
|                  | Lead               | mg/kg   | 1520         |             |              |
|                  | <del></del>        | mg/kg   | 413          | 114.54      | <b>}</b> • } |
|                  | Antimony           | mg/kg   | 27           |             |              |
|                  |                    | mg/kg   | 11           | 84.21       |              |
|                  | Cadmium            | mg/kg   | 1.5          |             |              |
|                  |                    | mg/kg   | 0.75         | 66.67       |              |
| CSB-26A-C        | Arsenic            | mg/kg   | 6.4          |             | 1            |
| CSB-26A-CD       |                    | mg/kg   | 5.5          | 15.13       | )            |
| COD MORE-CD      | Lead               | mg/kg   | 40           |             | <del> </del> |
|                  |                    | mg/kg   | 30           | 28.57       |              |
|                  | Antimony           | mg/kg   | 1 1          |             | <del> </del> |
|                  | - Inditions        | mg/kg   | 1.5          | 40.00       |              |
| CSB-1A-D         | Arsenic            | mg/kg   | 989          | 10.00       | <del> </del> |
| CSB-IA-DD        | ATISOTIC           | mg/kg   | 821          | 18.56       | j            |
| רסם-זע-חח        | Lead               | mg/kg   | 249000       | 10.50       | <del> </del> |
|                  | Ligati             | mg/kg   | 185000       | 29.49       |              |
|                  | Antimony           | mg/kg   | 2660         |             | <del> </del> |
|                  | Anumony            | mg/kg   | 1650         | 46.87       | .            |
|                  | <u></u>            | Trug vg | 1020         | 70.07       |              |

2x RL(2)=4, P.FF=1

Laboratory: Trimatrix

Site Name:

RMC Beech Grove

98-478-04

Field Duplicates

Project Number:

Laboratory: Trimatrix

| Sample ID  | Analyte   | Units | Result | RPD    | Qualifier |
|------------|-----------|-------|--------|--------|-----------|
|            | Cadmium   | mg/kg | 1000   |        | <u> </u>  |
|            |           | mg/kg | 346    | 97.18  | *         |
| CSB-28A-C  | Arsenic   | mg/kg | 7.9    |        |           |
| CSB-28A-CD |           | mg/kg | 9.1    | 14.12  |           |
|            | Lead      | mg/kg | 27     |        |           |
|            |           | mg/kg | 118    | 125.52 | *         |
| CSB-30A-C  | Arsenic   | mg/kg | 9.1    |        |           |
| CSB-30A-CD |           | mg/kg | 9.5    | 4.30   |           |
|            | Lead      | mg/kg | 243    |        |           |
|            |           | mg/kg | 228    | 6.37   |           |
|            | Antimony  | mg/kg | 7      |        | ,         |
| •          |           | mg/kg | 4.6    | 41.38  | *         |
|            | Cadmium   | mg/kg | 0.83   |        |           |
|            |           | mg/kg | 0.71   | 15.58  |           |
| CSB-10A-C  | Arsenic * | mg/kg | 433    |        |           |
| CSB-10A-CD |           | mg/kg | 313    | 32.17  |           |
|            | Lead      | mg/kg | 256000 |        | 1         |
| •          |           | mg/kg | 169000 | 40.94  | *         |
|            | Antimony  | mg/kg | 1720   |        |           |
|            |           | mg/kg | 1520   | 12.35  |           |
|            | Cadmium   | mg/kg | 132    |        |           |
|            |           | mg/kg | 112    | 16.39  | 1         |

Duplicate Criteria: Aqueous matrices <30 % RPD; Soil/Solid matrices <40 %RPD.

772 Just 1202

age 2 of 2

<sup>\* -</sup> Denotes %RPD outside criteria.

NA - Duplicate relative percent difference cannot be calculated.

ND - Not detected.

# RMC Beech Grove SERIAL DILUTIONS Groundwater Samples

| Run Date   | T or D   | Analyte | Lab ID | Sample ID | Initial Conc | Serial Dilution Conc | % D      | IDL      | IDL*50   | Associated Samples      |
|------------|----------|---------|--------|-----------|--------------|----------------------|----------|----------|----------|-------------------------|
| 1/8/2002   | D        | As      | 295091 | MW-7S     | 30.106       | 23.304               | 22.59    | 0.11     | 5.25     | MW-1, MW-2, MW-3, MW-   |
| İ          | ! !      | Ba      |        |           | 23.354       | 22.860               | 2.12     | 0.19     | 9.60     | 3D, MW-4, MW-5, MW-6,   |
| ļ          | j        | Cd      | ]      |           | U            | Ü                    | nc       | 0.01     | 0.50     | MW-7S, MW-8S, MW-9, EB  |
|            | ]        | Cr      | ]      |           | 13.422       | 8.362                | 37.70    | 0.14     | 6.90     | * 1-121001, EB-2-121101 |
| Ī          |          | Se      | }      | ·         | 6.451        | 11.989               | 85.84    | 0.19     | 9.70     | <b>*</b> .              |
|            |          | Pb      |        |           | 2.518        | 2.271                | 9.81     | 0.03     | 1.50     |                         |
| 1/8/2002   | T        | Ba      | 295093 | MW-3      | 97.860       | 100.528              | 2.73     | 0.20     | 10.00    | MW-3                    |
| 12/16/2001 | T        | Sb      | 295091 | MW-7S     | U            | U                    | nc       | 0.03     | 1.65     | MW-1, MW-2, MW-3, MW-   |
| ļ          | ]        |         |        |           |              |                      |          |          |          | 3D, MW-4, MW-5, MW-6,   |
| 1          | }        |         |        |           |              |                      | !        |          | {        | MW-7S, MW-8S, MW-9, EB  |
| ł          |          |         | }      |           |              |                      |          | 1        | j        | 1-121001, EB-2-         |
|            |          | ļ.      | ]      |           |              |                      |          |          | !        | 121101                  |
|            |          |         |        |           |              |                      |          |          | [        | 1                       |
| l          | <u> </u> |         |        |           |              | <u> </u>             | <u> </u> | <u> </u> | <u> </u> |                         |

<sup>\*</sup> Associated sample results were qualified because %D>10% and Initial and Serial Dilution Concs>IDL\*50



# RMC Beech Grove SERIAL DILUTIONS Soil/Sediment Samples

| Run Date | Analyte | Lab ID | Sample ID     | Initial Conc | Serial Dilution Conc | % D   | IDL  | IDL*50 |
|----------|---------|--------|---------------|--------------|----------------------|-------|------|--------|
| 1/2/2002 | Sb      | 295539 | STRW-1-121401 | 46.255       | 48.039               | 3.86  | 0.06 | 3.05   |
| 1/3/2002 | As      | 295472 | R2SB-53-A     | 8.357        | 8.695                | 4.05  | 0.10 | 4.85   |
| 1/3/2002 | Sb      | 295536 | CSB-32A-D     | 2.719        | 2.879                | 5.89  | 0.06 | 3.05   |
| 1/3/2002 | As      | 295536 | CSB-32A-D     | 8.043        | 8.206                | 2.03  | 0.10 | 4.85   |
| 1/3/2002 | Cd      | 295536 | CSB-32A-D     | U            | U                    | nc    | 0.03 | 1.4    |
| 1/4/2002 | Pb      | 295110 | R2SED-9D      | 38.823       | 37.476               | 3.47  | 0.03 | 1.45   |
| 1/4/2002 | As      | 295454 | R2SB-3A-C     | 6.339        | 8.230                | 29.83 | 0.10 | 4.85   |
| 1/4/2002 | Pb      | 295506 | CSB-38A-D     | 20.286       | 21.029               | 3.66  | 0.03 | 1.45   |
| 1/7/2002 | As      | 295492 | CSB-26A-D     | 6.220        | 6.248                | 0.45  | 0.10 | 4.85   |
| 1/7/2002 | Cd      | 295492 | CSB-26A-D     | 0.538        | 0.532                | 1.01  | 0.03 | 1.4    |
| 1/7/2002 | Pb      | 295492 | CSB-26A-D     | 24.913       | 25.142               | 0.92  | 0.03 | 1.5    |
| 1/7/2002 | Sb      | 295492 | CSB-26A-D     | U            | U                    | nc    | 0.06 | 3.05   |
| 1/7/2002 | Pb      | 295506 | CSB-38A-D     | 11.586       | 16.303               | 40.71 | 0.03 | 1.5    |
| 1/7/2002 | Sb      | 295506 | CSB-38A-D     | U            | Ŭ                    | nc    | 0.06 | 3.05   |
| 1/7/2002 | Pb      | 295536 | CSB-32A-D     | 39.695       | 42.511               | 7.09  | 0.03 | 1.5    |
| 1/7/2002 | As      | 295539 | STRW-1-121401 | 4.739        | 4.622                | 2.47  | 0.11 | 5.25   |
| 1/7/2002 | Cd      | 295539 | STRW-1-121401 | 10.543       | 11.527               | 9.33  | 0.01 | 0.5    |

<sup>\*</sup> Associated sample results were qualified because %D >10% and Initial and Serial Dilution Concs >IDL\*50

Associated samples for 295454 are 295454, 295456, 295457, 295458, 295459, 295461, 295462, 295463, 295464, 295465, 295466, 295467, 295468, 295469.

Associated samples for 295506 is 295506.

M3/28/2022



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number: 35132- 32

Location:

Contact: Jennifer L. Rice

Phone: (616) 975-4500

CAS No. MW-9 Data Qualifiers Units C | Q | M

Lab Sample No: 295087

MS ug/L 7440-36-0 Antimony, Total <10 MS ug/L 4.0 7440-38-2 Arsenic, Total MS ug/L 68 7440-39-3 Barium, Total MS ug/L Cadmium, Total <0.2 7440-43-9 ug/L MS Chromium, Total 7440-47-3 2.2 ug/L MS Lead, Total <1.0 7439-92-1 CV ug/L <0.2 Mercury, Total 7439-97-6 MS ug/L Selenium, Total <2.0 7782-49-2 ug/L MS Silver, Total <0.2 7440-22-4 MS ug/L <10 Antimony, Dissolved 7440-36-0 3.7ゴ ug/L MS Arsenic, Dissolved 7440-38-2 MS ug/L 68-Barium, Dissolved 7440-39-3 ug/L MS <0.2 Cadmium, Dissolved 7440-43-9 3.8 ゴ ug/L MS Chromium, Dissolved 7440-47-3 MS ug/L <1.0 Lead, Dissolved 7439-92-1 MS ug/L \$2.0 US Selenium, Dissolved 7782-49-2

Sampled by: MKA/BLM
Date Sampled: 12/10/01
Time Sampled: 13:15
Date Received: 12/13/01

Date Received: 12/13/0
Time Received: 09:00

000064



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

MW-1

Data Qualifiers
Data Q | M

Units

Lab Sample No:

295088

Antimony, Total 7440-36-0 Arsenic, Total 7440-38-2 7440-39-3 Barium, Total Cadmium, Total 7440-43-9 Chromium, Total 7440-47-3 7439-92-1 Lead, Total 7439-97-6 Mercury, Total 7782-49-2 Selenium, Total 7440-22-4 Silver, Total 7440-36-0 Antimony, Dissolved Arsenic, Dissolved 7440-38-2 7440-39-3 Barium, Dissolved Cadmium, Dissolved 7440-43-9 Chromium, Dissolved 7440-47-3 7439-92-1 Lead, Dissolved 7782-49-2 Selenium, Dissolved

<10 27 93 <0.2 4.0 3.4 <0.2 4.0 <0.2 <10 22 ブ 85-<0.2 8.9づ <1.0 4.95

MS ug/L MS ug/L MS ug/L MS ug/L MS ug/L MS ug/L CV ug/L MS ug/L MS ug/L MSug/L MS ug/L MS ug/L ug/L MSug/L MSMS ug/L MS ug/L

Sampled by:
Date Sampled:
Time Sampled:
Date Received:
Time Received:

MKA/BLM 12/10/01 15:18 12/13/01 09:00

Wyshoon 1



Advanced GeoServices Corporation

Submittal Number:

35132- 32

Proj: RMC - Beech Grove, IN

Location: Contact:

Jennifer L. Rice

M

Subm: December 2001 Samples

Phone:

(616) 975-4500

CAS No.

MW-2

Data Qualifiers Q

Lab Sample No:

295089

| Antimony, Total     | <10                                                                                                                                                                                                                                  | 1                                                                                                                                                                                                                                                                                            | 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | MS                                                                                                                                                                                                                                                                                           | ug/L                                                                                                                                                                                                                                                                                                                                     |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Arsenic, Total      | 12                                                                                                                                                                                                                                   | 1                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MS                                                                                                                                                                                                                                                                                           | ug/L                                                                                                                                                                                                                                                                                                                                     |
| Barium, Total       | 48                                                                                                                                                                                                                                   | [                                                                                                                                                                                                                                                                                            | 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | MS                                                                                                                                                                                                                                                                                           | ug/L                                                                                                                                                                                                                                                                                                                                     |
| Cadmium, Total      | 0.4                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                              | 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | MS                                                                                                                                                                                                                                                                                           | ug/L                                                                                                                                                                                                                                                                                                                                     |
| Chromium, Total     | 4.8                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                              | . 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | MS                                                                                                                                                                                                                                                                                           | ug/L                                                                                                                                                                                                                                                                                                                                     |
| Lead, Total         | 84                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                              | ·                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | MS                                                                                                                                                                                                                                                                                           | ug/L                                                                                                                                                                                                                                                                                                                                     |
| Mercury, Total      | <0.2                                                                                                                                                                                                                                 | 1                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | CV                                                                                                                                                                                                                                                                                           | ug/L                                                                                                                                                                                                                                                                                                                                     |
| Selenium, Total     | * 3.1                                                                                                                                                                                                                                | J                                                                                                                                                                                                                                                                                            | - 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | MS                                                                                                                                                                                                                                                                                           | ug/L                                                                                                                                                                                                                                                                                                                                     |
| Silver, Total       | <0.2                                                                                                                                                                                                                                 | 1                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MS                                                                                                                                                                                                                                                                                           | ug/L                                                                                                                                                                                                                                                                                                                                     |
| Antimony, Dissolved | <10                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                              | -                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | MS                                                                                                                                                                                                                                                                                           | ug/L                                                                                                                                                                                                                                                                                                                                     |
| Arsenic, Dissolved  | 9.87                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                              | -                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | MS                                                                                                                                                                                                                                                                                           | ug/L                                                                                                                                                                                                                                                                                                                                     |
| Barium, Dissolved   | 25 -                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MS                                                                                                                                                                                                                                                                                           | ug/L                                                                                                                                                                                                                                                                                                                                     |
| Cadmium, Dissolved  | <0.2                                                                                                                                                                                                                                 | 1                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MS                                                                                                                                                                                                                                                                                           | ug/L                                                                                                                                                                                                                                                                                                                                     |
| Chromium, Dissolved | 6.8ブ                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MS                                                                                                                                                                                                                                                                                           | ug/L                                                                                                                                                                                                                                                                                                                                     |
| Lead, Dissolved     | 6.2                                                                                                                                                                                                                                  | 1                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | MS                                                                                                                                                                                                                                                                                           | ug/L                                                                                                                                                                                                                                                                                                                                     |
| Selenium, Dissolved | 3.7ブ                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                              | 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | MS                                                                                                                                                                                                                                                                                           | ug/L                                                                                                                                                                                                                                                                                                                                     |
|                     | Arsenic, Total Barium, Total Cadmium, Total Chromium, Total Lead, Total Mercury, Total Selenium, Total Silver, Total Antimony, Dissolved Arsenic, Dissolved Barium, Dissolved Cadmium, Dissolved Chromium, Dissolved Lead, Dissolved | Arsenic, Total 12 Barium, Total 48 Cadmium, Total 0.4 Chromium, Total 4.8 Lead, Total 84 Mercury, Total <0.2 Selenium, Total *3.1 Silver, Total <0.2 Antimony, Dissolved <10 Arsenic, Dissolved 9.8 Barium, Dissolved 25 Cadmium, Dissolved <0.2 Chromium, Dissolved 6.8 Lead, Dissolved 6.2 | Arsenic, Total  Barium, Total  Cadmium, Total  Chromium, Total  Lead, Total  Mercury, Total  Selenium, Total  Silver, Total  Antimony, Dissolved  Barium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Lead, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved  Cadmium, Dissolved | Arsenic, Total 12 Barium, Total 48 Cadmium, Total 0.4 Chromium, Total 4.8 Lead, Total 84 Mercury, Total <0.2 Selenium, Total *3.1 Silver, Total <0.2 Antimony, Dissolved <10 Arsenic, Dissolved 9.8 Barium, Dissolved 25 Cadmium, Dissolved <0.2 Chromium, Dissolved 6.8 Lead, Dissolved 6.2 | Arsenic, Total 12 MS Barium, Total 48 MS Cadmium, Total 0.4 MS Chromium, Total 4.8 MS Lead, Total 84 MS Mercury, Total <0.2 CV Selenium, Total *3.1 J MS Silver, Total <0.2 MS Antimony, Dissolved <10 MS Arsenic, Dissolved 9.8 MS Barium, Dissolved 25 MS Cadmium, Dissolved <0.2 MS Chromium, Dissolved 6.8 MS Lead, Dissolved 6.8 MS |

| Samp. | led by:   | MKA/BLM  |
|-------|-----------|----------|
| Date  | Sampled:  | 12/10/01 |
| Time  | Sampled:  | 17:11    |
| Date  | Received: | 12/13/01 |
| Time  | Received: | 09:00    |

<sup>\*</sup> See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB1-121001 Data Qualifiers

Units

ug/L

C | Q | N

Lab Sample No:

295090

| 7440-36-0 | Antimony, Total     |
|-----------|---------------------|
| 7440-38-2 | Arsenic, Total      |
| 7440-39-3 | Barium, Total       |
| 7440-43-9 | Cadmium, Total      |
| 7440-47-3 | Chromium, Total     |
| 7439-92-1 | Lead, Total         |
| 7439-97-6 | Mercury, Total      |
| 7782-49-2 | Selenium, Total     |
| 7440-22-4 | Silver, Total       |
| 7440-36-0 | Antimony, Dissolved |
| 7440-38-2 | Arsenic, Dissolved  |
| 7440-39-3 | Barium, Dissolved   |
| 7440-43-9 | Cadmium, Dissolved  |
| 7440-47-3 | Chromium, Dissolved |
| 7439-92-1 | Lead, Dissolved     |
| 7782-49-2 | Selenium, Dissolved |
|           |                     |

| Sampl | ed by:    |
|-------|-----------|
| Date  | Sampled:  |
| Time  | Sampled:  |
| Date  | Received: |
| Time  | Received: |

| <10           |
|---------------|
| <1.0          |
| <1.0          |
| <10           |
| <0.2          |
| <1.0          |
| <1.0          |
| <0.2          |
| <2.0          |
| <0.2          |
| <10           |
| <b>対1.0 以</b> |
| <10           |
| <0.2          |
| *1.0 Vゴ       |
| <1.0          |
| x2.0UJ        |

|   | MS | ug/L |
|---|----|------|
|   | MS | ug/L |
|   | MS | ug/L |
|   | MS | ug/L |
|   | MS | ug/L |
|   | CV | ug/L |
|   | MS | ug/L |
|   | MS | ug/L |
|   | MS | ug/L |
|   | MS | ug/L |
|   | MS | ug/L |
| j | MS | ug/L |
|   | MS | ug/L |
|   | MS | ug/L |
|   | MS | ug/L |
|   |    |      |
|   |    |      |

MS

MKA/BLM 12/10/01 17:45 12/13/01 09:00

Molvor Javor



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132-

MS

ug/L

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

| CAS No.   |                     | MW-7S<br>MS/MSD | Data Qua<br>C | lifiers<br>Q   M | Units                         |
|-----------|---------------------|-----------------|---------------|------------------|-------------------------------|
| _         | Lab Sample No:      | 295091          |               |                  |                               |
| 7440 36 0 | Autimous Mahal      | .10             | 1             | MS               | ug/L                          |
| 7440-36-0 | Antimony, Total     | <10             | <u> </u>      |                  |                               |
| 7440-38-2 | Arsenic, Total      | 26              | !             | MS               | ug/L                          |
| 7440-39-3 | Barium, Total       | 25              |               | MS               | ug/L                          |
| 7440-43-9 | Cadmium, Total      | <0.2            | <u> </u>      | MS               | ug/L *                        |
| 7440-47-3 | Chromium, Total     | 2.8             | 1 .           | MS               | ug/L                          |
| 7439-92-1 | Lead, Total         | 47              | į             | MS               | ug/L                          |
| 7439-97-6 | Mercury, Total      | <0.2            | į             | CV               | ug/L                          |
| 7782-49-2 | Selenium, Total     | 5.7             | Í             | MS               | ug/L                          |
| 7440-22-4 | Silver, Total       | <0.2            | i             | j ms             | ug/L                          |
| 7440-36-0 | Antimony, Dissolved | <10             | i             | MS               | ug/L                          |
| 7440-38-2 | Arsenic, Dissolved  | 30 ブ            | i             | MS               | ug/L                          |
| 7440-39-3 | Barium, Dissolved   | 23′             | i             | MS               | ug/L                          |
| 7440-43-9 | Cadmium, Dissolved  | <0.2            | i             | MS               | ug/L                          |
| 7440-47-3 | Chromium, Dissolved | 13 づ            | j             | MS               | ug/L                          |
|           | •                   |                 | l             | MS               | ug/L                          |
| 7439-92-1 | Lead, Dissolved     | 2.5             | 1             | 1 1.10           | ~ <del>3</del> / <del>1</del> |

Sampled by: Date Sampled: Time Sampled: Date Received: Time Received:

Selenium, Dissolved

7782-49-2

MKA/BLM 12/11/01 09:50 12/13/01 09:00

2.5 6.5 T



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

MW-85

Data Qualifiers

Units

c | Q

Lab Sample No:

295092

| 7440-36-0 | Antimony, Total     | <10     |   | MS | ug/L |
|-----------|---------------------|---------|---|----|------|
| 7440-38-2 | Arsenic, Total      | . 13    |   | MS | ug/L |
| 7440-39-3 | Barium, Total       | 123     |   | MS | ug/L |
| 7440-43-9 | Cadmium, Total      | 0.4     |   | MS | ug/L |
| 7440-47-3 | Chromium, Total     | <1.0    |   | MS | ug/L |
| 7439-92-1 | Lead, Total         | 23      |   | MS | ug/L |
| 7439-97-6 | Mercury, Total      | <0.2    |   | CV | ug/L |
| 7782-49-2 | Selenium, Total     | <2.0    |   | MS | ug/L |
| 7440-22-4 | Silver, Total       | <0.2    |   | MS | ug/L |
| 7440-36-0 | Antimony, Dissolved | <10     | 1 | MS | ug/L |
| 7440-38-2 | Arsenic, Dissolved  | 14 づ    |   | MS | ug/L |
| 7440-39-3 | Barium, Dissolved   | 135     |   | MS | ug/L |
| 7440-43-9 | Cadmium, Dissolved  | 0.3     |   | MS | ug/L |
| 7440-47-3 | Chromium, Dissolved | 3.8ブ    |   | MS | ug/L |
| 7439-92-1 | Lead, Dissolved     | 11      |   | MS | ug/L |
| 7782-49-2 | Selenium, Dissolved | k2:0 U3 |   | MS | ug/L |

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/11/01

12:28

12/13/01

09:00

99329 voz 000069



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

7440-36-0

7440-38-2

7440-39-3

7440-43-9

7440-47-3

7439-92-1

7439-97-6

7782-49-2

7440-22-4

7440-36-0

7440-38-2

7440-39-3

7440-43-9

7440-47-3

7439-92-1

7782-49-2

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MW-3

Data Qualifiers

Units

ug/L

ug/L

ug/L

ug/L

ug/L

uq/L

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L ,

MS

MS

MS

MS

MS

MS

CV

MS

MS

MS

MS

MS

MS

MS

MS

MS

Lab Sample No:

Antimony, Total

Arsenic, Total

Cadmium, Total

Chromium, Total

Mercury, Total

Selenium, Total

Antimony, Dissolved

Arsenic, Dissolved

Cadmium, Dissolved

Chromium, Dissolved

Selenium, Dissolved

Barium, Dissolved

Lead, Dissolved

Silver, Total

Barium, Total

Lead, Total

295093

<10 11

11 98

98

<0.2

<1.0

<1.0

<0.2

3.7

<0.2

<10 8.4 づ

113

<0.2 6.6 づ

<1.0

3.7づ

MKA/BLM 12/11/01

13:51

12/13/01

09:00

13/28/202



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

MW-3D

Data Qualifiers

Units

C Q

Lab Sample No:

295094

|           | · ·                 |       |
|-----------|---------------------|-------|
| 7440-36-0 | Antimony, Total     | <10   |
| 7440-38-2 | Arsenic, Total      | 11    |
| 7440-39-3 | Barium, Total       | 102   |
| 7440-43-9 | Cadmium, Total      | <0.2  |
| 7440-47-3 | Chromium, Total     | <1.0  |
| 7439-92-1 | Lead, Total         | <1.0  |
| 7439-97-6 | Mercury, Total      | <0.2  |
| 7782-49-2 | Selenium, Total     | 2.7   |
| 7440-22-4 | Silver, Total       | <0.2  |
| 7440-36-0 | Antimony, Dissolved | <10   |
| 7440-38-2 | Arsenic, Dissolved  | 8.8ゴ  |
| 7440-39-3 | Barium, Dissolved   | 123   |
| 7440-43-9 | Cadmium, Dissolved  | <0.2  |
| 7440-47-3 | Chromium, Dissolved | 7.1 づ |
| 7439-92-1 | Lead, Dissolved     | <1.0  |
|           |                     |       |

Selenium, Dissolved

| -   | MS  | ug/L |
|-----|-----|------|
| Ì   | MS_ | ug/L |
| 1   | MS  | ug/L |
| 1   | MS  | ug/L |
|     | MS  | ug/L |
| 1   | MS  | ug/L |
|     | CV  | ug/L |
| 1   | MS  | ug/L |
|     | MS  | ug/L |
|     | MS  | ug/L |
| 1   | MS  | ug/L |
|     | MS  | ug/L |
| -   | MS  | ug/L |
| 1   | MS  | ug/L |
| - [ | MS  | ug/L |
| 1   | MS  | ug/L |

Sampled by: Date Sampled: Time Sampled: Date Received: Time Received:

7782-49-2

MKA/BLM 12/11/01 14:15 12/13/01 09:00

4.5 づ

000071



Advanced GeoServices Corporation

Submittal Number:

35132- 32

Proj: RMC - Beech Grove, IN

Location: Contact:

Jennifer L. Rice

Subm: December 2001 Samples

Phone:

(616) 975-4500

CAS No.

MW-5

Data Qualifiers

Units

Lab Sample No:

295095

| 7440-36-0 | Antimony, Total     | <10    | 1  | MS | ug/L   |
|-----------|---------------------|--------|----|----|--------|
| 7440-38-2 | Arsenic, Total      | 5.4    | 1  | MS | ug/L   |
| 7440-39-3 | Barium, Total       | 150    | 1  | MS | ug/L   |
| 7440-43-9 | Cadmium, Total      | <0.2   | 1  | MS | ug/L j |
| 7440-47-3 | Chromium, Total     | <1.0   | 1. | MS | ug/L   |
| 7439-92-1 | Lead, Total         | 2.1    | 1  | MS | ug/L   |
| 7439-97-6 | Mercury, Total      | <0.2   |    | cv | ug/L   |
| 7782-49-2 | Selenium, Total     | <2.0   | 1  | MS | ug/L   |
| 7440-22-4 | Silver, Total       | <0.2   | ļ  | MS | ug/L   |
| 7440-36-0 | Antimony, Dissolved | <10    | 1  | MS | ug/L   |
| 7440-38-2 | Arsenic, Dissolved  | 3.7 つ  | .  | MS | ug/L   |
| 7440-39-3 | Barium, Dissolved   | 170    |    | MS | ug/L   |
| 7440-43-9 | Cadmium, Dissolved  | <0.2   | 1  | MS | ug/L   |
| 7440-47-3 | Chromium, Dissolved | 4.0 づ  |    | MS | ug/L   |
| 7439-92-1 | Lead, Dissolved     | <1.0   | 1  | MS | ug/L   |
| 7782-49-2 | Selenium, Dissolved | £2.0US | 1  | MS | ug/L   |

Sampled by:
Date Sampled:
Time Sampled:
Date Received:
Time Received:

MKA/BLM 12/11/01 15:13 12/13/01

09:00

Marsh V



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

MW-4

Data Qualifiers

Units

ug/L ug/L ug/L ug/L . ug/L ug/L ug/L ug/L ug/L ug/L ug/L ug/L ug/L ug/L ug/L ug/L

c | Q

Lab Sample No:

295096

| 7440-36-0 | Antimony, Total     | <10     | 1   | MS   |
|-----------|---------------------|---------|-----|------|
| 7440-38-2 | Arsenic, Total      | <1.0    | 1   | MS   |
| 7440-39-3 | Barium, Total       | 187     | 1   | MS   |
| 7440-43-9 | Cadmium, Total      | <0.2    | 1   | MS   |
| 7440-47-3 | Chromium, Total     | <1.0    |     | MS · |
| 7439-92-1 | Lead, Total         | 1.5     | 1   | MS   |
| 7439-97-6 | Mercury, Total      | <0.2    |     | CV   |
| 7782-49-2 | Selenium, Total     | <2.0    | 1   | MS · |
| 7440-22-4 | Silver, Total       | <0.2    | 1   | MS   |
| 7440-36-0 | Antimony, Dissolved | <10     |     | MS   |
| 7440-38-2 | Arsenic, Dissolved  | £1.0 U) | 1   | MS   |
| 7440-39-3 | Barium, Dissolved   | 203     |     | MS   |
| 7440-43-9 | Cadmium, Dissolved  | <0.2    |     | MS   |
| 7440-47-3 | Chromium, Dissolved | 3.47    |     | MS   |
| 7439-92-1 | Lead, Dissolved     | <1.0    | 1 . | MS   |
| 7782-49-2 | Selenium, Dissolved | k2.0 UJ | ]   | MS   |
|           |                     |         |     |      |

Sampled by:

Date Sampled:

Time Sampled:

Time Received:

Date Received:

MKA/BLM

12/11/01

16:14

12/13/01

09:00



Advanced GeoServices Corporation

Submittal Number:

35132- 32

Proj: RMC - Beech Grove, IN

Location: Contact:

Jennifer L. Rice

Subm: December 2001 Samples

Phone:

(616) 975-4500

CAS No.

MW-6

Data Qualifiers

Units

C | Q | M

Lab Sample No:

295097

| 7440-36-0 | Antimony, Total     | <10     | 1 | MS | ug/L   |
|-----------|---------------------|---------|---|----|--------|
| 7440-38-2 | Arsenic, Total      | 2.2     | İ | MS | ug/L   |
| 7440-39-3 | Barium, Total       | 79      | 1 | MS | ug/L   |
| 7440-43-9 | Cadmium, Total      | <0.2    | ĺ | MS | ug/L . |
| 7440-47-3 | ·Chromium, Total    | <1.0    | 1 | MS | ug/L   |
| 7439-92-1 | Lead, Total         | 1.3     | 1 | MS | ug/L   |
| 7439-97-6 | Mercury, Total      | <0.2    | 1 | CV | ug/L   |
| 7782-49-2 | Selenium, Total     | <2.0    | İ | MS | ug/L   |
| 7440-22-4 | Silver, Total       | <0.2    | 1 | MS | ug/L   |
| 7440-36-0 | Antimony, Dissolved | <10     | 1 | MS | ug/L   |
| 7440-38-2 | Arsenic, Dissolved  | 1.4 7   | 1 | MS | ug/L   |
| 7440-39-3 | Barium, Dissolved   | 89      | - | MS | ug/L   |
| 7440-43-9 | Cadmium, Dissolved  | <0.2    |   | MS | ug/L   |
| 7440-47-3 | Chromium, Dissolved | 3.85    | 1 | MS | ug/L   |
| 7439-92-1 | Lead, Dissolved     | <1.0    |   | MS | ug/L   |
| 7782-49-2 | Selenium Dissolved  | £2.0 ひろ |   | MS | ug/L   |

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/11/01

17:25

12/13/01

09:00

9328 2002 000074



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB2-121101 Data Qualifiers

Units

C | Q | M

Lab Sample No:

295098

| 7440-36-0 | Antimony, Total     | <10             | 1 | MS | ug/L |
|-----------|---------------------|-----------------|---|----|------|
| 7440-38-2 | Arsenic, Total      | <1.0            |   | MS | ug/L |
| 7440-39-3 | Barium, Total       | <10             |   | MS | ug/L |
| 7440-43-9 | Cadmium, Total      | <0.2            |   | MS | ug/L |
| 7440-47-3 | Chromium, Total     | <1.0            |   | MS | ug/L |
| 7439-92-1 | Lead, Total         | <1.0            |   | MS | ug/L |
| 7439-97-6 | Mercury, Total      | <0.2            |   | CV | ug/L |
| 7782-49-2 | Selenium, Total     | <2.0            | 1 | MS | ug/L |
| 7440-22-4 | Silver, Total       | <0.2            | 1 | MS | ug/L |
| 7440-36-0 | Antimony, Dissolved | <10             |   | MS | ug/L |
| 7440-38-2 | Arsenic, Dissolved  | ×1.0 U          | 1 | MS | ug/L |
| 7440-39-3 | Barium, Dissolved   | <10             |   | MS | ug/L |
| 7440-43-9 | Cadmium, Dissolved  | <0.2            |   | MS | ug/L |
| 7440-47-3 | Chromium, Dissolved | <b>対1.0 ひ</b> ろ |   | MS | ug/L |
| 7439-92-1 | Lead, Dissolved     | <1.0            | • | MS | ug/L |
| 7782-49-2 | Selenium, Dissolved | ₹2.0 US         |   | MS | ug/L |

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/11/01 17:45

1/:40

12/13/01

09:00

molnor

Individual sample results relate only to the sample rested.

5560 Corporate Evolution Court SE • Grand Rapide MI 40512 • (616) 975-4500 • For (616) 042 7463



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-1C

Data Qualifiers

Units

Q

Lab Sample No:

295099

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

19 J

mg/kg dry MS

mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/12/01

11:25

12/13/01

09:00



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

M

Phone:

(616) 975-4500

CAS No.

R2SED-1D

Data Qualifiers

Units

C Q

Lab Sample No:

295100

7440-38-2

Arsenic, Total

7439-92-1 Lead, Total

5.5 62 づ MS mg/kg dry
MS mg/kg dry

.

Sampled by: Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/12/01

11:36

12/13/01

09:00

Milalusi



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-3C

Data Qualifiers

Units

2 | Q |

Lab Sample No:

295101

7440-38-2

Arsenic, Total

otal 13 62: MS mg/kg dry

7439-92-1

Lead, Total

622 ゴ

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/12/01

12:10

12/13/01

09:00

977 D W



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-3D

Data Qualifiers

Units

Q M

Lab Sample No:

295102

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

12

691 了

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/12/01

12:20

12/13/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

N

Subm: December 2001 Samples

Submittal Number: 35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-5C

Data Qualifiers Units

1 0 M

Lab Sample No:

295103

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

5.773

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/12/01

12:40

12/13/01

09:00

Wyshow I



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone: (616) 975-4500

CAS No.

R2SED-5D

Data Qualifiers

Units

c | Q | 1

Lab Sample No:

295104

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

7.3 20 づ MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/12/01

12:50

12/13/01

09:00

7 3/23/2000 0000 1



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB3-121201 Data Qualifiers

Units

c | Q | I

Lab Sample No:

295105

7440-38-2

Arsenic, Total

<1.0

MS ug/L

7439-92-1

Lead, Total

<1.0

MS ug/L

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM 12/12/01

13:05

12/13/01

09:00

000082



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-7C

Data Qualifiers

Units

C | Q | I

Lab Sample No:

295106

7440-38-2

Arsenic, Total

7439-92-1 Lead, Total

13 61 ゴ MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/12/01

13:38

12/13/01

09:00

Chystros Chystros



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-7D

Data Qualifiers

Units

c | Q | :

Lab Sample No:

295107

7440-38-2

Arsenic, Total

7439-92-1 I

Lead, Total

9.2 27 な MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/12/01

13:40

12/13/01

09:00

My Status



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-7CD

Data Qualifiers

Units

CIQI

Lab Sample No:

295108

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

10 57 3 MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/12/01

13:58

. 12/13/01

09:00

132 mor



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-9C

Data Qualifiers

Units

C | Q | M

Lab Sample No:

295109

7440-38-2

Arsenic, Total

7439-92-1 Lead, Total

8.9 25 づ MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/12/01

14:15

12/13/01

09:00

000086



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SED-9D

Data Qualifiers

Units

MS/MSD

C Q M

٠.

Lab Sample No:

295110

7440-38-2

Arsenic, Total

8.2

MS mg/kg dry

7439-92-1

Lead, Total

A 39 =

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM 12/12/01

14:20

12/13/01

09:00

Mystron Mystron

<sup>\*</sup> See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

35132- 32

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-51-A

Units

Data Qualifiers

Lab Sample No:

295111

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

6.6 285 MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/12/01

15:05

12/13/01

09:00

Wysper



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 2001 Samples

Submittal Number:

Location:

Contact:

Jennifer L. Rice

35132- 32

Phone:

(616) 975-4500

CAS No.

R2SB-51-B

Data Qualifiers

Units

Q

Lab Sample No:

295112

7440-38-2

Arsenic, Total

7439-92-1 Lead, Total 7.0

199 ゴ

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

MKA/BLM

12/12/01

15:06

12/13/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Location:

Submittal Number:

35132- 33

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-4A-A

Data Qualifiers

Units

Q M

Lab Sample No:

295447

7440-38-2

Arsenic, Total

28 J

MS mg/kg dry

7439-92-1

Lead, Total

2490

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: BLM/MAC

12/13/01

10:20

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB1-121301 Data Qualifiers

Units

C Q M

Lab Sample No:

295448

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

<1.0

MS ug/L

-1

<1.0

MS ug/L

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

10:25

12/17/01

09:15

Mystra



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No. R2SB-4A-B Data Qualifiers Units

C | Q | M

Lab Sample No:

295449

7440-38-2 Arsenic, Total

7439-92-1 Lead, Total

13 ゴ 874

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC 12/13/01 10:29

> 12/17/01 09:15

> > My Broken



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-4A-4D Data Qualifiers

Units

c | Q

Lab Sample No:

295450

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

26 ブ 2320

MS mg/kg dry mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

10:45

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 35132-

Location:

Contact: Jennifer L. Rice

Phone: (616) 975-4500

CAS No. R2SB-4A-C Data Qualifiers Units

C | Q | M

Lab Sample No: 295451

Sampled by: BLM/MAC
Date Sampled: 12/13/01

Time Sampled: 10:46
Date Received: 12/17/01

Date Received: 12/17/01
Time Received: 09:15

Charling.



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-3A-A

Data Qualifiers

Units

C | Q | M

Lab Sample No:

295452

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

36 ブ 1620

| MS mg/kg dry | MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

11:29

12/17/01

09:15

My war



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 35132- 33

Location:

Contact: J

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-3A-B Data Qualifiers

C | Q | M

Lab Sample No:

295453

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

/ 19 1410 MS mg/kg dry
MS mg/kg dry

Units

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: BLM/MAC 12/13/01

> 11:35 12/17/01

> > 09:15

Mysol room

<sup>\*</sup> See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

С

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-3A-C

Data Qualifiers

Units

MS/MSD

Q

Lab Sample No:

295454

7440-38-2

Arsenic, Total

16.3 つ

MS mg/kg dry

7439-92-1

Lead, Total

**#** 1330

MS mg/kg dry

Sampled by: Date Sampled: Time Sampled:

Date Received: Time Received:

BLM/MAC 12/13/01

11:40

12/17/01

<sup>\*</sup> See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Location:

35132-

Subm: 12/13-14/01 Samples

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB2-121301 Data Qualifiers

Submittal Number:

Units

Lab Sample No:

295455

7440-38-2

Arsenic, Total

<1.0

MS ug/L

7439-92-1

Lead, Total

<1.0

MS ug/L

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: 12/17/01

12/13/01 11:55

BLM/MAC



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-2A-A Data Qualifiers

Units

C | Q | M

Lab Sample No:

295456

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

16 ゴ 918

MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

12:07

12/17/01

09:15

(13/28/2022



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Location:

Submittal Number:

nocacion:

Contact: Phone:

Jennifer L. Rice

35132- 33

(616) 975-4500

CAS No.

R2SB-2A-B

Data Qualifiers

Units

c |

Lab Sample No:

295457

7440-38-2 7439-92-1

Sampled by:

Date Sampled:

Arsenic, Total

Lead, Total

15 7

MS mg/kg dry MS mg/kg dry

4120

BLM/MAC

12/13/01

12:16

12/17/01

09:15

Time Sampled: Date Received: Time Received:

Myskon 1



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-2A-C

Data Qualifiers

Units

C | Q | M

Lab Sample No:

295458

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

4.6 J 816

| MS mg/kg dry | MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

12:20

12/17/01

09:15

( Blashoper



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-2A-AD Data Qualifiers

C | Q | M

Lab Sample No:

295459

7440-38-2

Arsenic, Total

7.8

MS mg/kg dry

7439-92-1

Lead, Total

996

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

12:27

12/17/01

09:15

Marker 2



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB3-121301 Data Qualifiers C | Q | M

Lab Sample No:

295460

7440-38-2 7439-92-1

Arsenic, Total

Lead, Total

<1.0 <1.0 MS ug/L MS ug/L

Sampled by: Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

12:48

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Ploj: RMC - Beech Glove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 35132-

Location:

Contact: Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-1A-A Data Qualifiers Units

MS/MSD C Q

Lab Sample No:

295461

7440-38-2 **2** 7439-92-1 **3** 

Arsenic, Total

Lead, Total

58 **5** 

BLM/MAC

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

12/13/01 12:52 12/17/01

09:15

(Malakus)



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-1A-B Data Qualifiers

Units

c | Q M

Lab Sample No:

295462

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

7.6 5 609

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

13:05

12/17/01



Advanced GeoServices Corporation

Submittal Number:

C

35132- 33

Proj: RMC - Beech Grove, IN

Location: Contact:

Jennifer L. Rice

M

Subm: 12/13-14/01 Samples

Phone:

(616) 975-4500

CAS No.

R2SB-1A-C

Data Qualifiers

Q

Units

Lab Sample No:

295463

7440-38-2

Arsenic, Total

7.8 づ

MS mg/kg dry

7439-92-1

Lead, Total

4230

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled: Date Received:

Time Received:

BLM/MAC

12/13/01

13:27

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-1A-CD Data Qualifiers

Units

C | Q | I

Lab Sample No:

295464

7440-38-2

Arsenic, Total

8.3 T

MS mg/kg dry

7439-92-1

Lead, Total

5010

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

13:57

12/17/01

09:15

Mystra .



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact: J

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-13A-A Data Qualifiers

Units

C | Q | M

Lab Sample No:

295465

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

14 **3** 2910

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

14:11

12/17/01

09:15

Mystopor



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-13A-B Data Qualifiers

Units

C | Q | M

Lab Sample No:

295466

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

2.1 づ

MS mg/kg dry
MS mg/kg dry

24

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC 12/13/01

14:17

12/17/01

09:15

My hos



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Location: Contact:

Submittal Number:

Jennifer L. Rice

Subm: 12/13-14/01 Samples

Phone:

(616) 975-4500

CAS No.

R2SB-13A-C Data Oualifiers

С

M Q

Lab Sample No:

295467

7440-38-2

Arsenic, Total

4.5 づ

mg/kg dry MS

Units

7439-92-1

Lead, Total

11

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: BLM/MAC

12/13/01

14:25

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-52-A Data Qualifiers

Units

c l Q M

Lab Sample No:

295468

7440-38-2

Arsenic, Total

4.6 5

mg/kg dry MS

7439-92-1

Lead, Total

300

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: BLM/MAC 12/13/01

15:01

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

•

Subm: 12/13-14/01 Samples

Submittal Number: 35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-52-B

Data Qualifiers Units

C | Q | M

Lab Sample No:

295469

7440-38-2 7439-92-1 Arsenic, Total Lead, Total 3.3 5.7 MS mg/kg dry

5

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:
Date Received:

Time Received:

BLM/MAC

12/13/01

15:12

12/17/01 09:15



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB5-121301 Data Qualifiers

Units

C | Q | M

Lab Sample No:

295470

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total <1.0

<1.0

MS ug/L

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

15:16

12/17/01

09:15

Modern



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 35132- 33

Location:

Contact: Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-52-AD Data Qualifiers Units

C |

Lab Sample No:

295471

7440-38-2 Arsenic, Total 7439-92-1

Lead, Total

9.3 7 338

mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

15:21

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-53-A Data Qualifiers

Units

MS/MSD

C | Q | M

Lab Sample No:

295472

7440-38-2 7439-92-1

Arsenic, Total Lead, Total

8.47 **\*** 499

mg/kg dry mg/kg dry

Sampled by:

Date Sampled:

Time Sampled: Date Received:

Time Received:

BLM/MAC

12/13/01 16:05

12/17/01

<sup>\*</sup> See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-53-B

Data Qualifiers Q

Units

Lab Sample No:

295473

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

3.3 ブ 58

mg/kg dry mg/kg dry MS

Sampled by: Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC 12/13/01

16:10

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

R2SB-53-BD Data Qualifiers

Units

C | Q

Lab Sample No:

295474

7440-38-2

Arsenic, Total

7439-92-1

Lead, Total

3.0 づ 52

MS mg/kg dry
MS mg/kg dry

Sampled by: Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

16:30

12/17/01

09:15

Wyshor



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB6-121301 Data Qualifiers

Units

Lab Sample No:

295475

7440-38-2 7439-92-1 Arsenic, Total

Lead, Total

<1.0 2.6

MS ug/L MSug/L

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/13/01

16:36

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB1-121401 Data Qualifiers

Units

c | Q | I

Lab Sample No:

295476

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total 7439-92-1 Lead, Total

Sampled by:
Date Sampled:

Time Sampled:
Date Received:

Time Received:

<10

<1.0 <0.2

1.4

MS ug/L

MS ug/L MS ug/L

ug/L

MS

BLM/MAC

12/14/01 09:20 12/17/01

09:15

Wayshow



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB2-121401 Data Qualifiers

C | Q | M

Lab Sample No:

295477

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total 7439-92-1 Lead, Total

<0.2

BLM/MAC

<10

<1.0

MS ug/L MS ug/L

Units

MS ug/L

Sampled by:
Date Sampled:

Time Sampled:

Date Received: Time Received: 10:05 12/17/01 09:15

12/14/01

Myra wor



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-35A-A Data Qualifiers

lifiers Units

C | Q | M

Lab Sample No:

295478

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total

7439-92-1 Lead, Total

1280 154

83 70400 MS mg/kg dry
MS mg/kg dry

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:
Date Received:

Time Received:

BLM/MAC

12/14/01

12:41

12/17/01

09:15

mod por



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-35A-B

Data Qualifiers

Units

c | Q

Lab Sample No:

295479

7440-36-0 Antimony, Total

7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total

7439-92-1

Lead, Total

- -

5.36.1

0.66

279

MS mg/kg dry
MS mg/kg dry

MS mg/kg dry
MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

12:42

12/17/01

09:15

Mystron (Mystron)



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-35A-C

Data Qualifiers

Units

C Q M

Lab Sample No:

295480

7440-36-0 7440-38-2 Antimony, Total Arsenic, Total

Cadmium, Total

7440-43-9 7439-92-1

Lead, Total

3150

408

144

350000

MS mg/kg dry

MS mg/kg dry

MS mg/kg dry

mg/kg dry

MS

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01 12:43

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132-33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-35A-D

Data Qualifiers

Units

Q

Lab Sample No:

295481

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total

Cadmium, Total 7440-43-9

7439-92-1

Lead, Total

4.9

6.0

0.62

285

mg/kg dry MS

MS

MS mg/kg dry

mg/kg dry MS

mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

12:44

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-35A-E

Data Qualifiers

Units

Lab Sample No:

295482

7440-36-0

Antimony, Total

7440-38-2 7440-43-9 Arsenic, Total Cadmium, Total

7439-92-1

Lead, Total

3.9

6.3

0.99

MS mg/kg dry

mg/kg dry MS

mg/kg dry MS

499

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

12:45

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: Location:

35132- 33

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-35A-F

Data Qualifiers

Units

Lab Sample No:

295483

Antimony, Total 7440-36-0

Arsenic, Total Cadmium, Total

Lead, Total

1.7

6.3 <0.50

MS mg/kg dry MS mg/kg dry

mg/kg dry MS

mg/kg dry

MS

69

Sampled by:

7440-38-2

7440-43-9

7439-92-1

Date Sampled: Time Sampled:

Date Received:

Time Received:

BLM/MAC 12/14/01

12:50

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-35A-G

Data Qualifiers

Units

Lab Sample No:

295484

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total

7439-92-1

Lead, Total

6.3

6.6

0.89 156

89

MS mg/kg dry

MS mg/kg dry

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

12:53

12/17/01

09:15

Mydron



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

MS

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-35A-H

Data Qualifiers Units

| 0 | M

Lab Sample No:

295485

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total

7439-92-1 Lead, Total

27 ブ 8.1 1.5 ブ 1520 ブ

mg/kg dry

MS mg/kg dry
MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled: Time Sampled:

Date Received: Time Received: BLM/MAC 12/14/01

12:54

12/17/01

09:15

Myster 1202



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Location:

Submittal Number:

35132- 33

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-35A-I

Data Qualifiers

Units

Q M

Lab Sample No:

295486

7440-36-0

Antimony, Total

<1.0

MS mg/kg dry

7440-38-2

Arsenic, Total

5.9

MS mg/kg dry

7440-43-9

Cadmium, Total

< 0.50

mg/kg dry

7439-92-1

Lead, Total

11

MS

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

12:55

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Location:

Submittal Number:

Subm: 12/13-14/01 Samples

Contact:

Jennifer L. Rice

35132-

Phone:

(616) 975-4500

CAS No.

CSB-35A-J

Data Qualifiers Units

Q

Lab Sample No:

295487

7440-36-0 Antimony, Total Arsenic, Total 7440-38-2 7440-43-9 Cadmium, Total 7439-92-1 Lead, Total

<1.0 4.1 <0.50 11

MS mg/kg dry MS mg/kg dry mg/kg dry MS MS mg/kg dry

Sampled by: Date Sampled: Time Sampled: Date Received:

Time Received:

BLM/MAC 12/14/01 12:56 12/17/01 09:15



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-35A-HD Data Qualifiers

Units

Q

Lab Sample No:

295488

7440-36-0 Antimony, Total

7440-38-2 Arsenic, Total Cadmium, Total 7440-43-9

7439-92-1 Lead, Total 11 イ

6.5 0.75 7

413

mg/kg dry MS

MS mg/kg dry

MS mg/kg dry

mg/kg dry MS

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

13:14

12/17/01



Advanced GeoServices Corporation

Submittal Number:

35132-

Proj: RMC - Beech Grove, IN

Location: Contact:

Subm: 12/13-14/01 Samples

Phone:

Jennifer L. Rice (616) 975-4500

CAS No.

CSB-26A-A

Data Qualifiers

Units

Ç Q

Lab Sample No:

295489

7440-36-0 Antimony, Total Arsenic, Total 7440-38-2 Cadmium, Total 7440-43-9

Lead, Total

12 46

6.4

MSmg/kg dry MS mg/kg dry

174

MS mg/kg dry mg/kg dry

Sampled by:

7439-92-1

Date Sampled: Time Sampled:

Date Received: Time Received: BLM/MAC 12/14/01

13:25 12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-26A-B

Data Qualifiers

Units

С Q

Lab Sample No:

295490

7440-36-0

Antimony, Total Arsenic, Total 7440-38-2

7440-43-9

Cadmium, Total

7439-92-1

Lead, Total

1.7

11

40 88

mg/kg dry MS

mg/kg dry MS

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01 13:26

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-26A-C

Data Qualifiers Units

.C | O | M

Lab Sample No:

295491

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total

7440-43-9 7439-92-1 Cadmium, Total Lead, Total 1.0

6.4 <0.50 40 MS mg/kg dry
MS mg/kg dry

MS mg/kg dry

mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

13:28

12/17/01

09:15

Chypapana Character



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-26A-D

Data Qualifiers

Units

MS/MSD

M C | Q

Lab Sample No:

295492

7440-36-0

Antimony, Total Arsenic, Total 7440-38-2

7440-43-9

Cadmium, Total

7439-92-1

Lead, Total

<1.0

6.2

0.54 25

MS mg/kg dry

MS mg/kg dry

mg/kg dry MS MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

13:30

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132-33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-26A-E Data Oualifiers

Units

Lab Sample No:

295493

Antimony, Total 7440-36-0 7440-38-2

Arsenic, Total

7440-43-9 7439-92-1

Cadmium, Total

Lead, Total

<1.0

5.8

<0.50

23

MS mg/kg dry

MS

MS mg/kg dry

MS mg/kg dry

mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

13:35

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB4-121401 Data Qualifiers

Units

MS ug/L

MS

MS

MS

ug/L

ug/L

ug/L

C | Q | N

Lab Sample No:

295494

<10

<1.0

<0.2

<1.0

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total

7439-92-1 Lead, Total

Sampled by: Date Sampled:

Time Sampled: Date Received:

Time Received:

BLM/MAC

12/14/01

13:34

12/17/01

09:15

dugury hou



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-26A-CD Data Qualifiers

C

Q | M

Lab Sample No:

295495

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total 7439-92-1 Lead, Total 1.5 5.5 0.53 30 MS mg/kg dry
MS mg/kg dry
MS mg/kg dry
MS mg/kg dry

Sampled by: Date Sampled: Time Sampled:

Time Sampled: Date Received: Time Received: BLM/MAC 12/14/01 13:48 12/17/01 09:15



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

| M

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-1A-A

Data Qualifiers

Units

C Q

Lab Sample No:

295496

7440-36-0

Antimony, Total

7440-38-2 7440-43-9 Arsenic, Total Cadmium, Total

7439-92-1

Lead, Total

3.4

3.2

<0.50

903

mg/kg dry MS

MS mg/kg dry

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

13:55

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-1A-B

Data Qualifiers Units

| Q | M

Lab Sample No:

295497

7440-36-0 Ant. 7440-38-2 Ars

Antimony, Total Arsenic, Total

Cadmium, Total Lead, Total <1.0

1.5 <0.50

18

MS mg/kg dry
MS mg/kg dry

MS mg/kg dry

MS mg/kg dry

Sampled by:

7440-43-9

7439-92-1

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01 13:56

13:20

12/17/01 09:15

descensor



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-1A-C

Data Qualifiers

Units

Q M

Lab Sample No:

295498

7440-36-0

Antimony, Total 7440-38-2 Arsenic, Total

7440-43-9

Cadmium, Total

7439-92-1

Lead, Total

<1.0

1.5

<0.50

44

MS mg/kg dry

MS

MS mg/kg dry

mg/kg dry MS

mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

13:59

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

M

MS

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-1A-D

Data Qualifiers Q

Units

Lab Sample No:

295499

7440-36-0 7440-38-2

Antimony, Total Arsenic, Total

7440-43-9 7439-92-1

Cadmium, Total Lead, Total

2660 J

989 1000 5

249000

MS mg/kg dry

mg/kg dry MS MS mg/kg dry

mg/kg dry

Sampled by:

Date Sampled:

Time Sampled: Date Received:

Time Received:

BLM/MAC

12/14/01

13:59 12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-1A-E

Data Qualifiers Q

Units

Lab Sample No:

295500

7440-36-0 7440-38-2

Antimony, Total Arsenic, Total

7440-43-9

Cadmium, Total

7439-92-1

Lead, Total

16 3

6.8

1.7

847

MS mg/kg dry

MS mg/kg dry

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

14:01

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Location:

Submittal Number:

Contact: Jennifer L. Rice

Subm: 12/13-14/01 Samples Phone: (616) 975-4500

35132- 33

ug/L

ug/L

ug/L

ug/L

CAS No.

EB5-121401 Data Qualifiers Units

| M Q

Lab Sample No:

295501

7440-36-0 Antimony, Total <10 MS Arsenic, Total 7440-38-2 <1.0 MS 7440-43-9 Cadmium, Total <0.2 MS 7439-92-1 Lead, Total <1.0 MS

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

14:05

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 35132- 33

Location:

Contact: Jennifer L. Rice

Phone: (616) 975-4500

CAS No. CSB-1A-DD Data Qualifiers Units

C | Q | M

Lab Sample No: 295502

1650 イ MS mg/kg dry 7440-36-0 Antimony, Total MS mg/kg dry Arsenic, Total 821 7440-38-2 346 づ MS mg/kg dry Cadmium, Total 7440-43-9 MS mg/kg dry 185000 Lead, Total 7439-92-1

Sampled by: BLM/MAC
Date Sampled: 12/14/01
Time Sampled: 14:19

Time Sampled: 14:19
Date Received: 12/17/01

Time Received: 09:15

(13/28/2022



Advanced GeoServices Corporation

Submittal Number:

С

35132- 33

Proj: RMC - Beech Grove, IN

Location:

Jennifer L. Rice

Subm: 12/13-14/01 Samples

Contact: Phone:

(616) 975-4500

CAS No.

CSB-38A-A

Data Qualifiers

Units

Lab Sample No:

295503

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total 7439-92-1 Lead, Total

| MS mg/kg dry | MS mg/kg dry | MS mg/kg dry | MS mg/kg dry

Sampled by:

Date Sampled: Time Sampled: Date Received: Time Received: BLM/MAC 12/14/01 14:19 12/17/01 09:15

My Jahan



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-38A-B

Data Qualifiers

Units

\display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \display \d

C | Q | 1

Lab Sample No:

295504

7440-36-0 Antimony, Total

7440-38-2 7440-43-9 Arsenic, Total Cadmium, Total

7439-92-1

Lead, Total

た1.0 いづ 7.9 <0.50

MS mg/kg dry
MS mg/kg dry

.50

MS mg/kg dry
MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

14

12/14/01

14:20

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Location:

Submittal Number:

35132-

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-38A-C

Units

Data Qualifiers M

Lab Sample No:

295505

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total 7439-92-1 Lead, Total

£1.0 WS 9.3 <0.50 22

MS mg/kg dry MS mg/kg dry MS mg/kg dry MS mg/kg dry

Sampled by: Date Sampled: Time Sampled:

Date Received: Time Received: BLM/MAC 12/14/01 14:22 12/17/01 09:15



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-38A-D

Data Qualifiers

Units

MS/MSD

C |

Q M

Lab Sample No:

295506

Antimony, Total 7440-36-0 7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total 7439-92-1 Lead, Total

41.0 W **#** 2.5 <0.50 **\*** 12

J

mg/kg dry MS MS mg/kg dry MS mg/kg dry

mg/kg dry

Sampled by: Date Sampled: Time Sampled: Date Received: Time Received: BLM/MAC 12/14/01 14:23 12/17/01 09:15

<sup>\*</sup> See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: Location:

35132- 33

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-38A-E Data Qualifiers Units

Q M

Lab Sample No:

295507

Antimony, Total 7440-36-0

6.2 8.6

mg/kg dry MS mg/kg dry MS

7440-38-2 7440-43-9 Arsenic, Total Cadmium, Total

6.8

MS mg/kg dry

7439-92-1

Lead, Total

319

mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

14:27

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

C

35132- 33

M

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-13A-A

Data Qualifiers Q

Units

Lab Sample No:

295508

7440-36-0 7440-38-2

Antimony, Total Arsenic, Total

7439-92-1

Cadmium, Total

7440-43-9 Lead, Total 80

11 64

2300

MS mg/kg dry

mg/kg dry MS

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled: Date Received:

Time Received:

BLM/MAC

12/14/01

14:45

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location: Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-13A-B

Data Qualifiers

Units

Q M

Lab Sample No:

295509

7440-36-0 Antimony, Total

197

MS mg/kg dry

7440-38-2 7440-43-9 Arsenic, Total Cadmium, Total 22 29 MS mg/kg dry mg/kg dry

7439-92-1

Lead, Total

1070

MS MS mg/kg dry

Sampled by:

Date Sampled:

BLM/MAC 12/14/01

Time Sampled:

14:46

Date Received:

12/17/01

Time Received:





Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-13A-C

Data Qualifiers

Units

C | Q | I

Lab Sample No:

295510

7440-36-0 Antimony, Total

7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total

7439-92-1

Cadmium, Total Lead, Total 5.0

6.6 36

6

MS mg/kg dry

MS mg/kg dry

MS mg/kg dry

mg/kg dry

MS

75

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

14:47

12/17/01

09:15

Mystron



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-13A-D

Data Qualifiers

Q M

Lab Sample No:

295511

7440-36-0 Antimony, Total

Arsenic, Total 7440-38-2

7440-43-9 7439-92-1

Cadmium, Total

Lead, Total

1.9

5.9

1.7 39

mg/kg dry

MS mg/kg dry

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

14:48

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

7440-36-0

7440-38-2

7440-43-9

7439-92-1

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: CSB-13A-E Data Qualifiers

Units

C Q M

Lab Sample No:

Antimony, Total

Arsenic, Total

Cadmium, Total

Lead, Total

295512

2.9 ゴ

6.0

0.99

MS mg/kg dry
MS mg/kg dry

mg/kg dry

MS mg/kg dry

MS

27

BLM/MAC

12/14/01

14:49

12/17/01

09:15

Marshor Justine



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB7-121401 Data Qualifiers

Q M

Lab Sample No:

295513

7440-36-0

Antimony, Total

7440-38-2 7440-43-9 Cadmium, Total

Arsenic, Total

Lead, Total 7439-92-1

<10

<1.0 <0.2

<1.0

MS ug/L

ug/L MS MS ug/L

ug/L

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

14:58 12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-28A-A

Data Qualifiers

Units

Lab Sample No:

295514

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total 7439-92-1 Lead, Total

53 17 30

5.0

MS mg/kg dry MS mg/kg dry

MS mg/kg dry
MS mg/kg dry

Sampled by: Date Sampled: Time Sampled:

Time Sampled:
Date Received:
Time Received:

BLM/MAC 12/14/01 15:12 12/17/01

09:15

Myraham .



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-28A-B

Data Qualifiers

Units

C | Q | M

Lab Sample No:

295515

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total

7439-92-1 Lead, Total

<1.0

5.1 <0.50

13

MS mg/kg dry

MS mg/kg dry
MS mg/kg dry

MS

mg/kg dry

Sampled by: Date Sampled:

Time Sampled:
Date Received:

Time Received:

BLM/MAC

12/14/01 15:15

12/17/01

09:15

Myskin



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-28A-C

Data Qualifiers

Units

C | Q | N

Lab Sample No:

295516

7440-36-0 Antimony, Total

7440-38-2 Arsenic, Total

7440-43-9 Cadmium, Total

7439-92-1 Lead, Total

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

<1.0

7.9

<0.50

27 3

0

MS mg/kg dry

MS mg/kg dry

MS mg/kg dry

MS mg/kg dry

BLM/MAC

12/14/01

15:16

12/17/01 09:15

Chyshray



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

35132-

Location:

Submittal Number:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-28A-D

Data Qualifiers

Units

Lab Sample No:

295517

7440-36-0 Antimony, Total

Arsenic, Total 7440-38-2

7440-43-9

Cadmium, Total 7439-92-1

Lead, Total

<1.0

6.5

<0.50

14

mg/kg dry MS

MS mg/kg dry

MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

15:17

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 3

35132- 33

M

MS

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-28A-E

Data Qualifiers

Units

C | Q

Lab Sample No:

295518

7440-36-0 Antimony, Total

7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total

7439-92-1

Lead, Total

£1.0 UJ 9.4

<0.50 16

MS mg/kg dry

MS mg/kg dry

MS mg/kg dry

mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

15:11

12/17/01

09:15

Chyphys.



Advanced GeoServices Corporation

Submittal Number:

35132-

Proj: RMC - Beech Grove, IN

Location: Contact:

Jennifer L. Rice

Subm: 12/13-14/01 Samples Phone: (616) 975-4500

CAS No.

CSB-28A-CD Data Qualifiers

Units

C Q

Lab Sample No:

Lead, Total

295519

7440-36-0 Antimony, Total Arsenic, Total 7440-38-2 7440-43-9 Cadmium, Total

3.0 9.1 <0.50 118 7

mg/kg dry MS MS mg/kg dry MS mg/kg dry MS mg/kg dry

Sampled by: Date Sampled: Time Sampled:

7439-92-1

Date Received: Time Received: BLM/MAC 12/14/01 15:36 12/17/01

.09:15



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-30A-A

Data Qualifiers

Units

Q С

Lab Sample No:

295520

Antimony, Total 7440-36-0

Arsenic, Total 7440-38-2 Cadmium, Total 7440-43-9

7439-92-1

Lead, Total

63 30 乙

4.2 2360

MS mg/kg dry

MS mg/kg dry

mg/kg dry MS MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

15:42

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-30A-B

Data Qualifiers Q

Units

Lab Sample No:

295521

7440-36-0 Antimony, Total Arsenic, Total 7440-38-2

7440-43-9 Cadmium, Total 7439-92-1 Lead, Total

13 づ 1.3 366

14

MS mg/kg dry MS

mg/kg dry MS mg/kg dry

MS

mg/kg dry

Sampled by:

Date Sampled:

Time Sampled: Date Received:

Time Received:

BLM/MAC

12/14/01

15:43

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB8-121401 Data Qualifiers

Units

C Q

Lab Sample No:

295522

7440-36-0 7440-38-2

Antimony, Total Arsenic, Total 7440-43-9 Cadmium, Total

7439-92-1

Lead, Total

<10

<1.0 <0.2

<1.0

ug/L MS ug/L

MS ug/L

ug/L

MS

Sampled by:

Date Sampled:

Time Sampled: Date Received:

Time Received:

BLM/MAC

12/14/01

15:44 12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-30A-C Data Qualifiers Units

C Q M

Lab Sample No:

295523

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total 7439-92-1 Lead, Total

9.1 ブ 0.83 243

7.0 づ

| MS mg/kg dry | MS mg/kg dry | MS mg/kg dry | MS mg/kg dry

Sampled by: Date Sampled: Time Sampled:

Time Sampled: Date Received: Time Received: BLM/MAC , 12/14/01 15:48 12/17/01 09:15



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-30A-D

Data Qualifiers

Units

С Q

Lab Sample No:

295524

7440-36-0

Antimony, Total

7440-38-2 7440-43-9 Arsenic, Total Cadmium, Total

7439-92-1

Lead, Total

1.2

6.6 ゴ

<0.50

32

mg/kg dry MS

mg/kg dry MS

MS

mg/kg dry MS

mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

15:49

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 35132-

Location:

Contact:

Jennifer L. Rice

Phone: (616) 975-4500

CAS No.

CSB-30A-E Data Qualifiers

C | Q | M

Lab Sample No:

295525

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total

7440-43-9 Cadmium, Total

7439-92-1 Lead, Total

<1.0 6.6 ブ

<0.50

13 U

MS mg/kg dry

Units

MS mg/kg dry

MS mg/kg dry

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

15:51

12/17/01

09:15

Myska



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

(616) 975-4500 Phone:

CAS No.

CSB-10A-A

Data Qualifiers

Units

C Q M

Lab Sample No:

295526

7440-36-0 7440-38-2

Antimony, Total Arsenic, Total Cadmium, Total

7440-43-9 7439-92-1

Lead, Total

5.7 づ

4.5

0.59 1780

MS mg/kg dry

MS

MS mg/kg dry

mg/kg dry

mg/kg dry MS

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01 16:13

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-10A-B

Data Qualifiers

Units

С

Q

Lab Sample No:

295527

7440-36-0 Antimony, Total

7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total

7439-92-1

Lead, Total

31 3

6.1

1.3

1210

mg/kg dry MS

MS mg/kg dry

mg/kg dry MS mg/kg dry MS

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

16:14

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-10A-C

Units

Data Qualifiers Q

Lab Sample No:

295528

7440-36-0 7440-38-2

Antimony, Total Arsenic, Total Cadmium, Total

7440-43-9 7439-92-1

Lead, Total

1720 433

132

256000 5

mg/kg dry MS

mg/kg dry MS

MS

MS mg/kg dry

mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

16:16

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number: 35132-

Location:

Contact: Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

EB9-121401 Data Qualifiers Units

C | Q | M

Lab Sample No:

295529

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total 7439-92-1 Lead, Total <10 <1.0 <0.2 <1.0 | MS ug/L | MS ug/L | MS ug/L | MS ug/L

Sampled by:

Date Sampled: Time Sampled: Date Received: Time Received: 12/14/01 16:18 12/17/01 09:15

BLM/MAC



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-30A-CD Data Qualifiers

Units

C Q

Lab Sample No:

295530

7440-36-0 7440-38-2

Antimony, Total Arsenic, Total Cadmium, Total

7440-43-9 7439-92-1

Lead, Total

4.6

9.5 づ 0.71

0.71

| MS mg/kg dry | MS mg/kg dry

MS

MS mg/kg dry
MS mg/kg dry

mg/kg dry

228

BLM/MAC

12/14/01

16:18

12/17/01

09:15

Date Sampled: Time Sampled:

Sampled by:

Date Received: Time Received:

09:15

My show



Advanced GeoServices Corporation

Submittal Number:

35132-

Proj: RMC - Beech Grove, IN

Location: Contact:

Jennifer L. Rice

Subm: 12/13-14/01 Samples

Phone:

(616) 975-4500

CAS No.

CSB-10A-D

Data Qualifiers

Units

Q

Lab Sample No:

Lead, Total

295531

7440-36-0 Antimony, Total Arsenic, Total 7440-38-2

Cadmium, Total

4260 3

2730 527

MSmg/kg dry

mg/kg dry MS

MS mg/kg dry

mg/kg dry

475000

Sampled by:

7440-43-9

7439-92-1

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

16:21

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

M

MS

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-10A-E

Data Qualifiers

Units

C | Q

Lab Sample No:

295532

7440-36-0 Antimony, Total

7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total

7439-92-1

Lead, Total

6.7 7.1 づ 0.61

253

MS mg/kg dry

MS mg/kg dry

MS mg/kg dry

mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

16:22

12/17/01

09:15

M3/28/2022



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone: (616) 975-4500

CAS No.

CSB-32A-A

Data Qualifiers

Units

C | Q | M

Lab Sample No:

295533

7440-36-0 7440-38-2

Antimony, Total Arsenic, Total

7440-43-9 7439-92-1 Cadmium, Total
Lead, Total

2190ゴ

394

158 164000 MS mg/kg dry

MS mg/kg dry

MS mg/kg dry

mg/kg dry

MS

Sampled by: Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

16:56

12/17/01

09:15

(1328/2022



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-32A-B

Data Qualifiers

Units

C | Q | M

Lab Sample No:

295534

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total 7439-92-1 Lead, Total 1060 7 199 \* 47 90100 | MS mg/kg dry | MS mg/kg dry | MS mg/kg dry | MS mg/kg dry

Sampled by:
Date Sampled:
Time Sampled:
Date Received:
Time Received:

BLM/MAC 12/14/01 16:57 12/17/01 09:15

My phone

<sup>\*</sup> See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

5). 1.... 2000. 320. 2, =1.

Subm: 12/13-14/01 Samples

Submittal Number:

: 35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-32A-C

Data Qualifiers

Units

mg/kg dry

mg/kg dry

mg/kg dry

mg/kg dry

MS

MS

MS

MS

Lab Sample No:

Antimony, Total

295535

1010 5

7440-38-2 Arsenic, Total 230
7440-43-9 Cadmium, Total 38
7439-92-1 Lead, Total 64000

Sampled by: Date Sampled: Time Sampled:

7440-36-0

Time Sampled: Date Received: Time Received: BLM/MAC

12/14/01 16:58

12/17/01 09:15

Chapter of

<sup>\*</sup> See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-32A-D

Data Qualifiers

Units

MS/MSD

C | Q

Lab Sample No:

295536

Antimony, Total 7440-36-0 Arsenic, Total 7440-38-2 Cadmium, Total 7440-43-9 7439-92-1 Lead, Total

2.7 8.0 ブ **#**<0.50 40

MS mg/kg dry MS mg/kg dry

mg/kg dry MS MS mg/kg dry

Sampled by: Date Sampled: Time Sampled: Date Received: Time Received: BLM/MAC 12/14/01 16:59 12/17/01 09:15

<sup>\*</sup> See attached Statement of Data Qualifications.



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-32A-E

Data Qualifiers

Units

O | M

Lab Sample No:

295537

7440-36-0

Antimony, Total

7440-38-2

Arsenic, Total Cadmium, Total 7440-43-9

7439-92-1

Lead, Total

1.5

6.5 5

<0.50

20 U

mg/kg dry MS

mg/kg dry MS

MS mg/kg dry MS mq/kq dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received: Time Received: BLM/MAC

12/14/01

17:01

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132-

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-10A-CD Data Qualifiers

Units

C | Q

Lab Sample No:

295538

7440-36-0

Antimony, Total Arsenic, Total 7440-38-2

7440-43-9

Cadmium, Total

7439-92-1

Lead, Total

1520 5

313

112 169000 7

mg/kg dry MS

MS mg/kg dry

mg/kg dry MS

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BLM/MAC

12/14/01

16:36

12/17/01



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: 12/13-14/01 Samples

Submittal Number:

35132- 33

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

STRW-1 121401 Data Qualifiers
C | Q | M

Units

Lab Sample No:

295539

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total 7439-92-1 Lead, Total 46 3 4.7 3 11 # 811 MS ug/L
MS ug/L
MS ug/L
MS ug/L

Sampled by:
Date Sampled:
Time Sampled:
Date Received:
Time Received:

BLM/MAC 12/14/01 17:30 12/17/01 09:15



<sup>\*</sup> See attached Statement of Data Qualifications.

### INORGANIC DATA VALIDATION SUMMARY

| Site Name: Project Number: Sampling Date(s):  Deechgrove 98-478-05 12/14/01 | RMC            |           | Labora<br>Case /C | tory:<br>Order No.:                   | Trimatrix<br>35/32-34<br>Sh As Cd                  |
|-----------------------------------------------------------------------------|----------------|-----------|-------------------|---------------------------------------|----------------------------------------------------|
| Compound List:                                                              | Priority I     | Pollutant |                   | Appendix IX                           | Sb, As, Cd, Vother Pb                              |
| Method: CLP SOW ILMO4.                                                      | 40 CFR         | 136       | V                 | SW-846 Method                         | Other                                              |
| The following table indicates the data validation or                        | riteria examir | ned, any  | problems i        | 6020<br>dentified, and th             | e QA action applied.                               |
| Data Validation Criteria:                                                   | accept         | FYI       | qualify           | Comments                              |                                                    |
| Holding Times                                                               |                |           |                   |                                       |                                                    |
| Initial Calibrations                                                        |                |           | , 1               | VID CIV                               |                                                    |
| Continuing Calibrations                                                     |                | V         | X                 | % Recovery                            | > 110%, No associated sounds                       |
| CRDL Standards                                                              |                |           |                   |                                       |                                                    |
| Blank Analysis Results                                                      |                |           |                   |                                       |                                                    |
| ICP Interference Check Sample Recoveries                                    | V              |           |                   |                                       |                                                    |
| Duplicate Results                                                           |                |           |                   |                                       |                                                    |
| Field Duplicate Results                                                     |                |           |                   | CSB-10A                               | -H0                                                |
| Spike Analysis Recoveries                                                   | X              | V         |                   | MS/MSD una                            | vailable for CSB-1A-F<br>due to high analyte conc. |
| Serial Dilution Results                                                     |                |           |                   |                                       | ٧ /                                                |
| Laboratory Control Sample Results                                           |                |           |                   |                                       |                                                    |
| Furnace AA QC Analysis                                                      |                |           |                   | NA                                    |                                                    |
| Quantitation/Detection Limits                                               | V              |           |                   |                                       |                                                    |
| Overall Assessment of Data                                                  |                |           |                   |                                       |                                                    |
| Other:                                                                      |                |           |                   |                                       |                                                    |
| General Comments:                                                           |                |           |                   |                                       |                                                    |
|                                                                             |                |           |                   |                                       |                                                    |
|                                                                             |                |           |                   | · · · · · · · · · · · · · · · · · · · |                                                    |
|                                                                             |                |           |                   |                                       |                                                    |
| Agant Na qualification required                                             |                |           |                   |                                       |                                                    |

Accept - No qualification required.

FYI - For your information only, no qualification necessary.

Qualify - Qualify as rejected, estimated or biased

NA - Not applicable.

NR - Not reviewed.



Advanced GeoServices Corporation

Submittal Number:

35132- 34

Proj: RMC - Beech Grove, IN

Location: Contact:

Jennifer L. Rice

Subm: December 14, 2001 Samples

Phone:

(616) 975-4500

CAS No.

CSB-1A-F

Data Qualifiers

Units

2 | Q

Lab Sample No:

297370

| 7440-36-0 | Antimony, Total | 1.7   | MS | mg/kg dry |
|-----------|-----------------|-------|----|-----------|
| 7440-38-2 | Arsenic, Total  | 8.5   | MS | mg/kg dry |
| 7440-43-9 | Cadmium, Total  | 2.0   | MS | mg/kg dry |
| 7439-92-1 | Lead, Total     | X 170 | MS | mg/kg dry |

|                     | <b>17</b> λ |
|---------------------|-------------|
| Sampled by: BMG/N   | T-T         |
| Date Sampled: 12/1  | 4/01        |
| Time Sampled:       | :07         |
| Date Received: 01/2 | 4/02        |
| Time Received: 09   | :10         |

<sup>\*</sup> See attached Statement of Data Qualifications.

WP 2/8/02



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 14, 2001 Samples

Submittal Number:

35132- 34

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-1A-G

Data Qualifiers Q

Units

Lab Sample No:

297371

7440-36-0

Antimony, Total Arsenic, Total 7440-38-2

7440-43-9 7439-92-1 Cadmium, Total

Lead, Total

1.6

5.6

<0.50 65

U

MS mg/kg dry

mg/kg dry MS

mg/kg dry MS

MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/MA

12/14/01

14:09

01/24/02



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 14, 2001 Samples

Submittal Number:

35132- 34

M

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-1A-H

Data Qualifiers Q

Units

Lab Sample No:

297372

Antimony, Total 7440-36-0 7440-38-2 Arsenic, Total Cadmium, Total 7440-43-9

Lead, Total 7439-92-1

2.0 6.0 <0.50 82

U

mg/kg dry MS MS mg/kg dry

mg/kg dry MS MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled: Date Received:

Time Received:

BMG/MA 12/14/01

14:10

01/24/02

09:10

000017



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 14, 2001 Samples

Submittal Number:

Location:

Contact:

Jennifer L. Rice

35132- 34

Phone:

(616) 975-4500

CAS No.

CSB-1A-I

Data Qualifiers

Units

C Q

Lab Sample No:

297373

7440-36-0 Antimony, Total 7440-38-2 Arsenic, Total 7440-43-9 Cadmium, Total

7439-92-1 Lead, Total

Sampled by: Date Sampled:

Time Sampled:

Date Received:

Time Received:

1.4 5.7

<0.50

υ

MS mg/kg dry

MS mg/kg dry
MS mg/kg dry

MS

mg/kg dry

47

BMG/MA 12/14/01

14:12

01/24/02

09:10

WP 2/18/02



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Submittal Number:

С

35132-

Location: Contact:

Jennifer L. Rice

M

Subm: December 14, 2001 Samples

Phone:

(616) 975-4500

CAS No.

CSB-1A-J

Data Qualifiers Q

Units

Lab Sample No:

297374

7440-36-0 7440-38-2 Antimony, Total

3.6 5.7

MS mg/kg dry MSmg/kg dry

7440-43-9

Arsenic, Total Cadmium, Total 7439-92-1 Lead, Total

<0.50 144

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/MA

12/14/01

14:13

01/24/02

09:10

000019



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 14, 2001 Samples

Submittal Number:

35132-34

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-10A-F

Data Qualifiers

Units

Lab Sample No:

297375

7440-36-0 Antimony, Total Arsenic, Total 7440-38-2

7440-43-9 7439-92-1 Cadmium, Total

Lead, Total

2960

1700 363

288000

mg/kg dry

MS mg/kg dry

mg/kg dry mg/kg dry MS

Sampled by:

Date Sampled:

Time Sampled:

Date Received:

Time Received:

BMG/MA

12/14/01

16:25

01/24/02 09:10



Advanced GeoServices Corporation

Submittal Number: 35132- 34

Proj: RMC - Beech Grove, IN

Location:

Subm: December 14, 2001 Samples

Contact: Phone:

Jennifer L. Rice (616) 975-4500

CAS No.

CSB-10A-G Data Qualifiers Units

C | Q | M

Lab Sample No:

297376

Antimony, Total

12

mg/kg dry

7440-36-0 7440-38-2 7440-43-9

Arsenic, Total

28 7.2 MS mg/kg dry
MS mg/kg dry

7439-92-1

Cadmium, Total Lead, Total

1090

MS mg/kg dry

MS

Sampled by:

Date Sampled:

BMG/MA 12/14/01

Time Sampled:

16:26

Date Received:

01/24/02

Time Received:

09:10

MP 2/18/02

000021



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 14, 2001 Samples

Submittal Number:

35132- 34

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-10A-H

Data Qualifiers

Units

Q

Lab Sample No:

297377

Antimony, Total 7440-36-0 Arsenic, Total 7440-38-2 7440-43-9 Cadmium, Total Lead, Total 7439-92-1

Sampled by: Date Sampled:

Time Sampled: Date Received:

Time Received:

1.8

11 5.1

101

mg/kg dry MS mg/kg dry MS

MSmg/kg dry MS

BMG/MA

12/14/01 16:28 01/24/02

09:10



Advanced GeoServices Corporation

Subm: December 14, 2001 Samples

Proj: RMC - Beech Grove, IN

Submittal Number:

35132- 34

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-10A-HD Data Qualifiers

Units

C | Q | M

Lab Sample No:

297378

7440-36-0 Antimony, Total 1.6 MS mg/kg dry 7440-38-2 Arsenic, Total 14 MS mg/kg dry Cadmium, Total 7440-43-9 4.7 MS mg/kg dry 7439-92-1 Lead, Total 42 MS mg/kg dry

Sampled by:

Date Sampled:

Time Sampled: Date Received:

Time Received:

BMG/MA

12/14/01 16:48

01/24/02

09:10

W 5/18/05



Advanced GeoServices Corporation

Proj: RMC - Beech Grove, IN

Subm: December 14, 2001 Samples

Submittal Number:

35132 - 34

Location:

Contact:

Jennifer L. Rice

Phone:

(616) 975-4500

CAS No.

CSB-10A-I

Data Qualifiers Units

C Q M

Lab Sample No:

297379

7440-36-0 Antimony, Total Arsenic, Total 7440-38-2 7440-43-9 Cadmium, Total Lead, Total 7439-92-1

MS mg/kg dry MS mg/kg dry

Sampled by:

Date Sampled: Time Sampled: Date Received:

Time Received:

BMG/MA

12/14/01

16:30

01/24/02

09:10

M 2/18/12



#### QUALITY CONTROL REPORT INITIAL AND CONTINUING CALIBRATION VERIFICATION (ICV-CCV) USEPA CLP FORM 2A

SDG No.

Instrument ID

35132 -34

Parameter

Lead, Total

Batch No.

181639

114

Ref. Cit.

EPA-200.8/6020

Matrix

WATER

Units

ug/L

| Verificat<br>QC Type |   | True<br>Value | Amount<br>Found | %<br>Recovery | Accepta<br>Window |     | Date     | Analyst |
|----------------------|---|---------------|-----------------|---------------|-------------------|-----|----------|---------|
| ICV :                | 1 | 100           | 97.6            | 98            | 90 - :            | 110 | 01/28/02 | SMC     |
| CCV :                | 1 | 50            | 49.3            | 99            | 90 - 3            | 110 | 01/28/02 | SPLM    |
| CCV 2                | 2 | 50            | 50.1            | 100           | 90 - 3            | 110 | 01/28/02 | SPLM    |
| ccv :                | 3 | 50            | 50.1            | 100           | 90 - 3            | 110 | 01/28/02 | SPLM    |
| CCV 4                | 4 | 40            | 49.5            | 124           | 90 - 3            | 110 | 01/28/02 | SPLM    |

Samples Associated samples

Jud 3/19/2002

#### Beechgrove SERIAL DILUTIONS

| Run Date        | Analyte   | Lab ID    | Sample ID          | Initial Conc | Serial Dilution Conc   | % D   | IDL   | IDL*50 |
|-----------------|-----------|-----------|--------------------|--------------|------------------------|-------|-------|--------|
| 01/28/2002      | As        | 297370    | CSB-1A-F           | 8.5          | 8.8                    | 4.54  | 0.097 | 4.85   |
|                 | Cd        |           |                    | 2.00         | 1.93                   | 3.24  | 0.028 | 1.4    |
|                 | Pb        |           |                    | 173.5        | 170.29                 | 1.87  | 0.029 | 1.45   |
| 01/29/2002      | Sb        | 297370    | CSB-1A-F           | 1.7          | 2.0                    | 14.78 | 0.061 | 3.05   |
| * Denotes that  | parameter | was qual  | l<br>ified because | %D was >109  | and both the Initial a | nd    |       |        |
| Serial Dilution | Concentra | tions wer | e > IDL*50         |              |                        |       |       |        |

WR 2/18/02

Site Name:

RMC Beech Grove

Project Number:

98-478-04

Laboratory: Trimatrix

Field Duplicates

| Sample ID  | Analyte        | Units | Result | RPD   | Qualifier |
|------------|----------------|-------|--------|-------|-----------|
| CSB-10A-H  | Total Arsenic  | mg/kg | 11     |       |           |
| CSB-10A-HD |                | mg/kg | 14     | 24.00 |           |
|            | Total Antimony | mg/kg | 1.8    |       |           |
|            |                | mg/kg | 1.6    | 11.76 | J         |
|            | Total Cadmium  | mg/kg | 5.1    |       |           |
|            |                | mg/kg | 4.7    | 8.16  | l         |
|            | Total Lead     | mg/kg | 101    |       |           |
|            |                | mg/kg | 42     | 82.52 | *         |

Duplicate Criteria: Aqueous matrices <30 % RPD; Soil/Solid matrices <40 %RPD.

<sup>\* -</sup> Denotes %RPD outside criteria.

NA - Duplicate relative percent difference cannot be calculated.

ND - Not detected.



## **APPENDIX E Background Calculations and Soil Summary Analysis**



#### **Background Calculations and Soil Summary Analysis**

The naturally occurring levels of arsenic from the area where the Site is located were evaluated to determine how background compare to the USEPA Region IX industrial soil PRG for arsenic (cancer) of 2.7 mg/kg. Background sampling was conducted to determine a representative range of naturally occurring levels of arsenic. The samples were collected from a portion of the Citizen's Gas property located west of the Site, which is an area that was thought to be unaffected by Site activities. The soil samples were collected from four locations (R2BG-1 through R2BG-4) at two depth intervals; A and B at depths of 0-3 inches and 3-10 inches, respectively. The soil sampling locations are shown in Drawing 4-3.

The background concentrations of arsenic were calculated using the guidance from the RISC Technical Guide, Section 1.6 (IDEM, 2001). Background is the mean plus one standard deviation. The background calculations are provided in detail below. The coefficient of variation (CV) is also calculated (CV = standard deviation/mean) to determine if additional sampling or other measures were required. If the CV exceeded 1.2 then additional sampling or other measures would be required. As shown below the CV for surface and subsurface were both below 1.2 indicating that the data sets were adequate for determining background.

#### SURFACE BACKGROUND

| R2BG-1A | Arsenic | 9.8 mg/kg |
|---------|---------|-----------|
| R2BG-2A | Arsenic | 10 mg/kg  |
| R2BG-3A | Arsenic | 6.0 mg/kg |
| R2BG-4A | Arsenic | 3.1 mg/kg |

Mean = 7.23 mg/kg

Standard Deviation = 3.31 mg/kg

Coefficient of Variation = 0.46

Surface Background = 7.23 + 3.31 = 10.53 mg/kg

#### SUBSURFACE BACKGROUND

| R2BG-1B | Arsenic | 8.0 mg/kg |
|---------|---------|-----------|
| R2BG-2B | Arsenic | 7.2 mg/kg |
| R2BG-3B | Arsenic | 7.5 mg/kg |
| R2BG-4B | Arsenic | 6.6 mg/kg |



Mean = 7.33 mg/kg

Standard Deviation = 0.59 mg/kg

Coefficient of Variation = 0.08

Surface Background = 7.33 + 0.59 = 7.91 mg/kg

#### **GROUNDWATER BACKGROUND**

MW-9

9/22/2001

Total Arsenic

 $7.7 \mu g/L$ 

MW-9

12/10/2001

**Total Arsenic** 

 $4.0 \mu g/L$ 

Mean =  $5.85 \mu g/L$ 

Standard Deviation =  $2.62 \mu g/L$ 

Coefficient of Variation = 0.45

Groundwater Background =  $5.85 + 2.62 = 8.47 \mu g/L$ 

The groundwater background concentration for arsenic was calculated using the same technique outlined in the RISC Technical Guide (IDEM, 2001) as the soil background concentrations. With surface and subsurface arsenic background concentrations of 10.53 mg/kg and 7.91 mg/kg, any Site soil with equal or lesser concentrations can be attributed to naturally occurring background levels of arsenic. Any groundwater arsenic concentrations of 8.47  $\mu$ g/L can also be attributed to naturally occurring background levels of arsenic.

Reference:

Indiana Department of Environmental Management (IDEM), February 15, 2001, Risk Integrated System of Closure Technical Resource Guidance Document.

|                       |        |              |         | RMC Beec    | h Grove        |         |       |           |                                       |           |
|-----------------------|--------|--------------|---------|-------------|----------------|---------|-------|-----------|---------------------------------------|-----------|
|                       |        |              | Phase   | II RFI Soil | Data Analy     | /sis    |       |           |                                       |           |
| Citizens Gas Property |        |              |         |             |                |         |       |           | · · · · · · · · · · · · · · · · · · · |           |
|                       |        | 0-3 inch lea | d       | 3           | 3-10 inch lead |         |       | ı arsenic | 3-10 inc                              | h arsenic |
| location              | <400   | <1000        | >1000   | <400        | <1000          | >1000   | <10.5 | >10.5     | <7.9                                  | >7.9      |
| R2SB-1                |        |              | 1750    |             |                | 1080    |       | 141       |                                       | 50        |
| 2                     |        | 918          |         |             |                | 4120    |       | 19        |                                       | 10        |
| 3                     |        |              | 1620    |             |                | 1410    |       | 38        |                                       | 19        |
| 4                     |        |              | 2490    |             | 874            |         |       | 28        |                                       | 13        |
| 5                     | 121    |              |         | 68          |                |         | 10    |           | 5.5                                   |           |
| 6                     |        | 587          |         | 286         |                |         |       | 12        |                                       | 11        |
| 7                     | 78     |              |         | 35          |                |         | 9.6   |           |                                       | 13        |
| 8                     | 197    |              |         | 51          |                |         |       | 13        |                                       | 8.4       |
| 9                     |        |              | 3330    | 287         |                |         |       | 47        |                                       | 12        |
| 10                    | 25     |              |         | 10          |                |         | 8.9   |           |                                       | 12        |
| 11                    | 360    |              |         | 83          |                |         |       | 14        | 7.5                                   |           |
| 12                    |        |              |         | 71          |                |         |       | 11        |                                       | 8.6       |
| 13                    |        | <u> </u>     | 7390    | 24          |                |         |       | 53        |                                       | 27        |
| 14                    | 89     |              |         | 7.3         |                |         | 8.6   |           | 3.6                                   |           |
| 15                    | 265    |              |         | 184         |                |         | 4.8   |           |                                       | 14        |
| 16                    | 179    |              |         | 125         |                |         | 7.7   |           |                                       | 9         |
| 17                    |        |              | 4160    | 267         |                |         |       | 25        |                                       | 11        |
| 18                    |        | 669          |         | 122         |                |         | 10    |           | 6.3                                   |           |
| 19                    |        | 796          |         | 250         |                |         |       | 16        |                                       | 14        |
| 20                    |        | 486          |         | 129         |                |         | 9.6   |           | 4.4                                   |           |
| 21                    | 296    |              |         | 84          |                |         | 10    |           | 7                                     |           |
| 22                    |        | 734          |         | 188         |                |         |       | 13        |                                       | 12        |
| 23                    |        | 463          |         | 105         |                |         | 10    |           |                                       | 13        |
| 24                    |        | 779          |         | 117         |                |         |       | 13        |                                       | 9.1       |
| 52                    | 300    |              |         | 5.7         |                |         | 4.6   |           | 3.3                                   |           |
| 53                    |        | 499          |         | 58          |                |         | 8.4   |           | 3.3                                   |           |
| number of samples     | 11     | 9            | 6       | 22          | 1              | 3       | 12    | 14        | 8                                     | 18        |
| arithmetic mean       | 173.64 | 659.00       | 3456.67 | 116.23      | 874.00         | 2203.33 | 8.52  | 31.64     | 5.11                                  | 14.78     |
| overall mean          |        | 393.05       |         |             | 150.17         |         | 22.54 |           | 11.81                                 |           |
| % samples             |        | 0.77         | 0.23    |             | 0.88           | 0.12    | 0.46  | 0.54      | 0.31                                  | 0.69      |

|                      |        |               |         | RMC Beech<br>II RFI Soil I |                 | reie  |          |                                       |           |             |
|----------------------|--------|---------------|---------|----------------------------|-----------------|-------|----------|---------------------------------------|-----------|-------------|
| North of CG Property |        |               | 1 11430 | II Ki I Son i              | Data Aliary     | 213   |          |                                       |           | <u>-</u>    |
| <del></del>          | 1      | 0-3 inch lead | t       | 3                          | -10 inch lea    | ad    | 0-3 inch | arsenic                               | 3-10 inch | ı arsenic   |
| location             | <400   | <1000         | >1000   | <400                       | <1000           | >1000 | <10.5    | >10.5                                 | <7.9      | >7.9        |
| R2SB-32              | 286    |               |         | 91                         | i               |       | 4.9      |                                       | 4.2       | -           |
| 33                   | 202    |               |         | 67                         | 1               |       | 6.3      | · · · · · · · · · · · · · · · · · · · | 5.7       |             |
| 34                   | 170    |               |         | 28                         | <del></del>     |       | 7.1      |                                       | 4.1       | <del></del> |
| 35                   | 191    |               |         | 79                         | , <del></del>   |       | 3.7      |                                       | 4.7       |             |
| 36                   | 310    |               |         | 109                        | ,               |       | 7.8      |                                       | 6.1       |             |
| 37                   | 366    |               |         |                            | 509             |       | 9.2      |                                       | 8         |             |
| 38                   | 282    |               |         | 175                        | ,               |       | 6.5      |                                       | 5.2       | <del></del> |
| 39                   | 383    |               |         | 144                        | 1               |       | 8.7      |                                       | 7.9       |             |
| 40                   | 1      | 422           |         | 50                         | , ,             |       | 6.9      |                                       | 4         |             |
| 41                   | 172    |               |         | 128                        | ,               |       | 5.96     |                                       | 5.9       |             |
| 42                   | 165    |               |         | 77                         | i <del></del> 7 |       | 4.2      |                                       | 3.9       |             |
| 43                   | 250    |               |         | 201                        | ,               |       | 7.4      | ,,-                                   | 7.4       |             |
| 44                   | 252    |               |         | 108                        |                 |       | 7.8      |                                       | 8.5       |             |
| 45                   | 140    |               |         | 85                         | ,               |       | 7.3      |                                       | 6.2       |             |
| 46                   | 34     |               |         | 41                         |                 |       | 6.9      |                                       | 6.5       |             |
| 47                   | 45     |               |         | 25                         |                 |       | 6.7      |                                       | 9         |             |
| 48                   | 41     |               |         | 45                         |                 |       | 6.5      |                                       | 6.5       |             |
| 49                   | 47     |               |         | 117                        | 1               |       | 8        |                                       |           | 9.7         |
| 50                   | 34     |               |         | 36                         |                 |       | 6.9      |                                       | 7         |             |
| number of samples    | 18     | 1             |         | 18                         | 11              |       | 19       |                                       | 18        | 1           |
| arithmetic mean      | 187.22 | 422           |         | 89.22                      | 509             |       | 6.78     |                                       | 6.16      |             |
| overall mean         |        | 199.58        |         |                            | 111.32          |       |          |                                       |           |             |
| % samples            |        | 1.00          |         |                            | 1.00            |       | 1.00     |                                       | 0.95      | 0.0         |

#### Note:

Citizens Gas samples include 5 locations (R2SB-1 through R2SB-4 and R2SB-13) that were sampled twice.

Only one sample from each interval was used in these calculations. Typically, results flagged as estimated (J values) were discarded.



## **APPENDIX F Permeability and Grain Size Analysis Report**

## Geosystems onsultants,inc Fort Washington, Pa 19034

2001g731 9/5/2001

Job Name:

Reviewed By

Date File No.

2001731Is8

Page No.

AGC: RMC-Beech Grove (#98-478-04) ENM

Laboratory Testing Assignment & Data Summary


| Boring        | Sample                                           | Depth        | Water                                            | Atterberg Limits |              |                   |                | Compact                                          |                |              | K                                                | Consol.       | Uc             | บบ                                               | CIU                                              | Organic                                          | рН                                               |
|---------------|--------------------------------------------------|--------------|--------------------------------------------------|------------------|--------------|-------------------|----------------|--------------------------------------------------|----------------|--------------|--------------------------------------------------|---------------|----------------|--------------------------------------------------|--------------------------------------------------|--------------------------------------------------|--------------------------------------------------|
| No.           | No                                               | ft.          | Content,%                                        |                  | Gravity      |                   |                |                                                  | nate           | Test         | Test                                             | Test          | Test           | Test                                             | Test                                             | Content, %                                       |                                                  |
|               |                                                  |              | ASTMD                                            | ASTMD            | ASTMD        | AS                | ΓMD            | ASTMD                                            | ASTMD          | ASTMD        | ASTMD                                            | ASTMD         | ASTMD          | ASTMD                                            | ASTMD                                            |                                                  |                                                  |
|               |                                                  |              | 2216                                             | 4318             | 854          | 4                 | 22             | 1557                                             | 3042           | 5084         | 2434                                             | 2435          | 2166           | 2850                                             | 4767                                             |                                                  |                                                  |
|               |                                                  |              |                                                  |                  |              |                   |                |                                                  |                |              |                                                  |               |                |                                                  |                                                  |                                                  |                                                  |
|               | MW-6SR                                           | 10.0-12.0    |                                                  | 40/17            |              | Х                 | Х              |                                                  |                | *            |                                                  |               |                |                                                  |                                                  |                                                  |                                                  |
|               | <u> </u>                                         |              |                                                  | l<br>            |              |                   |                |                                                  |                |              |                                                  |               |                |                                                  |                                                  |                                                  |                                                  |
|               | MW-6SR                                           | 16.0-18.0    |                                                  | 21/11            |              | X                 | X              |                                                  |                | <u> </u>     |                                                  |               |                |                                                  |                                                  |                                                  |                                                  |
| , <del></del> | <u> </u>                                         |              |                                                  |                  |              |                   |                | <u> </u>                                         | <u> </u>       | <u> </u>     |                                                  |               |                |                                                  | ļ                                                | <u> </u>                                         |                                                  |
| <del></del>   | MW-9S                                            | 22.0-24.0    |                                                  |                  |              | x                 | X              | <b></b>                                          | <b></b>        | <b> </b>     |                                                  | <u> </u>      | <u> </u>       | ļ <u> </u>                                       | <del> </del>                                     |                                                  | <b></b>                                          |
|               | <del> </del>                                     |              |                                                  |                  |              |                   | <br>           | <del> </del>                                     |                | <b> </b>     | <b></b>                                          | <b> </b> -    | <u> </u>       | ļ                                                | ļ                                                | <u> </u>                                         |                                                  |
|               | MW-7S                                            | 26.0-28.0    |                                                  |                  |              | X                 | X              | <del> </del>                                     | <b> </b>       |              | <del></del>                                      | <del> </del>  | <del>}</del> - | <b></b>                                          |                                                  | <del> </del>                                     | ├                                                |
|               | MW-9S                                            | 24.0-26.0    | <del></del>                                      |                  |              | X                 | X              | <del> </del>                                     | <del> </del> - | <del> </del> | <del> </del> -                                   | <del> </del>  | <del> </del>   | <del> </del>                                     | <del> </del>                                     | <del>}</del>                                     | <del> </del>                                     |
| <del></del>   | MMA-92                                           | 24.0-20.0    | <del></del>                                      | <b></b>          |              | <del>  ^-</del> - | <del>  ^</del> | <del> </del>                                     | <del> </del>   |              | <del> </del> -                                   | <del> </del>  | <del> </del>   | <del> </del>                                     | <del>                                     </del> | ļ                                                | <del> </del>                                     |
| <del></del>   | <del> </del>                                     | <del> </del> | <del>                                     </del> | <del></del>      | <del></del>  | <del> </del>      |                | <del> </del> -                                   | <del> </del>   | <del>}</del> | <del> </del>                                     | <del> </del>  | <del> </del>   | <del> </del>                                     | <del> </del>                                     | <del> </del>                                     |                                                  |
|               | <del> </del>                                     | <b> </b> -   | <del> </del>                                     | <del></del>      |              |                   |                | <del> </del>                                     | -              | <del> </del> | <del> </del>                                     | <del> </del>  | <del> </del>   | <del></del>                                      | <del> </del> -                                   | <del> </del>                                     |                                                  |
|               | <del> </del>                                     |              | <del> </del>                                     |                  |              | <del></del>       | <del> </del>   |                                                  | <del> </del>   | <del> </del> | <del>                                     </del> | <del> </del>  | <del> </del>   | <del> </del>                                     | <del> </del>                                     | <del> </del>                                     | <del> </del>                                     |
|               | <del> </del>                                     | <del> </del> | <del> </del>                                     |                  |              | ļ                 |                | <del>                                     </del> | <del> </del>   | <del> </del> | <del>                                     </del> |               |                |                                                  |                                                  | <del> </del>                                     | <del> </del>                                     |
|               | <b></b>                                          |              |                                                  |                  |              |                   |                | <del>                                     </del> |                | <del> </del> | <del></del>                                      |               | <del> </del>   |                                                  | <del> </del>                                     | <del> </del>                                     |                                                  |
|               |                                                  | -            |                                                  | <del></del>      |              |                   |                | <del>                                     </del> | <del> </del>   |              | <del>                                     </del> | <u> </u>      | -              | <del>                                     </del> | <del> </del>                                     | <del>                                     </del> | <del>                                     </del> |
|               | <del>                                     </del> | <del></del>  |                                                  |                  |              |                   |                |                                                  |                | <del> </del> | <del>                                     </del> |               |                | <del></del>                                      | <u> </u>                                         | <del> </del>                                     |                                                  |
|               |                                                  |              |                                                  |                  |              |                   |                |                                                  |                |              | <u> </u>                                         |               |                |                                                  | <u> </u>                                         |                                                  |                                                  |
|               |                                                  |              |                                                  |                  |              |                   |                |                                                  |                |              |                                                  |               |                |                                                  |                                                  |                                                  |                                                  |
|               |                                                  |              |                                                  |                  |              |                   |                |                                                  |                |              |                                                  |               |                |                                                  |                                                  |                                                  |                                                  |
|               |                                                  |              |                                                  |                  |              |                   |                |                                                  |                |              |                                                  |               |                |                                                  |                                                  |                                                  |                                                  |
|               |                                                  |              |                                                  |                  |              |                   |                |                                                  |                |              |                                                  |               |                |                                                  |                                                  |                                                  |                                                  |
|               |                                                  |              |                                                  |                  |              |                   |                |                                                  |                |              |                                                  |               |                |                                                  |                                                  |                                                  |                                                  |
|               | <u> </u>                                         |              |                                                  |                  |              |                   |                |                                                  |                |              |                                                  |               | 1              |                                                  | <b> </b>                                         |                                                  |                                                  |
|               |                                                  |              | <u> </u>                                         |                  | <b> </b>     | <b> </b>          | ļ              | <b> </b>                                         | <b> </b>       | <b></b>      | <b> </b>                                         | <b> </b>      | <b></b>        | <u> </u>                                         | <b> </b>                                         | <u> </u>                                         |                                                  |
| <del> </del>  |                                                  | <u> </u>     |                                                  |                  |              | <u> </u>          |                | <u> </u>                                         | <b> </b>       | <u> </u>     | <b> </b>                                         | <b></b>       | <del> </del>   | <u> </u>                                         | <b> </b>                                         | ļ                                                | <del> </del>                                     |
|               | <b></b>                                          |              |                                                  | <b> </b>         |              |                   | <b> </b>       | <b></b>                                          | <b></b> _      | <b></b>      | <b></b>                                          | <b>\</b>      | <b>}</b>       | <b></b>                                          | <b>}</b>                                         | <u> </u>                                         | <del></del>                                      |
| ,             | <b>_</b>                                         | <del> </del> |                                                  |                  | ļ            |                   |                | <del> </del>                                     | <del> </del>   | <del> </del> | ļ                                                | <del>  </del> | <b> </b>       | ļ                                                | <del> </del>                                     | <del> </del>                                     | <b>↓</b>                                         |
|               |                                                  | <del> </del> |                                                  | <u> </u>         | <b> </b>     | <b> </b>          |                | <del> </del>                                     | ļ              | <b> </b>     | <del> </del>                                     | <b></b>       | <del> </del>   | <del> </del>                                     | ļ                                                |                                                  | <del> </del>                                     |
|               | ļ                                                | <b></b>      |                                                  | ļ                | <b></b>      | <del> </del>      | <u> </u>       |                                                  | <del> </del>   | <b> </b>     | <del>                                     </del> | ↓             | -              | <del> </del>                                     | <del> </del>                                     | <del> </del>                                     | ↓                                                |
| ļ             |                                                  | <del> </del> | ļ                                                |                  |              | <del> </del>      |                | <del> </del>                                     | <del> </del>   | <b></b>      |                                                  | <del> </del>  |                | <del> </del>                                     | <del> </del>                                     |                                                  | <del> </del>                                     |
|               | <del></del>                                      | ļ            | <b></b> _                                        | ļ                | <del> </del> | <del>  </del>     | <del> </del>   | <del> </del>                                     | <b></b>        | <del> </del> | <del> </del>                                     | <del> </del>  | <b></b>        | <del> </del>                                     | <del> </del>                                     | <del> </del>                                     | <del> </del>                                     |
|               |                                                  | <u> </u>     | <u></u>                                          | <u></u>          | <u></u>      | <u> </u>          | <u> </u>       |                                                  | <u> </u>       | <u> </u>     | <u> </u>                                         | <u></u>       |                | <u></u>                                          | <u> </u>                                         | <u> </u>                                         |                                                  |

### GeoSystems Consultants Inc.

Fort Washington , Pa.

| Job Name: | AGC: RMC-Beech Grove (#98-478-04) |                |          |       | File No   | 2001731mah1   |                |           |
|-----------|-----------------------------------|----------------|----------|-------|-----------|---------------|----------------|-----------|
| Job No.   | 2001g731                          |                |          |       | Date      | 12-Sep-01     |                |           |
|           |                                   |                |          |       | Cu        | Undefined     | Undefined      | Undefined |
| Dry Wt.   | 309.20                            | 424.40         | 458.10   | 7     | Сс        | Undefined     | Undefined      | Undefined |
| Sieve     | Weight                            | Weight         | Weight   | Sieve | Sieve     | %             | %              | %         |
| No.       | Retained                          | Retained       | Retained | No.   | Size , mm | Finer         | Finer          | Finer     |
| Sample No | MW-65R, 10-12                     | MW-65R, 16-18' |          |       |           | MW-65R, 10-12 | MW-65R, 16-18' |           |
| 3"        | 0.00                              | 0.00           |          | 3"    | 76.00     |               |                |           |
| 2"        | 0.00                              | 0.00           |          | 2"    | 50.80     |               |                |           |
| 1.5"      | 0.00                              | 0.00           |          | 1.5"  | 38.10     |               |                |           |
| 1"        | 0.00                              | 0.00           |          | 1"    | 25.40     |               |                |           |
| 3/4       | 0.00                              | 0.00           |          | 3/4   | 19.00     |               | 100.00         |           |
| 1/2"      | 0.00                              | 4.70           |          | 1/2"  | 12.70     |               | 98.89          |           |
| 3/8"      | 0.00                              | 10.20          |          | 3/8"  | 9.50      | 100.00        | 97.60          |           |
| #4        | 1.40                              | 26.70          |          | #4    | 4.75      | 99.55_        | 93.71          |           |
| #10       | 7.00                              | 54.00          |          | #10   | 2.00      | 97.74         | 87.28          |           |
| #20       | 1.60                              | 4.20           |          | #20   | 0.850     | 95.78         | 82.69          |           |
| #40       | 3.90                              | 9.80           |          | #40   | 0.430     | 92.97         | 76.58          |           |
| #60       | 7.80                              | 16.10          |          | #60   | 0.250     | 88.21         | 69.71          |           |
| #100      | 13.10                             | 23.20          |          | #100  | 0.150     | 81.73         | 61.97          |           |
| #200      | 19.30                             | 31.60          |          | #200  | 0.072     | 74.16         | 52.80          |           |






| Depth | Water        | LL/PL                | Description                       |                                                          |
|-------|--------------|----------------------|-----------------------------------|----------------------------------------------------------|
| Ft.   | Content, %   | %                    |                                   |                                                          |
| 10-12 |              |                      | Brownish gray silt with sand (ML) |                                                          |
| 16-18 |              |                      | Light gray sandy silt (ML)        |                                                          |
|       |              |                      |                                   |                                                          |
|       | Ft.<br>10-12 | Ft. Content, % 10-12 | Ft. Content, % % 10-12            | Ft. Content, % % 10-12 Brownish gray silt with sand (ML) |

# GeoSystems Consultants Inc. Fort Washington , Pa.

| Job Name: | AGC: RMC-Be | eech Grove (#98 | 3-478-04)  |       | File No   | 2001731mah3 |            |            |
|-----------|-------------|-----------------|------------|-------|-----------|-------------|------------|------------|
| Job No.   | 2001g731    |                 |            |       | Date      | 12-Sep-01   |            |            |
|           | Ī           |                 |            |       | Cu        | Undefined   | Undefined  | Undefined  |
| Dry Wt.   | 513.00      | 458.10          | 463.50     | ]     | Сс        | Undefined   | Undefined  | Undefined  |
| Sieve     | Weight      | Weight          | Weight     | Sieve | Sieve     | %           | %          | %          |
| No.       | Retained    | Retained        | Retained   | No.   | Size , mm | Finer       | Finer      | Finer      |
| Sample No | MW-7S       | MW-9S(S-1)      | MW-9S(S-2) |       |           | MW-7S       | MW-9S(S-1) | MW-9S(S-2) |
| 3"        | 0.00        | 0.00            | 0.00       | 3"    | 76.00     |             |            |            |
| 2"        | 0.00        | 0.00            | 0.00       | 2"    | 50.80     |             |            |            |
| 1.5"      | 0.00        | 0.00            | 0.00       | 1.5"  | 38.10     |             |            |            |
| 1"        | 0.00        | 0.00            | 0.00       | 1"    | 25.40     | 100.00      | 100.00     |            |
| 3/4       | 18.86       | 22.80           | 0.00       | 3/4   | 19.00     | 96.32       | 95.02      |            |
| 1/2"      | 32.80       | 34.00           | 0.00       | 1/2"  | 12.70     | 93.61       | 92.58      |            |
| 3/8"      | 35.20       | 35.70           | 0.00       | 3/8"  | 9.50      | 93.14       | 92.21      | 100.00     |
| #4        | 40.30       | 45.30           | 7.50       | #4    | 4.75      | 92.14       | 90.11      | 98.38      |
| #10       | 59.70       | 65.90           | 24.90      | #10   | 2.00      | 88.36       | 85.61      | 94.63      |
| #20       | 5.20        | 4.10            | 3.70       | #20   | 0.850     | 82.62       | 81.23      | 81.65      |
| #40       | 10.60       | 8.50            | 8.20       | #40   | 0.430     | 76.65       | 76.52      | 76.84      |
| #60       | 17.30       | 13.70           | 13.70      | #60   | 0.250     | 69.25       | 70.95      | 70.95      |
| #100      | 24.50       | 19.90           | 19.50      | #100  | 0.150     | 61.30       | 64.32      | 64.75      |
| #200      | 33.30       | 27.80           | 26.40      | #200  | 0.072     | 51.58       | 55.86      | 57.36      |





| Boring/Sample No. | Depth | Water      | LL/PL | Description                |
|-------------------|-------|------------|-------|----------------------------|
|                   | Ft.   | Content, % | %     |                            |
| MW-7S             | 26-28 |            |       | Light gray sandy silt (ML) |
| MW-9S(S-1)        | 22-24 |            |       | Light gray sandy silt (ML) |
| MW-9S(S-2)        | 24-26 |            |       | Light gray sandy silt (ML) |

|              | GeoSystems Consultants Inc. Fort Washington , Pa. |
|--------------|---------------------------------------------------|
| Job No:      | 2001G                                             |
| Job Name:    | AGC; RMC-BEECH GROVE N(#98-478-04)                |
| Date         | 9/10/2001                                         |
| Reviewed By: | E.N.Manuel                                        |
| File No.:    | 2001731LK1                                        |

## Summary Of Undistrubed Triaxial Variable -Head Permeability Tests ASTMD-5084

| Date     | Test | Sample        | W.Co   | Liquid/   | Specific    |              | So       | Öc       | W.C.f  | Sf        | k        |
|----------|------|---------------|--------|-----------|-------------|--------------|----------|----------|--------|-----------|----------|
| Tested   | No.  | Label         | %      | Plastic   | Gravity     | Density,pcf  | %        | tsf      | %      | %         | cm/sec   |
|          |      |               |        | Limit     |             |              |          |          |        |           |          |
|          |      |               |        |           |             |              |          |          |        |           |          |
| 09/08/01 | 1    | MW-65R        | 17.0   | N.T       | 2.74        | 114.7        | 94.7     | 0.72     | 17.9   | 99.7      | 4.90E-   |
|          |      | (10.0'-12.0') |        |           |             |              |          |          |        |           |          |
| 09/08/01 | 2    | MW-65R        | 10.2   | N.T       | 2.74        | 133.5        | 99.3     | 0.72     | 10.3   | 100.0     | 4.03E-   |
|          |      | (16.0-18.0)   |        |           |             |              |          |          |        |           |          |
|          | 3    |               |        |           |             |              |          |          |        | <u> </u>  | <u> </u> |
|          | 4    | Note          | For MV | /_65R (16 | .0-18.0), f | ound a 2" to | 3" stone | in the K | sample | after tes | t        |
|          | 5    |               |        |           |             |              |          |          |        |           |          |
|          | 6    |               |        |           |             |              |          |          |        |           |          |
|          | 7    |               |        |           |             |              |          |          |        |           |          |
|          | 8    |               |        |           |             |              |          |          |        |           |          |
|          | 9    |               |        |           |             |              |          |          |        |           |          |
|          | 10   |               |        |           |             |              |          |          |        |           |          |
|          | 11   |               |        |           |             |              |          |          |        |           |          |
|          | 12   |               |        |           |             |              |          |          |        |           |          |
|          | 13   |               |        |           |             |              |          |          |        |           |          |
|          | 14   |               |        |           |             |              |          |          |        |           |          |
|          | 15   |               |        |           |             |              |          |          |        |           | ,        |
|          | 16   |               |        |           |             |              |          |          |        |           |          |
|          | 17   |               |        |           |             |              |          |          |        |           |          |
|          | 18   |               |        |           |             |              |          |          |        |           |          |
|          | 19   |               |        |           |             |              |          |          |        |           |          |
|          | 20   |               |        |           |             |              |          |          |        |           |          |
|          | 21   |               |        |           |             |              |          |          |        |           |          |
|          | 22   |               |        |           |             |              |          |          |        |           |          |
|          | 23   |               |        |           |             |              |          |          |        |           |          |
|          | 24   |               |        |           |             |              |          |          |        |           |          |
|          | 25   |               |        |           |             |              |          |          |        |           |          |
|          | 26   |               |        |           |             |              |          |          |        |           |          |
|          | 27   |               |        |           |             |              |          |          |        |           |          |
|          | 28   |               |        |           |             |              |          |          |        |           |          |
|          | 29   |               |        |           |             |              |          |          |        |           |          |
|          | 30   |               |        |           |             | ĺ            |          |          |        |           |          |
|          | 31   |               |        |           |             | ĺ            |          |          |        | ,         |          |
|          | 32   |               |        |           |             |              |          |          |        |           |          |

Where:

W.C= Initial or Final Water Content

Yt= Initial Total Density Yd= Initial Dry Density

S = Initial or Final Degree of Saturation

Oc Effective Consolidation Pressure
K= Coeff.Of Permeability at 20 c

Note: 1.Initial Hydraulic Gradient Used = 2

N.T- Not Tested